



Update to list of Category II Codes dated July 1, 2009

Please note: The following list of Category II codes has been added to the Web to allow a posting of the latest Category II codes developed. This listing of Category II codes is intended to identify those codes that have been added to the Category II coding set since the latest printing of the CPT coding manual. Therefore, the codes noted within this Web listing will include only those codes that are not listed in the latest edition of the CPT coding manual. For a complete listing of all existing Category II codes, this listing should be appended to the codes included in the latest edition of the CPT coding manual.

As is utilized in the CPT coding manual, a bullet (●) precedes code additions while a triangle/delta symbol (▲) precedes revised codes.

Within this document, the term “release date” is intended to identify the date of publication of the noted change by the American Medical Association (AMA). The term “implementation date” is intended to identify the date that the change officially becomes a part of the CPT code set. Please note that payers may use the term “implementation date” or “effective date” to specify the start date for use of a code in a designated program (eg, PQRI). Start dates may vary from payer to payer and may differ from the AMA implementation dates. Therefore, check with the payer for specific payer information regarding use of these codes as part of any program.

The “*” symbol is used in this document to notate codes that have been changed since the original listing on the AMA Web site prior to inclusion within the CPT Codebook. When this symbol is listed, the added or deleted code, text change, or other noted revision will be presented with underling (eg, underlining), strike throughs (eg, ~~strike-throughs~~), or bow ties (eg, ►◄). In addition, the posting date of the revision as well as the date of implementation for the change (ie, date of inclusion for the change as part of the CPT code set) will also be included in the table. Finally, the date that the new change will appear in the CPT Codebook is also included in the table in the last column. The “*” symbol will be appended to each part of the listing that reflects a change from the previously posted information.

Category II Codes

The following section of *Current Procedural Terminology (CPT)* contains a set of supplemental tracking codes that can be used for performance measurement. It is anticipated that the use of Category II codes for performance measurement will decrease the need for record abstraction and chart review, thereby minimizing administrative burden on physicians, other health care professionals, hospitals, and entities seeking to measure the quality of patient care. These codes are intended to facilitate data collection about the quality of care rendered by coding certain services and test results that support nationally established performance measures and that have an evidence base as contributing to quality patient care.

The use of these codes is optional. The codes are not required for correct coding and may not be used as a substitute for Category I codes.

These codes describe clinical components that may be typically included in evaluation and management services or clinical services and, therefore, do not have a relative value associated with them. Category II codes may also describe results from clinical laboratory or radiology tests

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org

² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org

³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms

⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org

⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org

⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>

⁷ Ingenix, www.ingenix.com

⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



and other procedures, identified processes intended to address patient safety practices, or services reflecting compliance with state or federal law.

Category II codes described in this section make use of alphabetical characters as the 5th character in the string (ie, 4 digits followed by the letter **F**). These digits are not intended to reflect the placement of the code in the regular (Category I) part of the *CPT* codebook. To promote understanding of these codes and their associated measures, users are referred to Appendix H, which contains information about performance measurement exclusion modifiers, measures, and the measures' source(s).

Composite Measures	0001F-0015F
▶ Patient Management	0500F-0575F ◀
▶ Patient History	1000F-1220F ◀
▶ Physical Examination	2000F-2060F ◀
▶ Diagnostic/Screening Processes or Results	3006F-3650F ◀
▶ Therapeutic, Preventive or Other Interventions	4000F-4340F ◀
▶ Follow-up or Other Outcomes	5005F-5200F ◀
▶ Patient Safety	6005F-6070F ◀
Structural Measures	7010F-7025F

Composite Codes

No new codes for this section at this time.

Patient Management

0505F	Hemodialysis plan of care documented (ESRD, ▶ P-ESRD ◀) ¹	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
▲0520F	<u>Radiation dose limits to normal tissues*</u> established <u>prior to*</u> the initiation of a course of 3D conformal radiation for a minimum of <u>two*</u> tissues/organs (ONC) ¹	*Revision Released July 1, 2008 *Implemented: October 1, 2008	*First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ Ingenix, www.ingenix.com
⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



0521F	Plan of care to address pain documented ▶ (COA) ² ◀ (ONC) ¹	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●0528F	Recommended follow-up interval for repeat colonoscopy of at least 10 years documented in colonoscopy report (End/Polyp) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●0529F	Interval of 3 or more years since patient's last colonoscopy, documented (End/Polyp) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●0535F	Dyspnea management plan of care, documented (Pall Cr) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●0540F	Glucocorticoid Management Plan Documented (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●0545F	Plan for follow-up care for major depressive disorder, documented (MDD ADOL) ¹	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
●0575F	HIV RNA control plan of care, documented (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010

Patient History

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org

² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org

³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms

⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org

⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org

⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>

⁷ Ingenix, www.ingenix.com

⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



Patient history codes describe measures for select aspects of patient history or review of systems.

1040F	DSM-IV criteria for major depressive disorder documented at the initial evaluation (MDD, ►MDD ADOL◄) ¹	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
1111F	Discharge medications reconciled with the current medication list in ambulatory medical record ►(COA) ² ◄ (GER) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
1119F	Initial evaluation for condition (HEP C) ¹ ►(EPI) ⁸ ◄	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
1121F	Subsequent evaluation for condition (HEP C) ¹ ►(EPI) ⁸ ◄	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
1123F	Advance Care Planning discussed and documented; advance care plan or surrogate decision maker documented in the medical record (GER, ►Pall Cr◄) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
1124F	Advance Care Planning discussed and documented in the medical record; patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan (GER, ►Pall Cr◄) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
1125F	Pain severity quantified; pain present ►(COA) ² ◄ (ONC) ¹	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
1126F	Pain severity quantified; no pain present ►(COA) ² ◄ (ONC) ¹	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

- ¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
- ² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
- ³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
- ⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
- ⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
- ⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
- ⁷ **Ingenix**, www.ingenix.com
- ⁸ **American Academy of Neurology**, www.aan.com/go/practice/quality/measurements or quality@aan.com



►(Codes 1127F and 1128F have been deleted)◄

Released:
September 15,
2009

First Appearance of
change in CPT
Coding Manual:

Implemented:
January 1, 2010

CPT 2011

●1150F	Documentation that a patient has a substantial risk of death within one year (Pall Cr) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●1151F	Documentation that a patient does not have a substantial risk of death within one year (Pall Cr) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●1152F	Documentation of advanced disease diagnosis, goals of care prioritize comfort (Pall Cr) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●1153F	Documentation of advanced disease diagnosis, goals of care do not prioritize comfort (Pall Cr) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●1157F	Advance care plan or similar legal document present in the medical record (COA) ²	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●1158F	Advance care planning discussion documented in the medical record (COA) ²	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●1159F	Medication list documented in medical record (COA) ²	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org

² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org

³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms

⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org

⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org

⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>

⁷ Ingenix, www.ingenix.com

⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



●1160F	Review of all medications by a prescribing practitioner or clinical pharmacist (such as, prescriptions, OTCs, herbal therapies and supplements) documented in the medical record (COA) ²	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●1170F	Functional status assessed (COA) ² (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●1180F	All specified thromboembolic risk factors assessed (AFIB) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●1200F	Seizure type(s) and current seizure frequency(ies) documented (EPI) ⁸	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
●1205F	Etiology of epilepsy or epilepsy syndrome(s) reviewed and documented (EPI) ⁸	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
●1220F	Patient screened for depression (SUD) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010

Physical Examination

Physical examination codes describe aspects of physical examination or clinical assessment.

●2050F	Wound characteristics including size AND nature of wound base tissue AND amount of drainage prior to debridement, documented (CWC) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
--------	---	---	---

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org

² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org

³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms

⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org

⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org

⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>

⁷ Ingenix, www.ingenix.com

⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



- | | | | |
|--------|--|---------------------------------|--|
| ●2060F | Patient interviewed directly by evaluating clinician on or before date of diagnosis of major depressive disorder (MDD ADOL) ¹ | Released:
July 1, 2009 | First Appearance of
change in CPT
Coding Manual: |
| | | Implemented:
January 1, 2010 | CPT 2011 |

Diagnostic/Screening Processes or Results

Diagnostic/screening processes or results codes describe results of tests ordered (clinical laboratory tests, radiological or other procedural examinations, and conclusions of medical decision-making).

- | | | | |
|--------|---|---------------------------------|--|
| ●3008F | Body Mass Index (BMI), documented (PV) ¹ | Released:
July 1, 2009 | First Appearance of
change in CPT
Coding Manual: |
| | | Implemented:
January 1, 2010 | CPT 2011 |
| ●3015F | Cervical cancer screening results documented and reviewed (PV) ¹ | Released:
July 1, 2009 | First Appearance of
change in CPT
Coding Manual: |
| | | Implemented:
January 1, 2010 | CPT 2011 |
| ●3016F | Patient screened for unhealthy alcohol use using a systematic screening method (PV) ¹ | Released:
November 18, 2008 | First Appearance of
change in CPT
Coding Manual: |
| | | Implemented:
January 1, 2009 | CPT 2010 |
| ●3018F | Pre-procedure risk assessment AND depth of insertion AND quality of the bowel prep AND complete description of polyp(s) found, including location of each polyp, size, number and gross morphology AND recommendations for follow-up in final colonoscopy report, documented (End/Polyp) ⁵ | Released:
November 18, 2008 | First Appearance of
change in CPT
Coding Manual: |
| | | Implemented:
January 1, 2009 | CPT 2010 |
| ●3038F | Pulmonary function test performed within 12 months prior to surgery (Lung/Esop Cx) ⁶ | Released:
September 15, 2009 | First Appearance of
change in CPT
Coding Manual: |
| | | Implemented:
January 1, 2010 | CPT 2011 |

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org

² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org

³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms

⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org

⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org

⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>

⁷ Ingenix, www.ingenix.com

⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



3082F	Kt/V less than 1.2 (Clearance of urea (Kt)/volume (V)) (ESRD, ►P-ESRD◄) ¹	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
3083F	Kt/V equal to or greater than 1.2 and less than 1.7 (Clearance of urea (Kt)/volume (V)) (ESRD, ►P-ESRD◄) ¹	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
3084F	Kt/V greater than or equal to 1.7 (Clearance of urea (Kt)/volume (V)) (ESRD, ►P-ESRD◄) ¹	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
3085F	Suicide risk assessed (MDD, ►MDD ADOL◄) ¹	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
▲ 3110F	►Documentation in final CT or MRI report of presence or absence of hemorrhage and mass lesion and acute infarction◄ Presence or absence of hemorrhage and mass lesion and acute infarction documented in final CT or MRI report (STR) ⁵	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
▲ 3111F	CT or MRI of the brain performed in the hospital within 24 hours of arrival to the hospital ►OR performed in an outpatient imaging center, to confirm initial diagnosis of stroke, TIA or hemorrhage◄ (STR) ⁵	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
▲ 3112F	CT or MRI of the brain performed greater than 24 hours after arrival to the hospital ►OR performed in an outpatient imaging center for purpose other than confirmation of initial diagnosis of stroke, TIA, or hemorrhage◄ (STR) ⁵	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ Ingenix, www.ingenix.com
⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



▲3250F	Specimen biopsy site other than anatomic location of primary tumor (eg, liver biopsy, lymph node biopsy)* (PATH) ¹	Released: July 1, 2008 Implemented: October 1, 2008 *Released: November 18, 2008 *Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010 *First Appearance of change in CPT Coding Manual: CPT 2010
●3293F	ABO and Rh blood typing documented as performed (Pre-Cr) ⁷	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
●3294F	Group B Streptococcus (GBS) screening documented as performed during week 35-37 gestation (Pre-Cr) ⁷	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
3302F	AJCC Cancer Stage 0, documented (ONC)⁴, (ML)^{5*}	*Deleted: July 1, 2008 *Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010
	<u>(Code 3302F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u>	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010
3303F	AJCC Cancer Stage IA, documented (ONC)⁴, (ML)^{5*}	*Deleted: July 1, 2008 *Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010
	<u>(Code 3303F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u>	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ Ingenix, www.ingenix.com
⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



3304F	AJCC Cancer Stage IB, documented (ONC) ⁴ , (ML) ^{5*}	*Deleted: July 1, 2008 *Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010
	<u>(Code 3304F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u>	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010
3305F	AJCC Cancer Stage IC, documented (ONC) ⁴ , (ML) ^{5*}	*Deleted: July 1, 2008 *Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010
	<u>(Code 3305F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u>	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010
3306F	AJCC Cancer Stage IIA, documented (ONC) ⁴ , (ML) ^{5*}	*Deleted: July 1, 2008 *Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010
	<u>(Code 3306F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u>	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010
3307F	AJCC Cancer Stage IIB, documented (ONC) ⁴ , (ML) ^{5*}	*Deleted: July 1, 2008 *Implemented: October 1, 2008 January 1, 2009	Deletion Appearance in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ Ingenix, www.ingenix.com
⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



	<u>(Code 3307F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u>	Released: July 1, 2008	Deletion Appearance in CPT Coding Manual:
		Implemented: October 1, 2008 January 1, 2009	CPT 2010
3308F	AJCC Cancer Stage IIC, documented (ONC)⁴, (ML)^{5*}	*Deleted: July 1, 2008	Deletion Appearance in CPT Coding Manual:
		*Implemented: October 1, 2008 January 1, 2009	CPT 2010
	<u>(Code 3308F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u>	Released: July 1, 2008	Deletion Appearance in CPT Coding Manual:
		Implemented: October 1, 2008 January 1, 2009	CPT 2010
3309F	AJCC Cancer Stage IIIA, documented (ONC)⁴, (ML)^{5*}	*Deleted: July 1, 2008	Deletion Appearance in CPT Coding Manual:
		*Implemented: October 1, 2008 January 1, 2009	CPT 2010
	<u>(Code 3309F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u>	Released: July 1, 2008	Deletion Appearance in CPT Coding Manual:
		Implemented: October 1, 2008 January 1, 2009	CPT 2010
3310F	AJCC Cancer Stage IIIB, documented (ONC)⁴, (ML)^{5*}	Deleted: July 1, 2008	Deletion Appearance in CPT Coding Manual:
		*Implemented: October 1, 2008 January 1, 2009	CPT 2010
	<u>(Code 3310F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u>	Released: July 1, 2008	Deletion Appearance in CPT Coding Manual:
		Implemented: October 1, 2008 January 1, 2009	CPT 2010

Footnotes

- ¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
- ² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
- ³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
- ⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
- ⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
- ⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
- ⁷ Ingenix, www.ingenix.com
- ⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



3311F	<p>AJCC Cancer Stage III C, documented (ONC)⁴, (ML)^{5*}</p> <p><u>(Code 3311F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u></p>	<p>*Deleted: July 1, 2008</p> <p>*Implemented: October 1, 2008 January 1, 2009</p> <p>Released: July 1, 2008</p> <p>Implemented: October 1, 2008 January 1, 2009</p>	<p>Deletion Appearance in CPT Coding Manual:</p> <p>CPT 2010</p> <p>Deletion Appearance in CPT Coding Manual:</p> <p>CPT 2010</p>
3312F	<p>AJCC Cancer Stage IVA, documented (ONC)⁴, (ML)^{5*}</p> <p><u>(Code 3312F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u></p>	<p>*Deleted: July 1, 2008</p> <p>*Implemented: October 1, 2008 January 1, 2009</p> <p>Released: July 1, 2008</p> <p>Implemented: October 1, 2008 January 1, 2009</p>	<p>Deletion Appearance in CPT Coding Manual:</p> <p>CPT 2010</p> <p>Deletion Appearance in CPT Coding Manual:</p> <p>CPT 2010</p>
3313F	<p>AJCC Cancer Stage IVB, documented (ONC)⁴, (ML)^{5*}</p> <p><u>(Code 3313F has been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u></p>	<p>Released: October 1, 2007</p> <p>Implemented: January 1, 2008</p> <p>*Deleted: February 1, 2008</p> <p>*Implemented: April 1, 2008</p> <p>Released: July 1, 2008</p> <p>Implemented: October 1, 2008 January 1, 2009</p>	<p>Note: This code will not be included in the CPT Codebook.</p> <p>Deletion Appearance in CPT Coding Manual:</p> <p>CPT 2010</p>

Footnotes

- ¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
- ² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
- ³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
- ⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
- ⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
- ⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
- ⁷ **Ingenix**, www.ingenix.com
- ⁸ **American Academy of Neurology**, www.aan.com/go/practice/quality/measurements or quality@aan.com



<p>3314F AJCC Cancer Stage IVC, documented (ONC)⁴, (ML)^{5*}</p> <p><u>(Codes 3313F and 3314F have been deleted)*</u></p> <p><u>(Codes 3302F-3314F have been deleted. For report of measures for Cancer Staging, use 3321F-3390F)</u></p>	<p>Released: October 1, 2007</p> <p>Implemented: January 1, 2008</p> <p>*Deleted: February 1, 2008</p> <p>*Implemented: April 1, 2008</p> <p>*Deleted: February 1, 2008</p> <p>*Implemented: April 1, 2008</p> <p>Released: July 1, 2008</p> <p>Implemented: October 1, 2008 January 1, 2009</p>	<p>Note: This code will not be included in the CPT Codebook.</p> <p>Deletion Appearance in CPT Coding Manual: CPT 2010</p> <p>First Appearance of change in CPT Coding Manual: CPT 2010</p>
<p>●3321F AJCC Cancer Stage 0 or IA Melanoma, documented (ML)⁵</p>	<p>Released: July 1, 2008</p> <p>Implemented: October 1, 2008 January 1, 2009</p>	<p>First Appearance of change in CPT Coding Manual: CPT 2010</p>
<p>●3322F Melanoma greater than AJCC Stage 0 or IA (ML)⁵</p>	<p>Released: July 1, 2008</p> <p>Implemented: October 1, 2008 January 1, 2009</p>	<p>First Appearance of change in CPT Coding Manual: CPT 2010</p>
<p>●3323F Clinical tumor, node and metastases (TNM) staging documented and reviewed prior to surgery (Lung/Esop Cx)⁶</p>	<p>Released: September 15, 2009</p> <p>Implemented: January 1, 2010</p>	<p>First Appearance of change in CPT Coding Manual: CPT 2011</p>
<p>●3324F MRI or CT scan ordered, reviewed or requested (EPI)⁸</p>	<p>Released: September 15, 2009</p> <p>Implemented: January 1, 2010</p>	<p>First Appearance of change in CPT Coding Manual: CPT 2011</p>

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ **Ingenix**, www.ingenix.com
⁸ **American Academy of Neurology**, www.aan.com/go/practice/quality/measurements or quality@aan.com



●3328F	Performance status documented and reviewed within 2 weeks prior to surgery(Lung/Esop Cx) ⁶	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
●3370F	AJCC Breast Cancer Stage 0, documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3372F	AJCC Breast Cancer Stage I: T1mic, T1a or T1b (tumor size ≤ 1 cm), documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3374F	AJCC Breast Cancer Stage I: T1c (tumor size > 1cm to 2 cm), documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3376F	AJCC Breast Cancer Stage II, documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3378F	AJCC Breast Cancer Stage III, documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3380F	AJCC Breast Cancer Stage IV, documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

- ¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
- ² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
- ³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
- ⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
- ⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
- ⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
- ⁷ Ingenix, www.ingenix.com
- ⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



●3382F	AJCC colon cancer, Stage 0, documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3384F	AJCC colon cancer, Stage I, documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3386F	AJCC colon cancer, Stage II, documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3388F	AJCC colon cancer, Stage III, documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3390F	AJCC colon cancer, Stage IV, documented (ONC) ¹	Released: July 1, 2008 Implemented: October 1, 2008 January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3450F	Dyspnea screened, no dyspnea or mild dyspnea (Pall Cr) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3451F	Dyspnea screened, moderate or severe dyspnea (Pall Cr) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3452F	Dyspnea not screened (Pall Cr) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org

² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org

³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms

⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org

⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org

⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>

⁷ Ingenix, www.ingenix.com

⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



●3455F	TB screening performed and results interpreted within six months prior to initiation of first-time biologic disease modifying anti-rheumatic drug therapy for RA (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3470F	Rheumatoid arthritis (RA) disease activity, low (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3471F	Rheumatoid arthritis (RA) disease activity, moderate (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3472F	Rheumatoid arthritis (RA) disease activity, high (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3475F	Disease prognosis for rheumatoid arthritis assessed, poor prognosis documented (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3476F	Disease prognosis for rheumatoid arthritis assessed, good prognosis documented (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3490F	History of AIDS-defining condition (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3491F	HIV indeterminate (infants of undetermined HIV status born of HIV-infected mothers) (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3492F	History of nadir CD4+ cell count <350 cells/mm ³ (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

- ¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
- ² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
- ³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
- ⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
- ⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
- ⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
- ⁷ Ingenix, www.ingenix.com
- ⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



●3493F	No history of nadir CD4+ cell count <350 cells/mm ³ AND no history of AIDS-defining condition (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3494F	CD4+ cell count <200 cells/mm ³ (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3495F	CD4+ cell count 200 – 499 cells/mm ³ (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3496F	CD4+ cell count ≥500 cells/mm ³ (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3497F	CD4+ cell percentage <15% (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3498F	CD4+ cell percentage ≥15% (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●3500F	CD4+ cell count or CD4+ cell percentage documented as performed (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3502F	HIV RNA viral load below limits of quantification (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3503F	HIV RNA viral load not below limits of quantification (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org

² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org

³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms

⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org

⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org

⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>

⁷ Ingenix, www.ingenix.com

⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



●3510F	Documentation that tuberculosis (TB) screening test performed and results interpreted (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3511F	Chlamydia and gonorrhea screenings documented as performed (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3512F	Syphilis screening documented as performed (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3513F	Hepatitis B screening documented as performed (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3514F	Hepatitis C screening documented as performed (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3515F	Patient has documented immunity to Hepatitis C (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3550F	Low risk for thromboembolism (AFIB) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3551F	Intermediate risk for thromboembolism (AFIB) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●3552F	High risk for thromboembolism (AFIB) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org

² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org

³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms

⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org

⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance, www.ncqa.org

⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>

⁷ Ingenix, www.ingenix.com

⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



● 3555F	Patient had International Normalized Ratio (INR) measurement performed (AFIB) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
● 3570F	Final report for bone scintigraphy study includes correlation with existing relevant imaging studies (eg, x-ray, MRI, CT) corresponding to the same anatomical region in question (NUC_MED) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
● 3572F	Patient considered to be potentially at risk for fracture in a weight-bearing site (NUC_MED) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
● 3573F	Patient not considered to be potentially at risk for fracture in a weight-bearing site (NUC_MED) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
● 3650F	Electroencephalogram (EEG) ordered, reviewed or requested (EPI) ⁸	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011

Therapeutic, Preventive or Other Interventions

Therapeutic, preventive or other interventions codes describe pharmacologic, procedural, or behavioral therapies, including preventive services such as patient education and counseling.

● 4004F	Patient screened for tobacco use AND received tobacco cessation counseling, if identified as a tobacco user (PV) ¹	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
▲ 4011F	Oral antiplatelet therapy prescribed (eg, aspirin, clopidogrel/Plavix, or combination of aspirin and dipyridamole/Aggrenox) (CAD) ¹	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

- ¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
- ² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
- ³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
- ⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
- ⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
- ⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
- ⁷ **Ingenix**, www.ingenix.com
- ⁸ **American Academy of Neurology**, www.aan.com/go/practice/quality/measurements or quality@aan.com



4040F	Pneumococcal vaccine administered or previously received (COPD) ¹ , (PV) ^{1,2}	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
▲ 4047F	Documentation of order for prophylactic ▶parenteral◀ antibiotics to be given within one hour (if fluoroquinolone or vancomycin, two hours) prior to surgical incision (or start of procedure when no incision is required) (PERI 2) ⁵	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
▲ 4048F	Documentation that ▶administration of◀ prophylactic ▶parenteral◀ antibiotic was ▶initiated◀ given within one hour (if fluoroquinolone or vancomycin, two hours) prior to surgical incision (or start of procedure when no incision is required)▶, as ordered◀ (PERI 2) ⁵	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
4060F	Psychotherapy services provided (MDD, ▶MDD ADOL◀)) ¹	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
4062F	Patient referral for psychotherapy documented (MDD, ▶MDD ADOL◀) ¹	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
●4063F	Antidepressant pharmacotherapy considered and not prescribed (MDD ADOL) ¹	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
4064F	Antidepressant pharmacotherapy prescribed (MDD, ▶MDD ADOL◀) ¹	Released: July 1, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
● 4148F	Hepatitis A vaccine injection administered or previously received (HEP-C) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org

² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org

³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms

⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org

⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org

⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>

⁷ Ingenix, www.ingenix.com

⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



● 4149F	Hepatitis B vaccine injection administered or previously received (HEP-C) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
● 4152F	Documentation that combination peginterferon and ribavirin therapy considered (HEP-C)^{4*}	Released: July 1, 2007 Implemented: October 1, 2007 *Deleted: July 1, 2008 *Implemented: October 1, 2008	Deletion Appearance in CPT Coding Manual: CPT 2010
● 4154F	Hepatitis A vaccine series recommended (HEP-G)^{1*}	Released: July 1, 2007 Implemented: October 1, 2007 *Released: July 1, 2008 *Implemented: October 1, 2008	Deletion Appearance in CPT Coding Manual: CPT 2010
● 4156F	Hepatitis B vaccine series recommended (HEP-G)^{1*}	Released: July 1, 2007 Implemented: October 1, 2007 *Released: July 1, 2008 *Implemented: October 1, 2008	Deletion Appearance in CPT Coding Manual: CPT 2010
▲ 4158F	<u>Patient counseled about risks of alcohol use*</u> (HEP-C) ¹	Released: July 1, 2007 Implemented: October 1, 2007 *Released: July 1, 2008 *Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ Ingenix, www.ingenix.com
⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



▲ 4180F	Adjuvant chemotherapy <u>referred*</u> , prescribed, or previously received for Stage III colon cancer (ONC) ¹	Released: October 1, 2007 Implemented: January 1, 2008 *Released: July 1, 2008 *Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
● 4192F	Patient not receiving glucocorticoid therapy (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
● 4193F	Patient receiving <10 mg daily prednisone (or equivalent), or RA activity is worsening, or glucocorticoid use is for less than 6 months (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
● 4194F	Patient receiving ≥ 10 mg daily prednisone (or equivalent) for longer than 6 months, and improvement or no change in disease activity (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
● 4195F	Patient receiving first-time biologic disease modifying anti-rheumatic drug therapy for rheumatoid arthritis (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
● 4196F	Patient not receiving first-time biologic disease modifying anti-rheumatic drug therapy for rheumatoid arthritis (RA) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ **Ingenix**, www.ingenix.com
⁸ **American Academy of Neurology**, www.aan.com/go/practice/quality/measurements or quality@aan.com



▲ 4200F	External beam radiotherapy as primary therapy to the prostate <u>with or without nodal irradiation</u> * (PRCA) ¹	Released: October 1, 2007 Implemented: January 1, 2008 *Released: July 1, 2008 *Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2009 *First Appearance of change in CPT Coding Manual: CPT 2010
▲ 4201F	External beam radiotherapy <u>with or without nodal irradiation as adjuvant or salvage therapy for prostate cancer patient</u> * (PRCA) ¹	Released: October 1, 2007 Implemented: January 1, 2008 *Released: July 1, 2008 *Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2009 *First Appearance of change in CPT Coding Manual: CPT 2010
▲ 4250F	Active warming used intraoperatively for the purpose of maintaining normothermia, OR at least one body temperature equal to or greater than 36 degrees Centigrade (or 96.8 degrees Fahrenheit) recorded within the 30 minutes immediately before or the <u>15*</u> minutes immediately after anesthesia end time (CRIT) ¹	Released: November 1, 2007 Implemented: January 1, 2008 *Released: July 1, 2008 *Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2009 *First Appearance of change in CPT Coding Manual: CPT 2010
●4255F	Duration of general or neuraxial anesthesia 60 minutes or longer, as documented in the anesthesia record (CRIT) ⁵	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ Ingenix, www.ingenix.com
⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



●4256F	Duration of general or neuraxial anesthesia less than 60 minutes, as documented in the anesthesia record (CRIT) ⁵	Released: September 15, 2009 Implemented: January 1, 2010	First Appearance of change in CPT Coding Manual: CPT 2011
●4260F	Wound surface culture technique used (CWC) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4261F	Technique other than surface culture of the wound exudate used (eg, Levine/deep swab technique, semi-quantitative or quantitative swab technique) OR wound surface culture technique not used (CWC) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4265F	Use of wet to dry dressings prescribed or recommended (CWC) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4266F	Use of wet to dry dressings neither prescribed nor recommended (CWC) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4267F	Compression therapy prescribed (CWC) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4268F	Patient education regarding the need for long term compression therapy including interval replacement of compression stockings, received (CWC) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ Ingenix, www.ingenix.com
⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com



●4269F	Appropriate method of offloading (pressure relief) prescribed (CWC) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4270F	Patient receiving potent antiretroviral therapy for 6 months or longer (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●4271F	Patient receiving potent antiretroviral therapy for less than 6 months or not receiving potent antiretroviral therapy (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●4274F	Influenza immunization administered or previously received (HIV) ⁵ ▶, P-ESRD◀ ^{1*}	Released: July 1, 2008 Implemented: October 1, 2008 Released: November 18, 2008* Implemented: January 1, 2009*	First Appearance of change in CPT Coding Manual: CPT 2010 *First Appearance of change in CPT Coding Manual: CPT 2010
●4275F	Hepatitis B vaccine injection administered or previously received (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●4276F	Potent antiretroviral therapy prescribed (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4279F	Pneumocystis jiroveci pneumonia prophylaxis prescribed (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

- ¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
- ² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
- ³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
- ⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
- ⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
- ⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
- ⁷ **Ingenix**, www.ingenix.com
- ⁸ **American Academy of Neurology**, www.aan.com/go/practice/quality/measurements or quality@aan.com



●4280F	Pneumocystis jiroveci pneumonia prophylaxis prescribed within 3 months of low CD4+ cell count or percentage (HIV) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4290F	Patient screened for injection drug use (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●4293F	Patient screened for high-risk sexual behavior (HIV) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●4300F	Patient receiving warfarin therapy for nonvalvular atrial fibrillation or atrial flutter (AFIB) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●4301F	Patient not receiving warfarin therapy for nonvalvular atrial fibrillation or atrial flutter (AFIB) ¹	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010
●4305F	Patient education regarding appropriate foot care AND daily inspection of the feet, received (CWC) ⁵	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4306F	Patient counseled regarding psychosocial AND pharmacologic treatment options for opioid addiction (SUD) ¹	Released: November 18, 2008 Implemented: January 1, 2009	First Appearance of change in CPT Coding Manual: CPT 2010
●4320F	Patient counseled regarding psychosocial AND pharmacologic treatment options for alcohol dependence (SUD) ⁵	Released: July 1, 2008 Implemented: October 1, 2008	First Appearance of change in CPT Coding Manual: CPT 2010

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ **Ingenix**, www.ingenix.com
⁸ **American Academy of Neurology**, www.aan.com/go/practice/quality/measurements or quality@aan.com



● 4330F	Counseling about epilepsy specific safety issues provided to patient (or caregiver (s)) (EPI) ⁸	Released: September 15, 2009	First Appearance of change in CPT Coding Manual:
		Implemented: January 1, 2010	CPT 2011
● 4340F	Counseling for women of childbearing potential with epilepsy (EPI) ⁸	Released: September 15, 2009	First Appearance of change in CPT Coding Manual:
		Implemented: January 1, 2010	CPT 2011

Follow-up or Other Outcomes

Follow-up or other outcomes codes describe review and communication of test results to patients, patient satisfaction or experience with care, patient function status, and patient morbidity and mortality.

▲ 5020F	Treatment summary report communicated to physician(s) managing continuing care <u>and to the patient*</u> within 1 month of completing treatment (ONC) ¹	Released: October 1, 2007	First Appearance of change in CPT Coding Manual:
		Implemented: January 1, 2008	CPT 2009
		*Released: July 1, 2008	*First Appearance of change in CPT Coding Manual:
		*Implemented: October 1, 2008	CPT 2010
● 5100F	Potential risk for fracture communicated to the referring physician within 24 hours of completion of the imaging study (NUC_MED) ¹	Released: July 1, 2008	First Appearance of change in CPT Coding Manual:
		Implemented: October 1, 2008	CPT 2010
● 5200F	Consideration of referral for a neurological evaluation of appropriateness for surgical therapy for intractable epilepsy within the past 3 years (EPI) ⁸	Released: September 15, 2009	First Appearance of change in CPT Coding Manual:
		Implemented: January 1, 2010	CPT 2011

Patient Safety

Footnotes

- ¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
- ² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
- ³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
- ⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
- ⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
- ⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
- ⁷ **Ingenix**, www.ingenix.com
- ⁸ **American Academy of Neurology**, www.aan.com/go/practice/quality/measurements or quality@aan.com



- 6070F Patient queried and counseled about anti-epileptic drug (AED) side effects (EPI)⁸
Released: September 15, 2009
Implemented: January 1, 2010
First Appearance of change in CPT Coding Manual: **CPT 2011**

Structural Measures

- ▲ 7010F Patient information entered into a recall system ► that includes ◀: with the target date for the next exam specified ► AND a process to follow up with patients regarding missed or unscheduled appointments ◀ (ML)⁵
Released: September 15, 2009
Implemented: January 1, 2010
First Appearance of change in CPT Coding Manual: **CPT 2011**

Footnotes

¹ Physician Consortium for Performance Improvement, www.physicianconsortium.org
² National Committee on Quality Assurance (NCQA), Health Employer Data Information Set (HEDIS®), www.ncqa.org
³ Joint Commission on Accreditation of Healthcare Organizations (JCAHO), ORYX Initiative Performance Measures, www.jcaho.org/pms
⁴ National Diabetes Quality Improvement Alliance (NDQIA), www.nationaldiabetesalliance.org
⁵ Joint measure from The Physician Consortium for Performance Improvement, www.physicianconsortium.org and National Committee on Quality Assurance (NCQA), www.ncqa.org
⁶ The Society of Thoracic Surgeons, <http://www.sts.org>, National Quality Forum, <http://www.qualityforum.org>
⁷ Ingenix, www.ingenix.com
⁸ American Academy of Neurology, www.aan.com/go/practice/quality/measurements or quality@aan.com