



Module 1: Universal HIV Screening and Reducing HIV Disparities References

Barragan M, Hicks G, Williams MV, Franco-Paredes C, Duffus W, del Rio C. Low health literacy is associated with HIV test acceptance. *J Gen Intern Med*. 2005;20:422-425.

Branson BM, Handsfield HH, Lampe MA, et al. Revised recommendations for HIV testing of adults, adolescents, and pregnant women. *MMWR Recomm Rep*. 2006 Sep 22;55(RR-14):1-17. Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5514a1.htm>.

Burke RC, Sepkowitz KA, Bernstein KT, et al. Why don't physicians test for HIV? A review of the US literature. *AIDS*. 2007;21:1617-1624.

Cargill VA, Stone VE. HIV/AIDS: a minority health issue. *Med Clin N Am*. 2005;89:895-912. Centers for Disease Control and Prevention. A heightened national response to the HIV/AIDS crisis among African Americans. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2007:1-10. Available at: <http://www.cdc.gov/hiv/topics/aa/resources/reports/heightendresponse.htm>.

Centers for Disease Control and Prevention. Fact sheet: HIV/AIDS among African Americans. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2007. Available at: <http://www.cdc.gov/hiv/topics/aa/resources/factsheets/aa.htm>. Accessed October 5, 2007.

Centers for Disease Control and Prevention. Racial/ethnic disparities in diagnoses of HIV/AIDS – 33 states, 2001 – 2004. *MMWR Morb Mortal Wkly Rep*. 2006;55:121-125.

Centers for Disease Control and Prevention. Rapid HIV testing in emergency departments – three U.S. sites, January 2005-March 2006. *MMWR Morb Mortal Wkly Rep*. 2007;56:597-601.

Freedberg KA, Samel JH. Think HIV: Why physicians should lower their threshold for HIV testing. *Arch Intern Med*. 1999;159:1994-2000.

Gostin LO. HIV screening in health care settings. *JAMA*. 2006;296:2023-2025.

Kelly KA, Harrison CH. Universal prenatal HIV screening: Patient attitudes and perceptions. *Women Health*. 2004;40:41-57.

O'Reilly KB. Consent should be required for HIV testing, AMA says. *Amednews.com*. December 3, 2007. Available at: <http://www.ama-assn.org/amednews/2007/12/03/prsq1203.htm>.

Paltiel AD, Weinstein MC, Kimmel AD, et al. Expanded screening for HIV in the United States – an analysis of cost-effectiveness. *N Engl J Med*. 2005;352:586-595.



Payne NS, Beckwith CG, Davis M, et al. Acceptance of HIV testing among African-American college students at a historically black university in the south. *J. Nat Med Assoc.* 2006;98:1912-1916.

Schalman-Bergen S. CDC's call for routine HIV testing raises implementation concerns. *J Law Med Ethics.* 2007;35:223-227.

Stagg Elliott V. Routine HIV testing making slow inroads. *Amednews.com.* October 8, 2007. Available at: <http://www.ama-assn.org/amednews/2007/10/08/hlsa1008.htm>.

Wynia MK. Routine screening: Informed consent, stigma and the waning of HIV exceptionalism. *Am J Bioethics.* 2006;6:5-8.

Wynia MK. The end of HIV exceptionalism? Ethical issues and barriers to routine screening for HIV. Paper presented at: Infectious Diseases Society of America Meeting; October 6, 2007; San Diego, CA.



Module 2: Self Management Strategies for Vulnerable Populations

References

Adams K, Greiner AC, Corrigan JM. *The 1st annual crossing the chasm summit: a focus on communities*. Washington: National Academies Press; 2004.

American Family of Physicians. Self-management: taking charge of your health. 2008. Available at: <http://familydoctor.org/online/famdocen/home/healthy/prevention/785.html>.

Barlow J, Wright C, Sheasby J, Turner A, Hainsworth J. Self-management approaches for people with chronic conditions: a review. *Patient Educ Couns*. 2002;48:177-187.

Berenson R. The Medicare chronic care improvement program. 2004. Available at: <http://www.urban.org/publications/900714.html>.

Bodenheimer T, Lorig K, Holman H, Grumbach K. Patient self-management of chronic disease in primary care. *JAMA*. 2002;288:2469-2475.

Chen A, Brown R, Archibald A, Alliota S, Fox PD. Best practices in coordinated care. Health Care Financing Administration; 2000.

Glasgow RE, Davis CL, Funnell MM, Beck A. Implementing practical interventions to support chronic illness self-management. *JT Comm J Qual Saf*. 2003;29:563-574.

Hoffman C, Rice D. Chronic conditions: making the case for ongoing care. 2002. Available at: <http://www.partnershipforsolutions.org/DMS/files/chronicbook2004.pdf>.

Jencks SF, Cuerdon T, Burwen DR, et al. Quality of medical care delivered to Medicare beneficiaries. *JAMA*. 2000;284:1670-1676.

Lorig KR, Sobel DS, Stewart AL, et al. Evidence suggesting that a chronic disease self management program can improve health status while reducing hospitalization: a randomized trial. *Med Care*. 1999;37:5-14.

Lorig KR, Ritter P, Stewart AL, et al. Chronic disease self-management program: 2-year health status and health care utilization outcomes. *Med Care*. 2001;39:1217-1223.

McGlynn EA, Asch SM, Adams J, et al. The quality of health care delivered to adults in the United States. *N Engl J Med*. 2003;348:2635-2645.

McGowan P. Self management: a background paper. University of Victoria – Centre on Aging. 2005;1-10.



Office of Minority Health. Diabetes data/statistics. 2007. Available at:
<http://www.omhrc.gov/templates/browse.aspx?lvl=1&lvlID=2>.

Partnership for Solutions. Chronic conditions: public perception of health care access and services. 2002. Available at: http://www.partnershipforsolutions.org/DMS/files/polling_final.pdf.

We H, Sengupta M, Velkoff VA, DeBarros KA. 65+ in the United States: 2005. Available at:
<http://www.census.gov/prod/2006pubs/p23-209.pdf>.

Wu SY, Green A. Projection of chronic illness prevalence and cost inflation. RAND Corporation; 2000.



Module 3: Use of Complementary and Alternative Treatments by Patients References

Barnes PM, Powell-Griner E, McFann K, Nahin RL. Complementary and alternative medicine use among adults: United States, 2002. *Advance Data*. 2004;343:1-20.

Buchwald D, Beals J, Manson SM. Use of traditional health practices among Native Americans in a primary care setting. *Med Care*. 2000;38:1191-1199.

Grzywacz JG, Suerken CK, Neiberg RH, et al. Age, ethnicity, and use of complementary and alternative medicine in health self-management. *Altern Ther Health Med*. 2007;48:84-98.

Johnston, SL. Native American traditional and alternative medicine. *Ann. AAPSS*. 2002;583:195-213.

Mehl-Madrona LE. Native American medicine in the treatment of chronic illness: Developing an integrated program and evaluating its effectiveness. *Altern Ther Health Med*. 1999;5:36-45.

Najm W, Reinsch S, Hoehler F, Tobis J. Use of complementary and alternative medicine among the ethnic elderly. *Altern Ther Health Med*. 2003;9:50-57.

National Center for Complementary and Alternative Medicine. Are you considering using CAM? 2006. Available at: <http://nccam.nih.gov/health/decisions/index.htm>.

National Center for Complementary and Alternative Medicine. The use of complementary and alternative medicine in the United States. 2007. Available at: http://nccam.nih.gov/news/camsurvey_fs1.htm.

National Center for Complementary and Alternative Medicine. What is CAM? 2007. Available at: <http://nccam.nih.gov/health/whatiscam/>.

Ortiz BI, Shields KM, Clauson KA, Clay PG. Complementary and alternative medicine use among Hispanics in the United States. *Ann Pharmacother*. 2007;41:994-1004.

Portman TA, Garrett MT. Native American healing traditions. *IJDDE*. 2006;53:453-469.

Robinson A, McGrail MR. Disclosure of CAM use to medical practitioners: A review of qualitative and quantitative studies. *Complement Ther Med*. 2004;12:90-98.

World Health Organization. Traditional Medicine. 2003. Available at: www.who.int/mediacentre/factsheets/fs134/en/print.html. Accessed March 26, 2008.



Xu KT, Farrell TW. Determinants of utilization: The complementarity and substitution between unconventional and mainstream medicine among racial and ethnic groups in the United States. *Health Serv Res.* 2007;42:811-825.



Module 4: Preparing Your Practice to Address Family Violence References

AMA Council on Ethical and Judicial Affairs. Amendment to Opinion E-2.02, *Physicians' Obligations in Preventing, Identifying, and Treating Violence and Abuse*. http://www.ama-assn.org/ama1/pub/upload/mm/369/ceja_6i07.pdf

AMA Council on Science and Public Health. Report 7-A-05, *Diagnosis and Management of Family Violence*. <http://www.ama-assn.org/ama/pub/category/15248.html>

Caralis P, Musialowski R. Women's experiences with domestic violence and their attitudes and expectations regarding medical care of abuse victims. *South Med J*. 1997;90:1075-1080.

Coker A, Smith P, Bethea L, King M, McKeown R. Physical health consequences of physical and psychological intimate partner violence. *Arch Fam Med*. 2000;9:451-457.

Finkelhor D, Ormrod H, Turner H, Hamby S. The victimization of children and youth: a comprehensive national survey. *Child Maltreat*. 2005;10:207.

Friedman L, Samet J, Roberts M, Hudlin M, Hans P. Inquiry about victimization experiences: a survey of patient preferences and physician practices. *Arch Intern Med*. 1992;152:1186-1190.

Heisler J. The role of the criminal justice system in elder abuse cases. *J Elder Abuse Negl*. 1991;3:5-34.

McCauley J, Yurk R, Jenckes M, Ford D. Inside "Pandora's Box": abused women's experiences with clinicians and health services. *J Gen Intern Med*. 1998;13:549-555.

Rodriguez M, Bauer H, McLoughlin E, Grumbach K. Screening and intervention for intimate partner abuse: practices and attitudes of primary care physicians. *JAMA*. 1999;282:468-474.

Rodriguez M, Quiroga S, Bauer H. Breaking the silence: battered women's perspectives on medical care. *Arc Fam Med*. 1996;5:153-158.

Sugg N, Inui T. Primary care physicians' response to domestic violence. Opening Pandora's box. *JAMA*. 1992;267:3194-3195.

Tjaden P, Thoennes N. Extent, nature, and consequences of intimate partner violence: findings from the National Violence Against Women Survey. Washington (DC): Department of Justice (US); 2000. Publication No. NCJ 181867.

Zink T, Lloyd K, Isham G, Mathew D, Crowson T. Applying the planned care model to intimate partner violence. *Manag Care*. 2007;6:54-61.



Preparing Your Practice to Address Family Violence Links

American Medical Association

National Advisory Council on Violence and Abuse

<http://www.ama-assn.org/ama/pub/category/3248.html>

Violence Prevention

<http://www.ama-assn.org/ama/pub/category/3242.html>

Centers for Disease Control and Prevention

Child Maltreatment Prevention

<http://www.cdc.gov/ncipc/dvp/CMP/default.htm>

Intimate Partner Violence Prevention

<http://www.cdc.gov/ncipc/dvp/IPV/default.htm>

Sexual Violence Prevention

<http://www.cdc.gov/ncipc/dvp/SV/default.htm>

Child Welfare Information Gateway

<http://www.childwelfare.gov/>

Family Violence Prevention Fund

<http://www.endabuse.org>

Health Materials Catalog and Technical Assistance

<http://www.endabuse.org/programs/display.php3?DocID=100200>

The National Center on Elder Abuse

http://www.ncea.aoa.gov/ncearoot/Main_Site/index.aspx

Elder Abuse State Resources

http://www.ncea.aoa.gov/NCEAroot/Main_Site/Find_Help/State_Resources.aspx

National Coalition Against Domestic Violence

<http://www.ncadv.org/>

Domestic Violence State Laws

http://www.ncadv.org/publicpolicy/StateLaws_216.html

Prevent Child Abuse America

<http://www.preventchildabuse.org/index.shtml>



Module 5: Connecting Patients to Community Resources References

American Medical Association. *Healthier Lifesteps Physician Guide*. 2008. Available at: http://www.ama-assn.org/ama1/pub/upload/mm/433/hl_physician_guide.pdf

McAfee TA. *Quitlines a tool for research and dissemination of evidence-based cessation practices*. *Am J Prev Med*. 2007; 33(6 Suppl):357-367.

Meriwether RA, Lee JA, Schroeder Lafleur A, Wiseman P. Physical activity counseling. *Am Fam Physician*. 2008;77:1029-1136.

National Institute on Alcohol Abuse and Alcoholism. *Helping Patients Who Drink Too Much: A Clinician's Guide*. 2005. Available at: <http://www.niaaa.nih.gov/Publications/EducationTrainingMaterials/guide.htm>

Nawaz H, Adams ML, Katz DL. Physician-patient interactions regarding diet, exercise, and smoking. *Prev Med*. 2000;31:652-657.

Reeves M, Rafferty P. Healthy lifestyle characteristics among adults in the United States, 2002. *Arch Intern Med*. 2005;165:847-857.

U.S. Preventive Services Task Force. *Counseling to Prevent Tobacco Use and Tobacco Caused Disease*, Topic Page. 2003. Available at: <http://www.ahrq.gov/clinic/uspstf/uspstbac.htm>

U.S. Preventive Services Task Force. *Counseling to Promote a Healthy Diet*, Topic Page. 2003. Available at: <http://www.ahrq.gov/clinic/uspstf/uspstdiet.htm>

U.S. Preventive Services Task Force. *Screening and Behavioral Counseling Interventions in Primary Care to Reduce Alcohol Misuse*, Topic Page. 2004. Available at: <http://www.ahrq.gov/clinic/uspstf/uspstdrin.htm>



Connecting Patients to Community Resources Links
(in order of appearance)

Quitting Smoking

North American Quitline

www.naquitline.org

1-800 Quit Now
(1-800-784-8669)

National Cancer Institute Quitline

1-877-44U-QUIT

American Lung Association

1-800-LUNGUSA

Freedom From Smoking

www.ffsonline.org

American Cancer Society

www.cancer.org

Reducing Risk Drinking

SAMHSA Substance Abuse Facility Locator

<http://dasis3.samhsa.gov/>

1-800-662-HELP

Alcoholics Anonymous

www.aa.org

Eating Healthier

Find a Dietitian

www.eatright.org

United States Dietary Association

www.nutrition.gov

Centers for Disease Control and Prevention

www.fruitsandveggiesmatter.org

www.fruitsandveggiesmorematters.org

American Dietetic Association

www.eatright.org

American Heart Association

www.americanheart.org

American Cancer Society

www.cancer.org

Increasing Physical Activity

President's Challenge

www.presidentschallenge.org

Exercise is Medicine™

www.exerciseismedicine.org

Other Resources

Healthier Life Steps Program

www.ama-assn.org/go/healthierlifesteps



Module 6: Patient Sexual Health History: What You Need to Know to Help References

American Medical Association. Optimizing Care for Gay Men and Lesbians. Report 9 of the Council on Science and Public Health (A-08). 2008.

Bernstein KT, Liu KL, Begier EM, Koblin B, Karpati A, Murrill C. Same-sex attraction disclosure to health care providers among New York City men who have sex with men. *Arch Intern Med.* 2008;168:1458-1464.

Centers for Disease Control and Prevention. HIV/STD risks in young men who have sex with men who do not disclose their sexual orientation--six U.S. cities, 1994-2000. *MMWR Morb Mortal Wkly Rep.* 2003;52:81-86.

Committee on Lesbian and Gay Concerns. Avoiding heterosexual bias in language. *Am Psychol.* 1991;46:973-974.

Gay and Lesbian Medical Association. Guidelines for the care of lesbian, gay, bisexual and transgender patients. 2006.

Nusbaum MR, Hamilton CD. The proactive sexual health history. *Am Fam Physician.* 2002;66:1705-1712.

Makadon HJ, Mayer KH, Potter J, Goldhammer H. *Fenway Guide to Lesbian, Gay, Bisexual, & Transgender Health.* 1st ed. American College of Physicians; 2007.

Resources

Gay and Lesbian Medical Association
www.glma.org

The GLBT Health Access Project
www.glbthealth.org

National Coalition for LGBT Health
www.lgbthealth.net