



## **Reading List Adolescent Depression, Suicide and Mental Health**

This list of references was developed as a starting point for those interested in further information on mental health issues among adolescents. It is not intended to be exhaustive on this topic. A listing here does not indicate endorsement by the American Medical Association.

### **General (including risk factors)**

*Youth Suicide theme issue. Advancing Suicide Prevention.* January 2006; 2(1). Available at: [http://www.advancingosp.org/current\\_issue.php?PHPSESSID-6df4585ece016e4a64d4b9c19fd09208](http://www.advancingosp.org/current_issue.php?PHPSESSID-6df4585ece016e4a64d4b9c19fd09208). Accessed on Oct. 10, 2007.

Mental Health theme issue. *Arch Pediatr Adolesc Med.* 2004; 158(8):718-840.

Borowsky IW, Ireland M, Resnick MD. Adolescent suicide attempts: risks and protectors. *Pediatrics.* 2001;107:485-493.

Centers for Disease Control and Prevention. Suicide trends among youths and young adults aged 10-24 years – United States, 1990-1994. *MMWR.* 2007;56(35):905-908.

Centers for Disease Control and Prevention. Mental Health in the United States: health care and well being of children with chronic emotional, behavioral, or developmental problems --- United States, 2001. *MMWR.* 2005;54(39):985-989.

Centers for Disease Control and Prevention. Methods of suicide among persons 10-19 years- United States, 1992-2001. *MMWR.* 2004;53:471-4.

Chen H, Cohen P, et al. Impact of adolescent mental health disorders and physical illnesses on quality of life 17 years later. *Arch Pediatr Adolesc.* 2006; 160(1):93-99.

Christodulu KV, Lichenstein R, Weist M, et al. Psychiatric emergencies in children. *Pediatr Emerg Care.* 2002; 18:268-270.

Cuffe SP, Waller JL, et al. A longitudinal study of adolescent mental health service use. *J Behav Health Serv Res.* 2001;28(1):1-11.

Dababnah S, Cooper J. *Unclaimed Children Revisited Working Paper No. 1 Challenges and Opportunities in Children's Mental Health A View from Families and Youth*. New York: National Center for Children in Poverty; 2006.

Haller-Hester D. The year 2004: A depressing year for the treatment of depression in adolescence. *J Adolesc Health*. 2005;36(6):454. Author reply 454-6.

Hallfors DD, Waller MW, et al. Which comes first in adolescence—sex, and drugs or depression? *Am J Prev Med*. 2005;29(3):163-70.

Hussey JM, Chang JJ. Child maltreatment in the United States: prevalence, risk factors, and adolescent health consequences. *Pediatrics*. 2006;118:933-942.

Foley DL, Goldstein DB et al. Proximal psychiatric risk factors for suicidality in youth: the Great Smoky Mountain Study. *Arch Gen Psychiatry* 2006;63:1017-1024.

Goldrick L. Youth suicide prevention: Strengthening state policies and school-based strategies. 2005. Washington, DC: National Governors Association. Available at [http://www.mchlibrary.info/KnowledgePaths/kp\\_Mental\\_Conditions.html](http://www.mchlibrary.info/KnowledgePaths/kp_Mental_Conditions.html). Access on Oct. 10, 2007.

Grupp-Phelan J, Harman JS & Kelleher K. Trends in mental health and chronic condition visits by children presenting for care at U.S. emergency departments. *Public Health Rep*. 2007;122(1): 55-61.

Howell, E. *Access to children's mental health services under Medicaid and SCHIP*. Washington, DC: Urban Institute; 2004.

Huang L, Stroul B, et al. Transforming mental health care for children and their families. *Am Psychol*. 2005;60(6): 615-27.

Johnson JG, Cohen P, et al. Childhood adversities, interpersonal difficulties, and risk for suicide attempts during late adolescence and early adulthood. *Arch Gen Psychiatry*. 2002;59(8):741-9.

Juszczak L, Melinkovich P, et al. Use of health and mental health services by adolescents across multiple delivery sites. *J Adolesc Health*. 2003;32(6 Suppl):108-18.

Kloos AI, Colins R. et al. Suicide in preadolescents: who is at risk? *Curr Psychiatry Rep* 2007;9:89-93.

Mann JJ, Apter A, et al. Suicide prevention strategies: a systematic review. *J Am Med Assoc.* 2005;294(16):2064-74.

Masi, R. & Cooper J. *Children's Mental Health: Facts for Policymakers.* New York: National Center for Children in Poverty, Columbia University Mailman School of Public Health; 2006.

Nilsen W, Conner KR. The association between suicidal ideation and childhood and adult victimization. *J Child Sex Abus.* 2002;11:49-62.

New Freedom Commission on Mental Health. *Achieving the promise: Transforming mental health care in America: Final report.* 2003. (DHHS Pub. No. SMA-03-3832. Rockville, MD: United States Department of Health and Human Services Administration. Available at [www.mentalhealthcommission.gov/reports/reports.htm](http://www.mentalhealthcommission.gov/reports/reports.htm). Accessed on Sept. 14, 2007 at.

Office of Juvenile Justice and Delinquency Prevention. Juvenile Suicides, 1981-1998. *Bulletin: Youth Violence Research Series.* March 2004. Available at <http://www.ncjrs.gov/html/ojdp/196978/contents.html>. Accessed on Sept. 14, 2007.

Olshen E, McVeigh KH et al. Dating violence, sexual assault, and suicide attempts among urban teenagers. *Arch Pediatr Adolesc Med.* 2007;161:539-545.

Richardson LA. Seeking and obtaining mental health services: what do parents expect? *Arch Psychiatr Nurs.* 2001; 15(5):223-31.

Russell ST, Joyner K. Adolescent sexual orientation and suicide risk: evidence from a national study. *Am J Public Health.* 2001;91:1276-1281.

Rosenberg HJ, Jankowski MK, et al. Single and multiple suicide attempts and associated health risk factors in New Hampshire adolescents. *Suicide Life Threat Behav.* 2005;35:547-557.

Shain BN, Committee on Adolescence. Suicide and suicide attempts in adolescents. *Pediatrics.* 2007;120:669-676.

Shaffer D, Craft L. Methods of adolescent suicide prevention. *J Clin Psychiatry.* 1999; 60(Suppl 2):70-4, discussion 75-6, 113-6.

Silverman JG, Raj A. et al. Dating violence against adolescent girls and associated substance use, unhealthy weight control, sexual risk behavior, pregnancy and suicidality. *J Am Med Assoc.* 2001;286:572-579.

Shalwitz J, Sang T, Combs N, Davis K, Bushman D, Payne B.. Behavioral health: An adolescent provider toolkit. 2007. San Francisco, CA: Adolescent Health Working Group, San Francisco. Available at <http://www.ahwg.net/resources/toolkit.htm>. Accessed on Oct. 1, 2007.

Skowrya KR, Coccozza JJ. *Blueprint for change: A comprehensive model for the identification and treatment of youth with mental health needs in contact with the juvenile justice system*. 2206. Delmar, NY: The National Center for Mental health and Juvenile Justice and Policy Research Associates, Inc. Available at <http://www.ncmhjj.com/Blueprint/pdfs/Blueprint.pdf> Accessed on Sept. 14, 2007.

Thatcher WG, Rinenger BM, Drane JW. Using path analysis to examine adolescent suicide attempts, life satisfaction, and health risk behaviors. *J Sch Health*. 2002;72:71-77.

US Department of Health and Human Services. *Mental Health: A Report of the Surgeon General*. Washington, DC: US Department of Health and Human Services; 1999.

US Department of Health and Human Services. Substance Abuse and Mental Health Services Administration, center for Mental Health Services, National Institute of Health, National Institute of Mental Health. *Mental Health: Culture, Race and Ethnicity: A supplement to Mental Health: A Report of the Surgeon General*. Rockvill, Md: 2001.

Zametkin AJ, Alter MR, Yemini T. Suicide in teenagers. *J Am Med Assoc*. 2001;286:3120-3125.

## **Intervention and treatment**

American Academy of Child and Adolescent Psychiatry. Practice parameter for the assessment and treatment of children and adolescents with suicidal behavior. *J Am Acad Child Adolesc Psychiatry*. 2001;40(7 suppl)24s-51s.

Ani C, Garralda E. Developing primary mental healthcare for children and adolescents. *Current Opinion in Psychiatry*. 2005;18(4):440-4.

Asarnow JR, Jaycox LH et al. Effectiveness of a quality improvement intervention for adolescent depression in primary care clinics: a randomized controlled trial. *J Am Med Assoc*. 2005; 293(3)311-9.

Clever SL, Ford DE. Primary care patients' involvement in decision-making is associated with improvement in depression. *Medical Care*. 2006;44(5):398-405.

Donaldson D, Spirito A, et al. Treatment for adolescents following a suicide attempt: results of a pilot trial. *J Amer Acad Child Adolesc Psychiatry*. 2005;44(2):113-20.

Jaycox LH, Asarnow JR, et al. Adolescent primary care patients' preferences for depression treatment. *Adm Policy Ment Health*. 2006;33(22):198-207.

Kodjo CM, Auinger P. Predictors for emotionally distressed adolescents to receive mental health care. *J Adolesc Health*. 2004;35(5):368-73.

Levine LJ, Schwarz DF, et al. Discharge disposition of adolescents admitted to medical hospitals after attempting suicide. *Arch Pediatr Adolesc*. 2005;159(9):860-866.

Miranda J, Chung JY, et al. Treating depression in predominantly low-income young minority women: a randomized controlled trial. *J Am Med Assoc*. 2003;290(1):57-65.

Rappaport N, Bostic J, et al. Treating pediatric depression in primary care: coping with the patients' blue mood and the FDA's black box. *J Pediatr*. 2006;148(5):567-8.

Stewart SE, Manion IG, Davidson S et al. Suicidal children and adolescents with first emergency room presentations: Predictors of six-month outcome. *J Am Acad Child Adolesc Psychiatry*. 2001;40(5):580-587.

Tolan PH, Dodge KA. Children's mental health as a primary care and concern: a system for comprehensive support service. *Am Psychol*. 2005; 60(6): 601-14.

U.S. Preventive Services Task Force. Screening for depression: recommendations and rationale. *Ann Intern Med*. 2002; 136(10):760-4.

U.S. Preventive Services Task Force. Screening for suicide risk: recommendations and rationale. *Ann Intern Med*. 2004; 140(1):820-1.

Weisz JR, Sandler IN, et al. Promoting and protecting youth mental health through evidence-based prevention and treatment. *Am Psychol*. 2005; 60(6): 628-48.

Wisdom JP, Clarke GN, et al. What teens want: barriers to seeking care for depression. *Adm Policy Ment Health*. 2006; 33(2):133-145.

## **Health Disparities and Special Populations**

Alegria M, Canino G, et al. Inequalities in use of specialty mental health services among Latinos, African Americans, and non-Latino whites. *Psychiatr Serv.* 2002; 53(12):1547-55.

Barlow A, Walkup JT. Developing mental health services for Native American Children. *Child Adolesc Psychiatr Clin N Am.* 1998;7(3):555-77, ix.

Chow JC, Jaffee K, et al. Racial/Ethnic disparities in the use of mental health services in poverty areas. *Am J Public Health.* 2003;93(5):792-7.

Costello EJ, Keeler GP, et al. Poverty, race/ethnicity, and psychiatric disorder: a study of rural children. *Am J Public Health.* 2001 91(9):1494-8.

Crowley MO. Latino access to mental health, developmental disabilities, and substance abuse services in North Carolina. *NC Med J.* 2003;64(3):127-8.

Diala C, Muntaner C, et al. Racial differences in attitudes toward professional mental health care and in the use of services. *Am J Orthopsychiatry.* 2000;70(4):867-74.

Edman JL, Andrade NN et al. Depressive symptoms among Filipino American adolescents. *Cult Div Mental Hlth.* 1998;4:45-54.

Elster A, Jarosik J, et al. Racial and ethnic disparities in health care for adolescents: a systematic review of the literature. *Arch Pediatr Adolesc Med.* 2003; 157(9):867-74.

Fleming M, Towey K, eds. *Educational Forum on Adolescent Health: Disparities in Adolescent Mental Health.* Chicago: American Medical Association; 2005.

Garrison EG, Roy IS, et al. Responding to the mental health needs of Latino children and families through school-based services. *Clin Psychol Rev.* 1999;19(2):199-219.

Horwitz SM, Kelleher K, et al. Barriers to health care research for children and youth with psychosocial problems. *J Am Med Assoc.* 2002;288(12):1508-12.

Hough RL, Hazen AL, et al. Mental health services for Latino adolescents with psychiatric disorders. *Psychiatr Serv.* 2002; 53(12):1556-62.

Kataoka SH, Zhang L, et al. Unmet needs for mental health care among US children: variation by ethnicity and insurance status. *Am J Psychiatry.* 2002; 159(9):1548-1555.

Kitts, RL. Gay adolescents and suicide: Understanding the association. *Adolescence.* 2005; 40(159): 621-8.

Kunner S, Niederhauser R, Smith PO et al. Race disparities in psychiatric rates in emergency departments. *J Counseling Clin Psychol.* 2005;73(1):116-126.

Novins DK, Duclos CW, et al. Utilization of alcohol, drug and mental health treatment services among American Indian adolescent detainees. *J Am Acad Child Adolesc Psychiatry.* 1999;38(9):1102-8.

Richardson LP, DiGiuseppe D, et al. Depression in Medicaid-covered youth: differences by race and ethnicity. *Arch Pediatr Adolesc.* 2003;157:984-989.

Russell St, Joyner K. Adolescent sexual orientation and suicide risk: evidence from a national study. *Am J Public Health.* 2001;91(8):1276-81.

Slade EP. Racial/ethnic disparities in parent perception of child need for mental health care following school disciplinary events. *Ment Health Serv Res.* 2004; 69(2):75-92.

Stein RE, Silver EJ. Patterns of medical, educational, and mental health service use in a national sample of US children. *Ambul Pediatr.* 2003;3(2):87-92.

Yeh M, Hough RL, et al. Parental beliefs about the causes of child problems: exploring racial/ethnic patterns. *J Am Acad Child Adolesc Psychiatry.* 2004; 43(5):605-12.

Yeh M, McCabe K, et al. Referral sources, diagnoses, and service types of youth in public outpatient mental health care: a focus on ethnic minorities. *J Behav Health Serv Res.* 2002; 29(1):45-60.

## **Screening**

Borowsky IW, Mozayeny S, Ireland M. Brief psychosocial screening at health supervision and acute care visits. *Pediatrics.* 2003;112:129-133.

Gould MS, Marrocco FA, et al. Evaluating iatrogenic risk of youth suicide screening programs: a randomized controlled trial. *J Am Med Assoc.* 2005; 93(13):1635-43.

Hallfors D, Brodish PH, et al. Feasibility of screening adolescents for suicide risk in "real-world" high school settings. *Am J Public Health.* 2006;96(2):282-7.

Scott EG, Luxmore B, Alexander H et al. Screening for adolescent depression in a pediatric emergency department. *Academic Emerg Med.* 2006;13(5):537-542.