

CPT® Evaluation and Management (E/M) Office or Other Outpatient (99202-99215) and Prolonged Services (99354, 99355, 99356, 99417) Code and Guideline Changes

This document includes the following CPT E/M changes,

effective January 1, 2021:

- E/M Introductory Guidelines related to Office or Other Outpatient Codes 99202-99215
- Revised Office or Other Outpatient E/M codes 99202-99215

In addition, this document has been updated to reflect
technical corrections to the E/M Guidelines:

were posted on March 9, 2021 and effective January 1, 2021:

- Medical decision making is revised in the following ways:
 - Clarifying when reporting a test that is considered, but not selected after shared decision making.
 - Providing a definition of “Analyzed” for reporting tests in the data column.
 - Clarifying the definition of a “unique” test.
 - Clarifying what is meant by “discussion” between physicians, and other qualified health care professionals and patients.
 - Providing a definition of major vs minor surgery.
- Clarification around which activities are not counted when reporting time as a key criterion for code level selection.

All technical corrections are **highlighted in blue.**

Note: this content will not be included in the CPT 2020 code set release

Category I

Evaluation and Management (E/M) Services Guidelines

Guidelines Common to All E/M Services

Time

The inclusion of time in the definitions of levels of E/M services has been implicit in prior editions of the CPT codebook. The inclusion of time as an explicit factor beginning in CPT 1992 was done to assist in selecting the most appropriate level of E/M services. Beginning with CPT 2021, except for 99211, time alone may be used to select the appropriate code level for the office or other outpatient E/M services codes (99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215). Different categories of services use time differently. It is important to review the instructions for each category.

Time is **not** a descriptive component for the emergency department levels of E/M services because emergency department services are typically provided on a variable intensity basis, often involving multiple encounters with several patients over an extended period of time. Therefore, it is often difficult to provide accurate estimates of the time spent face-to-face with the patient.

Time may be used to select a code level in office or other outpatient services whether or not counseling and/or coordination of care dominates the service. Time may only be used for selecting the level of the other E/M services when counseling and/or coordination of care dominates the service.

When time is used for reporting E/M services codes, the time defined in the service descriptors is used for selecting the appropriate level of services. The E/M services for which these guidelines apply require a face-to-face encounter with the physician or other qualified health care professional. For office or other outpatient services, if the physician's or other qualified health care professional's time is spent in the supervision of clinical staff who perform the face-to-face services of the encounter, use 99211.

A shared or split visit is defined as a visit in which a physician and other qualified health care professional(s) jointly provide the face-to-face and non-face-to-face work related to the visit. When time is being used to select the appropriate level of services for which time-based reporting of shared or split visits is allowed, the time personally spent by the physician and other qualified health care professional(s) assessing and managing the patient on the date of the encounter is summed to define total time. Only distinct time should be summed for shared or split visits (ie, when two or more individuals jointly meet with or discuss the patient, only the time of one individual should be counted).

When prolonged time occurs, the appropriate prolonged services code may be reported. The appropriate time should be documented in the medical record when it is used as the basis for code selection.

- ***Total time on the date of the encounter (office or other outpatient services [99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215]):*** For coding purposes, time for these services is the total time on the date of the encounter. It includes both the face-to-face and non-face-to-face time personally spent by the physician and/or other qualified health care professional(s) on the day of the encounter (includes time in activities that require the physician or other qualified health care professional and does not include time in activities normally performed by clinical staff).

Physician/other qualified health care professional time includes the following activities, when performed:

- preparing to see the patient (eg, review of tests)
- obtaining and/or reviewing separately obtained history
- performing a medically appropriate examination and/or evaluation
- counseling and educating the patient/family/caregiver
- ordering medications, tests, or procedures
- referring and communicating with other health care professionals (when not separately reported)
- documenting clinical information in the electronic or other health record
- independently interpreting results (not separately reported) and communicating results to the patient/ family/caregiver
- care coordination (not separately reported)

Do not count time spent on the following:

- the performance of other services that are reported separately
- travel
- teaching that is general and not limited to discussion that is required for the management of a specific patient

Services Reported Separately

Any specifically identifiable procedure or service (ie, identified with a specific CPT code) performed on the date of E/M services may be reported separately.

The ordering and actual performance and/or interpretation of diagnostic tests/studies during a patient encounter are not included in determining the levels of E/M services when the professional interpretation of those tests/studies is reported separately by the physician or other qualified health care professional reporting the E/M service. Tests that do not require separate interpretation (eg, tests that are results only) and are analyzed as part of MDM do not count as an independent interpretation, but may be counted as ordered or reviewed for selecting an MDM level. Physician performance of diagnostic tests/studies for which specific CPT codes are available may be reported separately, in addition to the appropriate E/M code. The physician's interpretation of the results of diagnostic tests/studies (ie, professional component) with preparation of a separate distinctly identifiable signed written report may also be reported separately, using the appropriate CPT code and, if required, with modifier 26 appended. If a test/study is independently interpreted in order to manage the patient as part of the E/M service, but is not separately reported, it is part of MDM.

The physician or other qualified health care professional may need to indicate that on the day a procedure or service identified by a CPT code was performed, the patient's condition required a significant separately identifiable E/M service. The E/M service may be caused or prompted by the symptoms or condition for which the procedure and/or service was provided. This circumstance may be reported by adding modifier 25 to the appropriate level of E/M service. As such, different diagnoses are not required for reporting of the procedure and the E/M services on the same date.

Guidelines for Office or Other Outpatient E/M Services

History and/or Examination

Office or other outpatient services include a medically appropriate history and/or physical examination, when performed. The nature and extent of the history and/or physical examination are determined by the treating physician or other qualified health care professional reporting the service. The care team may collect information and the patient or caregiver may supply information directly (eg, by electronic health record [EHR] portal or questionnaire) that is reviewed by the reporting physician or other qualified health care professional. The extent of history and physical examination is not an element in selection of the level of office or other outpatient codes.

Number and Complexity of Problems Addressed at the Encounter

One element used in selecting the level of office or other outpatient services is the number and complexity of the problems that are addressed at an encounter. Multiple new or established conditions may be addressed at the same time and may affect MDM. Symptoms may cluster around a specific diagnosis and each symptom is not necessarily a unique condition. Comorbidities/underlying diseases, in and of themselves, are not considered in selecting a level of E/M services unless they are addressed, and their presence increases the amount and/or complexity of data to be reviewed and analyzed or the risk of complications and/or morbidity or mortality of patient management. The final diagnosis for a condition does not, in and of itself, determine the complexity or risk, as extensive evaluation may be required to reach the conclusion that the signs or symptoms do not represent a highly morbid condition. Therefore, presenting symptoms that are likely to represent a highly morbid condition may “drive” MDM even when the ultimate diagnosis is not highly morbid. The evaluation and/or treatment should be consistent with the likely nature of the condition. Multiple problems of a lower severity may, in the aggregate, create higher risk due to interaction.

The term “risk” as used in these definitions relates to risk from the condition. While condition risk and management risk may often correlate, the risk from the condition is distinct from the risk of the management.

Definitions for the elements of MDM (see Table 2, Levels of Medical Decision Making) for other office or other outpatient services are:

Problem: A problem is a disease, condition, illness, injury, symptom, sign, finding, complaint, or other matter addressed at the encounter, with or without a diagnosis being established at the time of the encounter.

Problem addressed: A problem is addressed or managed when it is evaluated or treated at the encounter by the physician or other qualified health care professional reporting the service. This includes consideration of further testing or treatment that may not be elected by virtue of risk/benefit analysis or patient/parent/guardian/ surrogate choice. Notation in the patient’s medical record that another professional is managing the problem without additional assessment or care coordination documented does not qualify as being addressed or managed by the physician or other qualified health care professional reporting the service. Referral without evaluation (by history, examination, or diagnostic

study[ies]) or consideration of treatment does not qualify as being addressed or managed by the physician or other qualified health care professional reporting the service.

Minimal problem: A problem that may not require the presence of the physician or other qualified health care professional, but the service is provided under the physician's or other qualified health care professional's supervision (see 99211).

Self-limited or minor problem: A problem that runs a definite and prescribed course, is transient in nature, and is not likely to permanently alter health status.

Stable, chronic illness: A problem with an expected duration of at least one year or until the death of the patient. For the purpose of defining chronicity, conditions are treated as chronic whether or not stage or severity changes (eg, uncontrolled diabetes and controlled diabetes are a single chronic condition). "Stable" for the purposes of categorizing MDM is defined by the specific treatment goals for an individual patient. A patient who is not at his or her treatment goal is not stable, even if the condition has not changed and there is no short-term threat to life or function. For example, in a patient with persistently poorly controlled blood pressure for whom better control is a goal is not stable, even if the pressures are not changing and the patient is asymptomatic, the risk of morbidity without treatment is significant. Examples may include well-controlled hypertension, noninsulin-dependent diabetes, cataract, or benign prostatic hyperplasia.

Acute, uncomplicated illness or injury: A recent or new short-term problem with low risk of morbidity for which treatment is considered. There is little to no risk of mortality with treatment, and full recovery without functional impairment is expected. A problem that is normally self-limited or minor but is not resolving consistent with a definite and prescribed course is an acute, uncomplicated illness. Examples may include cystitis, allergic rhinitis, or a simple sprain.

Chronic illness with exacerbation, progression, or side effects of treatment: A chronic illness that is acutely worsening, poorly controlled, or progressing with an intent to control progression and requiring additional supportive care or requiring attention to treatment for side effects but that does not require consideration of hospital level of care.

Undiagnosed new problem with uncertain prognosis: A problem in the differential diagnosis that represents a condition likely to result in a high risk of morbidity without treatment. An example may be a lump in the breast.

Acute illness with systemic symptoms: An illness that causes systemic symptoms and has a high risk of morbidity without treatment. For systemic general symptoms, such as fever, body aches, or fatigue in a minor illness that may be treated to alleviate symptoms, shorten the course of illness, or to prevent complications, see the definitions *for self-limited or minor problem* or *acute, uncomplicated illness or injury*. Systemic symptoms may not be general but may be single system. Examples may include pyelonephritis, pneumonitis, or colitis.

Acute, complicated injury: An injury which requires treatment that includes evaluation of body systems that are not directly part of the injured organ, the injury is extensive, or the treatment options are multiple and/or associated with risk of morbidity. An example may be a head injury with brief loss of consciousness.

Chronic illness with severe exacerbation, progression, or side effects of treatment: The severe exacerbation or progression of a chronic illness or severe side effects of treatment that have significant risk of morbidity and may require hospital level of care.

Acute or chronic illness or injury that poses a threat to life or bodily function: An acute illness with systemic symptoms, an acute complicated injury, or a chronic illness or injury with exacerbation and/or progression or side effects of treatment, that poses a threat to life or bodily function in the near term without treatment. Examples may include acute myocardial infarction, pulmonary embolus, severe respiratory distress, progressive severe rheumatoid arthritis, psychiatric illness with potential threat to self or others, peritonitis, acute renal failure, or an abrupt change in neurologic status.

Analyzed: The process of using the data as part of the MDM. The data element itself may not be subject to analysis (eg, glucose), but it is instead included in the thought processes for diagnosis, evaluation, or treatment. Tests ordered are presumed to be analyzed when the results are reported. Therefore, when they are ordered during an encounter, they are counted in that encounter. Tests that are ordered outside of an encounter may be counted in the encounter in which they are analyzed. In the case of a recurring order, each new result may be counted in the encounter in which it is analyzed. For example, an encounter that includes an order for monthly prothrombin times would count for one prothrombin time ordered and reviewed. Additional future results, if analyzed in a subsequent encounter, may be counted as a single test in that subsequent encounter. Any service for which the professional component is separately reported by the physician or other qualified health care professional reporting the E/M services is not counted as a data element ordered, reviewed, analyzed, or independently interpreted for the purposes of determining the level of MDM.

Test: Tests are imaging, laboratory, psychometric, or physiologic data. A clinical laboratory panel (eg, basic metabolic panel [80047]) is a single test. The differentiation between single or multiple **unique** tests is defined in accordance with the CPT code set. **For the purposes of data reviewed and analyzed, pulse oximetry is not a test.**

Unique: A unique test is defined by the CPT code set. When multiple results of the same unique test (eg, serial blood glucose values) are compared during an E/M service, count it as one unique test. Tests that have overlapping elements are not unique, even if they are identified with distinct CPT codes. For example, a CBC with differential would incorporate the set of hemoglobin, CBC without differential, and platelet count. A unique source is defined as a physician or qualified health care professional in a distinct group or different specialty or subspecialty, or a unique entity. Review of all materials from any unique source counts as one element toward MDM.

Combination of Data Elements: A combination of different data elements, for example, a combination of notes reviewed, tests ordered, tests reviewed, or independent historian, allows these elements to be summed. It does not require each item type or category to be represented. A unique test ordered, plus a note reviewed and an independent historian would be a combination of three elements.

External: External records, communications and/or test results are from an external physician, other qualified health care professional, facility, or health care organization.

External physician or other qualified health care professional: An external physician or other qualified health care professional who is not in the same group practice or is of a different specialty or subspecialty. This includes licensed professionals who are practicing independently. The individual may also be a facility or organizational provider such as from a hospital, nursing facility, or home health care agency.

Discussion: Discussion requires an interactive exchange. The exchange must be direct and not through intermediaries (eg, clinical staff or trainees). Sending chart notes or written exchanges that are within progress notes does not qualify as an interactive exchange. The discussion does not need to be on the date of the encounter, but it is counted only once and only when it is used in the decision making of the encounter. It may be asynchronous (ie, does not need to be in person), but it must be initiated and completed within a short time period (eg, within a day or two).

Independent historian(s): An individual (eg, parent, guardian, surrogate, spouse, witness) who provides a history in addition to a history provided by the patient who is unable to provide a complete or reliable history (eg, due to developmental stage, dementia, or psychosis) or because a confirmatory history is judged to be necessary. In the case where there may be conflict or poor communication between multiple historians and more than one historian is needed, the independent historian requirement is met. **The independent history does not need to be obtained in person but does need to be obtained directly from the historian providing the independent information.**

Independent interpretation: The interpretation of a test for which there is a CPT code and an interpretation or report is customary. This does not apply when the physician or other qualified health care professional is reporting the service or has previously reported the service for the patient. A form of interpretation should be documented but need not conform to the usual standards of a complete report for the test.

Appropriate source: For the purpose of the discussion of management data element (see Table 2, Levels of Medical Decision Making), an appropriate source includes professionals who are not health care professionals but may be involved in the management of the patient (eg, lawyer, parole officer, case manager, teacher). It does not include discussion with family or informal caregivers.

One element used in selecting the level of service is the risk of complications and/or morbidity or mortality of patient management at an encounter. This is distinct from the risk of the condition itself.

Risk: The probability and/or consequences of an event. The assessment of the level of risk is affected by the nature of the event under consideration. For example, a low probability of death may be high risk, whereas a high chance of a minor, self-limited adverse effect of treatment may be low risk. Definitions of risk are based upon the usual behavior and thought processes of a physician or other qualified health care professional in the same specialty. Trained clinicians apply common language usage meanings to terms such as high, medium, low, or minimal risk and do not require quantification for these definitions (though quantification may be provided when evidence-based medicine has established probabilities). For the purposes of MDM, level of risk is based upon consequences of the problem(s) addressed at the encounter when appropriately treated. Risk also includes MDM related to the need to initiate or forego further testing, treatment, and/or hospitalization. **The risk of patient management criteria applies to the patient management decisions made by the reporting physician or other qualified health care professional as part of the reported encounter.**

Morbidity: A state of illness or functional impairment that is expected to be of substantial duration during which function is limited, quality of life is impaired, or there is organ damage that may not be transient despite treatment.

Social determinants of health: Economic and social conditions that influence the health of people and communities. Examples may include food or housing insecurity.

Surgery (minor or major, elective, emergency, procedure or patient risk):

Surgery–Minor or Major: The classification of surgery into minor or major is based on the common meaning of such terms when used by trained clinicians, similar to the use of the term “risk.” These terms are not defined by a surgical package classification.

Surgery–Elective or Emergency: Elective procedures and emergent or urgent procedures describe the timing of a procedure when the timing is related to the patient’s condition. An elective procedure is typically planned in advance (eg, scheduled for weeks later), while an emergent procedure is typically performed immediately or with minimal delay to allow for patient stabilization. Both elective and emergent procedures may be minor or major procedures.

Surgery–Risk Factors, Patient or Procedure: Risk factors are those that are relevant to the patient and procedure. Evidence-based risk calculators may be used, but are not required, in assessing patient and procedure risk.

Drug therapy requiring intensive monitoring for toxicity: A drug that requires intensive monitoring is a therapeutic agent that has the potential to cause serious morbidity or death. The monitoring is performed for assessment of these adverse effects and not primarily for assessment of therapeutic efficacy. The monitoring should be that which is generally accepted practice for the agent but may be patient-specific in some cases. Intensive monitoring may be long-term or short-term. Long-term intensive monitoring is not performed less than quarterly. The monitoring may be performed with a laboratory test, a physiologic test, or imaging. Monitoring by history or examination does not qualify. The monitoring affects the level of MDM in an encounter in which it is considered in the management of the patient. Examples may include monitoring for cytopenia in the use of an antineoplastic agent between dose cycles or the short-term intensive monitoring of electrolytes and renal function in a patient who is undergoing diuresis. Examples of monitoring that do not qualify include monitoring glucose levels during insulin therapy, as the primary reason is the therapeutic effect (even if unless severe hypoglycemia is a current, significant concern); or annual electrolytes and renal function for a patient on a diuretic, as the frequency does not meet the threshold. – f

Instructions for Selecting a Level of Office or Other Outpatient E/M Services

Select the appropriate level of E/M services based on the following:

1. The level of the MDM as defined for each service, or
2. The total time for E/M services performed on the date of the encounter

Medical Decision Making

MDM includes establishing diagnoses, assessing the status of a condition, and/or selecting a management option. MDM in the office or other outpatient services codes is defined by three elements:

- The number and complexity of problem(s) that are addressed during the encounter.
- The amount and/or complexity of data to be reviewed and analyzed. These data include medical records, tests, and/or other information that must be obtained, ordered, reviewed, and analyzed for the encounter. This includes information obtained from multiple sources or interprofessional

communications that are not reported separately and interpretation of tests that are not reported separately. Ordering a test is included in the category of test result(s) and the review of the test result is part of the encounter and not a subsequent encounter. Ordering a test may include those considered, but not selected after shared decision making. For example, a patient may request diagnostic imaging that is not necessary for their condition and discussion of the lack of benefit may be required. Alternatively, a test may normally be performed, but due to the risk for a specific patient it is not ordered. These considerations must be documented. Data are divided into three categories:

- Tests, documents, orders, or independent historian(s). (Each unique test, order, or document is counted to meet a threshold number.)
 - Independent interpretation of tests.
 - Discussion of management or test interpretation with external physician or other qualified health care professional or appropriate source.
- The risk of complications and/or morbidity or mortality of patient management decisions made at the visit, associated with the patient's problem(s), the diagnostic procedure(s), treatment(s). This includes the possible management options selected and those considered but not selected, after shared MDM with the patient and/or family. For example, a decision about hospitalization includes consideration of alternative levels of care. Examples may include a psychiatric patient with a sufficient degree of support in the outpatient setting or the decision to not hospitalize a patient with advanced dementia with an acute condition that would generally warrant inpatient care, but for whom the goal is palliative treatment.

Four types of MDM are recognized: straightforward, low, moderate, and high. The concept of the level of MDM does not apply to 99211. Shared MDM involves eliciting patient and/or family preferences, patient and/or family education, and explaining risks and benefits of management options. MDM may be impacted by role and management responsibility. When the physician or other qualified health care professional is reporting a separate CPT code that includes interpretation and/or report, the interpretation and/or report should not count toward the MDM when selecting a level of office or other outpatient services. When the physician or other qualified health care professional is reporting a separate service for discussion of management with a physician or another qualified health care professional, the discussion is not counted toward the MDM when selecting a level of office or other outpatient services.



The Levels of Medical Decision Making (MDM) table (Table 2) is a guide to assist in selecting the level of MDM for reporting an office or other outpatient E/M services code. The table includes the four levels of MDM (ie, straightforward, low, moderate, high) and the three elements of MDM (ie, number and complexity of problems addressed at the encounter, amount and/or complexity of data reviewed and analyzed, and risk of complications and/or morbidity or mortality of patient management). To qualify for a particular level of MDM, two of the three elements for that level of MDM must be met or exceeded. See Table 2: Levels of Medical Decision Making (MDM) on the following page.

Table 2: Level of Medical Decision Making (MDM)

Code	Level of MDM (Based on 2 out of 3 Elements of MDM)	Elements of Medical Decision Making		
		Number and Complexity of Problems Addressed	Amount and/or Complexity of Data to be Reviewed and Analyzed <i>*Each unique test, order, or document contributes to the combination of 2 or combination of 3 in Category 1 below.</i>	Risk of Complications and/or Morbidity or Mortality of Patient Management
99211	N/A	N/A	N/A	N/A
99202 99212	Straightforward	Minimal • 1 self-limited or minor problem	Minimal or none	Minimal risk of morbidity from additional diagnostic testing or treatment
99203 99213	Low	Low • 2 or more self-limited or minor problems; or • 1 stable chronic illness; or • 1 acute, uncomplicated illness or injury	Limited <i>(Must meet the requirements of at least 1 of the 2 categories)</i> Category 1: Tests and documents • Any combination of 2 from the following: • Review of prior external note(s) from each unique source*; • review of the result(s) of each unique test*; • ordering of each unique test* or Category 2: Assessment requiring an independent historian(s)	Low risk of morbidity from additional diagnostic testing or treatment

			<i>(For the categories of independent interpretation of tests and discussion of management or test interpretation, see moderate or high)</i>	
--	--	--	--	--

<p>99204 99214</p>	<p>Moderate</p>	<p>Moderate</p> <ul style="list-style-type: none"> • 1 or more chronic illnesses with exacerbation, progression, or side effects of treatment; <p>or</p> <ul style="list-style-type: none"> • 2 or more stable chronic illnesses; <p>or</p> <ul style="list-style-type: none"> • 1 undiagnosed new problem with uncertain prognosis; <p>or</p> <ul style="list-style-type: none"> • 1 acute illness with systemic symptoms; <p>or</p> <ul style="list-style-type: none"> • 1 acute complicated injury 	<p>Moderate <i>(Must meet the requirements of at least 1 out of 3 categories)</i></p> <p>Category 1: Tests, documents, or independent historian(s)</p> <ul style="list-style-type: none"> • Any combination of 3 from the following: <ul style="list-style-type: none"> • Review of prior external note(s) from each unique source*; • Review of the result(s) of each unique test*; • Ordering of each unique test*; • Assessment requiring an independent historian(s) <p>or</p> <p>Category 2: Independent interpretation of tests</p> <ul style="list-style-type: none"> • Independent interpretation of a test performed by another physician/other qualified health care professional (not separately reported); <p>or</p> <p>Category 3: Discussion of management or test interpretation</p> <ul style="list-style-type: none"> • Discussion of management or test interpretation with external physician/other qualified health care professional\appropriate source (not separately reported) 	<p>Moderate risk of morbidity from additional diagnostic testing or treatment</p> <p><i>Examples only:</i></p> <ul style="list-style-type: none"> • Prescription drug management • Decision regarding minor surgery with identified patient or procedure risk factors • Decision regarding elective major surgery without identified patient or procedure risk factors • Diagnosis or treatment significantly limited by social determinants of health
--------------------------------------	------------------------	--	---	---

<p>99205 99215</p>	<p>High</p>	<p>High</p> <ul style="list-style-type: none"> • 1 or more chronic illnesses with severe exacerbation, progression, or side effects of treatment; <p>or</p> <ul style="list-style-type: none"> • 1 acute or chronic illness or injury that poses a threat to life or bodily function 	<p>Extensive <i>(Must meet the requirements of at least 2 out of 3 categories)</i></p> <p>Category 1: Tests, documents, or independent historian(s)</p> <ul style="list-style-type: none"> • Any combination of 3 from the following: <ul style="list-style-type: none"> • Review of prior external note(s) from each unique source*; • Review of the result(s) of each unique test*; • Ordering of each unique test*; • Assessment requiring an independent historian(s) <p>or</p> <p>Category 2: Independent interpretation of tests</p> <ul style="list-style-type: none"> • Independent interpretation of a test performed by another physician/other qualified health care professional (not separately reported); <p>or</p> <p>Category 3: Discussion of management or test interpretation</p> <ul style="list-style-type: none"> • Discussion of management or test interpretation with external physician/other qualified health care professional/appropriate source (not separately reported) 	<p>High risk of morbidity from additional diagnostic testing or treatment</p> <p><i>Examples only:</i></p> <ul style="list-style-type: none"> • Drug therapy requiring intensive monitoring for toxicity • Decision regarding elective major surgery with identified patient or procedure risk factors • Decision regarding emergency major surgery • Decision regarding hospitalization • Decision not to resuscitate or to de-escalate care because of poor prognosis
------------------------	-------------	--	---	---

Evaluation and Management

Office or Other Outpatient Services

The following codes are used to report evaluation and management services provided in the office or in an outpatient or other ambulatory facility. A patient is considered an outpatient until inpatient admission to a health care facility occurs.

To report services provided to a patient who is admitted to a hospital or nursing facility in the course of an encounter in the office or other ambulatory facility, see the notes for initial hospital inpatient care or initial nursing facility care.

For services provided in the emergency department, see 99281-99285.

For observation care, see 99217-99226. For observation or inpatient care services (including admission and discharge services), see 99234-99236.

Coding Tip

Determination of Patient Status as New or Established Patient

Solely for the purposes of distinguishing between new and established patients, **professional services** are those face-to-face services rendered by physicians and other qualified health care professionals who may report evaluation and management services reported by a specific CPT code(s). A new patient is one who has not received any professional services from the physician/qualified health care professional or another physician/qualified health care professional of the **exact** same specialty and subspecialty who belongs to the same group practice, within the past three years.

An established patient is one who has received professional services from the physician/qualified health care professional or another physician/qualified health care professional of the exact same specialty and subspecialty who belongs to the same group practice, within the past three years.

In the instance where a physician/qualified health care professional is on call for or covering for another physician/qualified health care professional, the patient's encounter will be classified as it would have been by the physician/qualified health care professional who is not available. When advanced practice nurses and physician assistants are working with physicians they are considered as working in the **exact** same specialty and exact same **subspecialties** as the physician.

*CPT Coding Guidelines, Evaluation and Management,
Definitions of Commonly Used Terms, New and Established
Patient*

New Patient

(99201 has been deleted. To report, use 99202)

★▲**99202 Office or other outpatient visit** for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making.

When using time for code selection, 15-29 minutes of total time is spent on the date of the encounter.

- ★▲99203 **Office or other outpatient visit** for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making.

When using time for code selection, 30-44 minutes of total time is spent on the date of the encounter.

- ★▲99204 **Office or other outpatient visit** for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making.

When using time for code selection, 45-59 minutes of total time is spent on the date of the encounter.

- ★▲99205 **Office or other outpatient visit** for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making.

When using time for code selection, 60-74 minutes of total time is spent on the date of the encounter.

(For services 75 minutes or longer, see Prolonged Services 99417)

Established Patient

- ▲99211 **Office or other outpatient visit** for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal.

- ★▲99212 **Office or other outpatient visit** for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making.

When using time for code selection, 10-19 minutes of total time is spent on the date of the encounter.

- ★▲99213 **Office or other outpatient visit** for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making.

When using time for code selection, 20-29 minutes of total time is spent on the date of the encounter.

- ★▲99214 **Office or other outpatient visit** for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making.

When using time for code selection, 30-39 minutes of total time is spent on the date of the encounter.

- ★▲99215 **Office or other outpatient visit** for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making.

When using time for code selection, 40-54 minutes of total time is spent on the date of the encounter.

(For services 55 minutes or longer, see Prolonged Services 99417)

Prolonged Services

Prolonged Service With Direct Patient Contact (Except with Office or Other Outpatient Services)

Codes 99354-99357 are used when a physician or other qualified health care professional provides prolonged service(s) involving direct patient contact that is provided beyond the usual service in either the inpatient, observation or outpatient setting, except with office or other outpatient services (99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215). Direct patient contact is face-to-face and includes additional non-face-to-face services on the patient's floor or unit in the hospital or nursing facility during the same session. This service is reported in addition to the primary procedure. Appropriate codes should be selected for supplies provided or other procedures performed in the care of the patient during this period.

Codes 99354-99355 are used to report the total duration of face-to-face time spent by a physician or other qualified health care professional on a given date providing prolonged service in the outpatient setting, even if the time spent by the physician or other qualified health care professional on that date is not continuous. Codes 99356-99357 are used to report the total duration of time spent by a physician or other qualified health care professional at the bedside and on the patient's floor or unit in the hospital or nursing facility on a given date providing prolonged service to a patient, even if the time spent by the physician or other qualified health care professional on that date is not continuous.

Time spent performing separately reported services other than the E/M or psychotherapy service is not counted toward the prolonged services time.

Code 99354 or 99356 is used to report the first hour of prolonged service on a given date, depending on the place of service.

Either code should be used only once per date, even if the time spent by the physician or other qualified health care professional is not continuous on that date. Prolonged service of less than 30 minutes total duration on a given date is not separately reported.

Code 99355 or 99357 is used to report each additional 30 minutes beyond the first hour, depending on the place of service. Either code may also be used to report the final 15-30 minutes of prolonged service on a given date. Prolonged service of less than 15 minutes beyond the first hour or less than 15 minutes beyond the final 30 minutes is not reported separately.

The use of the time-based add-on codes requires that the primary evaluation and management service have a typical or specified time published in the CPT codebook.

For E/M services that require prolonged clinical staff time and may include face-to-face services by the physician or other qualified health care professional, use 99415, 99416. Do not report 99354, 99355 with 99415, 99416, 99417.

For prolonged total time in the Office or Other Outpatient Services, use 99417.

The following table illustrates the correct reporting of prolonged physician or other qualified health care professional service with direct patient contact in the inpatient or observation setting beyond the usual service time.

Total Duration of Prolonged Services	Code(s)
less than 30 minutes	Not reported separately
30-74 minutes (30 minutes - 1 hr. 14 min.)	99356 X 1
75-104 minutes (1 hr. 15 min. - 1 hr. 44 min.)	99356 X 1 AND 99357 X 1
105 or more (1 hr. 45 min. or more)	99356 X 1 AND 99357 X 2 or more for each additional 30 minutes.

★+▲99354 Prolonged service(s) in the outpatient setting requiring direct patient contact beyond the time of the usual service; first hour (List separately in addition to code for outpatient **Evaluation and Management** or psychotherapy service, except with office or other outpatient services [99202-99215])

(Use 99354 in conjunction with 90837, 90847, 99241-99245, 99324-99337, 99341-99350, 99483)

(Do not report 99354 in conjunction with 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99415, 99416, 99417)

★+▲99355 each additional 30 minutes (List separately in addition to code for prolonged service)

(Use 99355 in conjunction with 99354)

(Do not report 99355 in conjunction with 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99415, 99416, 99417)

+▲99356 Prolonged service in the inpatient or observation setting, requiring unit/floor time beyond the usual service; first hour (List separately in addition to code for inpatient or observation **Evaluation and Management** service)

(Use 99356 in conjunction with 90837, 90847, 99218-99220, 99221-99223, 99224-99226, 99231-99233, 99234-99236, 99251-99255, 99304-99310)

+▲99357 each additional 30 minutes (List separately in addition to code for prolonged service)

(Use 99357 in conjunction with 99356)

Prolonged Service Without Direct Patient Contact

Codes 99358 and 99359 are used when a prolonged service is provided that is neither face-to-face time in the outpatient, inpatient, or observation setting, nor additional unit/floor time in the hospital or nursing facility setting. Codes 99358, 99359 may be used during the same session of an evaluation and management service, except office or other outpatient services (99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215). For prolonged time without direct patient contact on the date of office or other outpatient services, use 99417. Codes 99358, 99359 may also be used for prolonged services on a date other than the date of a face-to face encounter.

This service is to be reported in relation to other physician or other qualified health care professional services, including evaluation and management services at any level. This prolonged service may be reported on a different date than the primary service to which it is related. For example, extensive record review may relate to a previous evaluation and management service performed at an earlier date. However, it must relate to a service or patient where (face-to-face) patient care has occurred or will occur and relate to ongoing patient management.

Codes 99358 and 99359 are used to report the total duration of non-face-to-face time spent by a physician or other qualified health care professional on a given date providing prolonged service, even if the time spent by the physician or other qualified health care professional on that date is not continuous. Code 99358 is used to report the first hour of prolonged service on a given date regardless of the place of service. It should be used only once per date.

Prolonged service of less than 30 minutes total duration on a given date is not separately reported.

Code 99359 is used to report each additional 30 minutes beyond the first hour. It may also be used to report the final 15 to 30 minutes of prolonged service on a given date.

Prolonged service of less than 15 minutes beyond the first hour or less than 15 minutes beyond the final 30 minutes is not reported separately. Do not report 99358, 99359 for time without direct patient contact reported in other services such as care plan oversight services (99339, 99340, 99374-99380), chronic care management by a physician or other qualified health care professional (99491), home and outpatient INR monitoring (93792, 93793), medical team conferences (99366-99368), interprofessional telephone/internet/electronic health record consultations (99446-99452), or on-line digital evaluation and management services (9X0X1, 9X0X2, 9X0X3).

99358 Prolonged evaluation and management service before and/or after direct patient care; first hour

+99359 each additional 30 minutes (List separately in addition to code for prolonged service)

(Use 99359 in conjunction with 99358)

(Do not report 99358, 99359 on the same date of service as 99417)

(Do not report 99358, 99359 during the same month with 99484, 99487-99489, 99490, 99491, 99492, 99493, 99494)

(Do not report 99358, 99359 when performed during the service time of codes 99495 or 99496, if reporting 99495 or 99496)

Total Duration of Prolonged Services Without Direct Face-to-Face Contact	Code(s)
less than 30 minutes	Not reported separately
30-74 minutes (30 minutes - 1 hr. 14 min.)	99358 X 1
75-104 minutes (1 hr. 15 min. - 1 hr. 44 min.)	99358 X 1 AND 99359 X 1
105 or more (1 hr. 45 min. or more)	99358 X 1 AND 99359 X 2 or more for each additional 30 minutes.

Prolonged Clinical Staff Services With Physician or Other Qualified Health Care Professional Supervision

Codes 99415, 99416 are used when a prolonged evaluation and management (E/M) service is provided in the office or outpatient setting that involves prolonged clinical staff face-to-face time beyond the typical face-to-face time of the E/M service, as stated in the code description. The physician or qualified health care professional is present to provide direct supervision of the clinical staff. This service is reported in addition to the designated E/M services and any other services provided at the same session as E/M services.

Codes 99415, 99416 are used to report the total duration of face-to-face time spent by clinical staff on a given date providing prolonged service in the office or other outpatient setting, even if the time spent by the clinical staff on that date is not continuous. Time spent performing separately reported services other than the E/M service is not counted toward the prolonged services time.

Code 99415 is used to report the first hour of prolonged clinical staff service on a given date. Code 99415 should be used only once per date, even if the time spent by the clinical staff is not continuous on that date. Prolonged service of less than 45 minutes total duration on a given date is not separately reported because the clinical staff time involved is included in the E/M codes. The typical face-to-face time of the primary service is used in defining when prolonged services time begins. For example, prolonged clinical staff services for 99214 begin after 25 minutes, and 99415 is not reported until at least 70 minutes total face-to-face clinical staff time has been performed. When face-to-face time is noncontiguous, use only the face-to-face time provided to the patient by the clinical staff.

Code 99416 is used to report each additional 30 minutes of prolonged clinical staff service beyond the first hour. Code 99416 may also be used to report the final 15-30 minutes of prolonged service on a given date. Prolonged service of less than 15 minutes beyond the first hour or less than 15 minutes beyond the final 30 minutes is not reported separately.



Codes 99415, 99416 may be reported for no more than two simultaneous patients. The use of the time-based add-on codes requires that the primary E/M service has a typical or specified time published in the CPT code set.

For prolonged services by the physician or other qualified health care professional, see 99354, 99355, 99417. Do not report 99415, 99416 with 99354, 99355, 99417.

Facilities may not report 99415, 99416.

#+99415 Prolonged clinical staff service (the service beyond the typical service time) during an evaluation and management service in the office or outpatient setting, direct patient contact with physician supervision; first hour (List separately in addition to code for outpatient **Evaluation and Management** service)

(Use 99415 in conjunction with 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215)

(Do not report 99415 in conjunction with 99354, 99355, 99417)

#+99416 each additional 30 minutes (List separately in addition to code for prolonged service)

(Use 99416 in conjunction with 99415)

(Do not report 99416 in conjunction with 99354, 99355, 99417)

The Total Duration of Prolonged Services Table illustrates the correct reporting of prolonged services provided by clinical staff with physician supervision in the office setting beyond the initial 45 minutes of clinical staff time:

Total Duration of Prolonged Services	Code(s)
less than 30 minutes	Not reported separately
30-74 minutes (30 minutes - 1 hr. 14 min.)	99415 X 1
75-104 minutes (1 hr. 15 min. - 1 hr. 44 min.)	99415 X 1 AND 99416 X 1
105 or more (1 hr. 45 min. or more)	99415 X 1 AND 99416 X 2 or more for each additional 30 minutes.

Prolonged Service With or Without Direct Patient Contact on the Date of an Office or Other Outpatient Service

Code 99417 is used to report prolonged total time (ie, combined time with and without direct patient contact) provided by the physician or other qualified health care professional on the date of office or other outpatient services (ie, 99205, 99215). Code 99417 is only used when the office or other outpatient service has been selected using time alone as the basis and only after the total time of the highest-level



service (ie, 99205 or 99215) has been exceeded. To report a unit of 99417, 15 minutes of additional time must have been attained. Do not report 99417 for any additional time increment of less than 15 minutes.

Time spent performing separately reported services other than the E/M service is not counted toward the time to report 99205, 99215 and prolonged services time.

For prolonged services on a date other than the date of a face-to-face encounter, including office or other outpatient services (99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215), see 99358, 99359. For E/M services that require prolonged clinical staff time and may include face-to-face services by the physician or other qualified health care professional, see 99415, 99416. Do not report 99417 in conjunction with 99354, 99355, 99358, 99359, 99415, 99416.

Prolonged services of less than 15 minutes total time on the date of the office or other outpatient service (ie, 99205, 99215) is not reported.

★+●99417 Prolonged office or other outpatient evaluation and management service(s) (beyond the total time of the primary procedure which has been selected using total time), requiring total time with or without direct patient contact beyond the usual service, on the date of the primary service; each 15 minutes (List separately in addition to codes 99205, 99215 for office or other outpatient **Evaluation and Management** services)

(Use 99417 in conjunction with 99205, 99215)

(Do not report 99417 in conjunction with 99354, 99355, 99358, 99359, 99415, 99416)

(Do not report 99417 for any time unit less than 15 minutes)

Total Duration of New Patient Office or Other Outpatient Services (use with 99205)	Code(s)
less than 75 minutes	Not reported separately
75-89 minutes	99205 X 1 and 99417 X 1
90-104 minutes	99205 X 1 and 99417 X 2
105 or more	99205 X 1 and 99417 X 3 or more for each additional 15 minutes.
Total Duration of Established Patient Office or Other Outpatient Services (use with 99215)	Code(s)
less than 55 minutes	Not reported separately
55-69 minutes	99215 X 1 and 99417 X 1
70-84 minutes	99215 X 1 and 99417 X 2
85 or more	99215 X 1 and 99417 X 3 or more for each additional 15 minutes.

Prolonged Services

Prolonged Service With Direct Patient Contact (Except with Office or Other Outpatient Services)

Codes 99354-99357 are used when a physician or other qualified health care professional provides prolonged service(s) involving direct patient contact that is provided beyond the usual service in either the inpatient, observation or outpatient setting, except with office or other outpatient services (99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215). Direct patient contact is face-to-face and includes additional non-face-to-face services on the patient's floor or unit in the hospital or nursing facility during the same session. This service is reported in addition to the primary procedure. Appropriate codes should be selected for supplies provided or other procedures performed in the care of the patient during this period.

Codes 99354-99355 are used to report the total duration of face-to-face time spent by a physician or other qualified health care professional on a given date providing prolonged service in the outpatient setting, even if the time spent by the physician or other qualified health care professional on that date is not continuous. Codes 99356-99357 are used to report the total duration of time spent by a physician or other qualified health care professional at the bedside and on the patient's floor or unit in the hospital or nursing facility on a given date providing prolonged service to a patient, even if the time spent by the physician or other qualified health care professional on that date is not continuous.

Time spent performing separately reported services other than the E/M or psychotherapy service is not counted toward the prolonged services time.

Code 99354 or 99356 is used to report the first hour of prolonged service on a given date, depending on the place of service.

Either code should be used only once per date, even if the time spent by the physician or other qualified health care professional is not continuous on that date. Prolonged service of less than 30 minutes total duration on a given date is not separately reported.

Code 99355 or 99357 is used to report each additional 30 minutes beyond the first hour, depending on the place of service. Either code may also be used to report the final 15-30 minutes of prolonged service on a given date. Prolonged service of less than 15 minutes beyond the first hour or less than 15 minutes beyond the final 30 minutes is not reported separately.

The use of the time-based add-on codes requires that the primary evaluation and management service have a typical or specified time published in the CPT codebook.

For E/M services that require prolonged clinical staff time and may include face-to-face services by the physician or other qualified health care professional, use 99415, 99416. Do not report 99354, 99355 with 99415, 99416, 99417.

For prolonged total time in addition to office or other outpatient services (ie, 99205, 99215), use 99417.

The following table illustrates the correct reporting of prolonged physician or other qualified health care professional service with direct patient contact in the inpatient or observation setting beyond the usual service time.

Total Duration of Prolonged Services	Code(s)
less than 30 minutes	Not reported separately
30-74 minutes (30 minutes - 1 hr. 14 min.)	99356 X 1
75-104 minutes (1 hr. 15 min. - 1 hr. 44 min.)	99356 X 1 AND 99357 X 1
105 or more (1 hr. 45 min. or more)	99356 X 1 AND 99357 X 2 or more for each additional 30 minutes.

★+▲99354 Prolonged service(s) in the outpatient setting requiring direct patient contact beyond the time of the usual service; first hour (List separately in addition to code for outpatient **Evaluation and Management** or psychotherapy service, except with office or other outpatient services [99202-99215])

(Use 99354 in conjunction with 90837, 90847, 99241-99245, 99324-99337, 99341-99350, 99483)

(Do not report 99354 in conjunction with 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99415, 99416, 999417)

★+▲99355 each additional 30 minutes (List separately in addition to code for prolonged service)

(Use 99355 in conjunction with 99354)

(Do not report 99355 in conjunction with 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99415, 99416, 99417)

+▲99356 Prolonged service in the inpatient or observation setting, requiring unit/floor time beyond the usual service; first hour (List separately in addition to code for inpatient or observation **Evaluation and Management** service)

(Use 99356 in conjunction with 90837, 90847, 99218-99220, 99221-99223, 99224-99226, 99231-99233, 99234-99236, 99251-99255, 99304-99310)

+99357 each additional 30 minutes (List separately in addition to code for prolonged service)

(Use 99357 in conjunction with 99356)

Prolonged Service Without Direct Patient Contact

Codes 99358 and 99359 are used when a prolonged service is provided that is neither face-to-face time in the outpatient, inpatient, or observation setting, nor additional unit/floor time in the hospital or nursing facility setting. Codes 99358, 99359 may be used during the same session of an evaluation and management service, except office or other outpatient services (99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215). For prolonged total time in addition to office or other outpatient services (ie, 99205, 99215) on the same date of service without direct patient contact, use 99417. Codes 99358, 99359 may also be used for prolonged services on a date other than the date of a face-to face encounter.



This service is to be reported in relation to other physician or other qualified health care professional services, including evaluation and management services at any level. This prolonged service may be reported on a different date than the primary service to which it is related. For example, extensive record review may relate to a previous evaluation and management service performed at an earlier date. However, it must relate to a service or patient where (face-to-face) patient care has occurred or will occur and relate to ongoing patient management.

Codes 99358 and 99359 are used to report the total duration of non-face-to-face time spent by a physician or other qualified health care professional on a given date providing prolonged service, even if the time spent by the physician or other qualified health care professional on that date is not continuous. Code 99358 is used to report the first hour of prolonged service on a given date regardless of the place of service. It should be used only once per date.

Prolonged service of less than 30 minutes total duration on a given date is not separately reported.

Code 99359 is used to report each additional 30 minutes beyond the first hour. It may also be used to report the final 15 to 30 minutes of prolonged service on a given date.

Prolonged service of less than 15 minutes beyond the first hour or less than 15 minutes beyond the final 30 minutes is not reported separately.

Do not report 99358, 99359 for time without direct patient contact reported in other services such as care plan oversight services (99339, 99340, 99374-99380), chronic care management by a physician or other qualified health care professional (99491), home and outpatient INR monitoring (93792, 93793), medical team conferences (99366-99368), interprofessional telephone/Internet/electronic health record consultations (99446, 99447, 99448, 99449, 99451, 99452), or online digital evaluation and management services (99421, 99422, 99423).

99358 Prolonged evaluation and management service before and/or after direct patient care; first hour

+99359 each additional 30 minutes (List separately in addition to code for prolonged service)

(Use 99359 in conjunction with 99358)

(Do not report 99358, 99359 on the same date of service as 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99417)

Total Duration of Prolonged Services Without Direct Face-to-Face Contact	Code(s)
less than 30 minutes	Not reported separately
30-74 minutes (30 minutes - 1 hr. 14 min.)	99358 X 1

75-104 minutes (1 hr. 15 min. - 1 hr. 44 min.)	99358 X 1 AND 99359 X 1
105 or more (1 hr. 45 min. or more)	99358 X 1 AND 99359 X 2 or more for each additional 30 minutes.

Prolonged Clinical Staff Services With Physician or Other Qualified Health Care Professional Supervision

Codes 99415, 99416 are used when a prolonged evaluation and management (E/M) service is provided in the office or outpatient setting that involves prolonged clinical staff face-to-face time beyond the highest total time of the E/M service, as stated in the ranges of time in the code descriptions. The physician or qualified health care professional is present to provide direct supervision of the clinical staff. This service is reported in addition to the designated E/M services and any other services provided at the same session as E/M services.

Codes 99415, 99416 are used to report the total duration of face-to-face time spent by clinical staff on a given date providing prolonged service in the office or other outpatient setting, even if the time spent by the clinical staff on that date is not continuous. Time spent performing separately reported services other than the E/M service is not counted toward the prolonged services time.

Code 99415 is used to report the first hour of prolonged clinical staff service on a given date. Code 99415 should be used only once per date, even if the time spent by the clinical staff is not continuous on that date. Prolonged service of less than 30 minutes total duration on a given date is not separately reported because the clinical staff time involved is included in the E/M codes. The highest total time in the time ranges of the code descriptions is used in defining when prolonged services time begins. For example, prolonged clinical staff services for 99214 begin after 39 minutes, and 99415 is not reported until at least 69 minutes total face-to-face clinical staff time has been performed. When face-to-face time is noncontiguous, use only the face-to-face time provided to the patient by the clinical staff.

Code 99416 is used to report each additional 30 minutes of prolonged clinical staff service beyond the first hour. Code 99416 may also be used to report the final 15-30 minutes of prolonged service on a given date. Prolonged service of less than 15 minutes beyond the first hour or less than 15 minutes beyond the final 30 minutes is not reported separately.

Codes 99415, 99416 may be reported for no more than two simultaneous patients. The use of the time-based add-on codes requires that the primary E/M service has a time published in the CPT code set.

For prolonged services by the physician or other qualified health care professional, see 99354, 99355, 99417. Do not report 99415, 99416 with 99354, 99355, 99417.

Facilities may not report 99415, 99416.

#+99415 Prolonged clinical staff service (the service beyond the typical service time) during an evaluation and management service in the office or outpatient setting, direct patient contact with physician supervision; first hour (List separately in addition to code for outpatient **Evaluation and Management** service)

(Use 99415 in conjunction with 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215)

(Do not report 99415 in conjunction with 99354, 99355, 99417)

#+99416 each additional 30 minutes (List separately in addition to code for prolonged service)

(Use 99416 in conjunction with 99415)

(Do not report 99416 in conjunction with 99354, 99355, 99417)

The Total Duration of Prolonged Services Table illustrates the correct reporting of prolonged services provided by clinical staff with physician supervision in the office setting beyond the initial 30 minutes of clinical staff time:

Total Duration of Prolonged Services	Code(s)
less than 30 minutes	Not reported separately
30-74 minutes (30 minutes - 1 hr. 14 min.)	99415 X 1
75-104 minutes (1 hr. 15 min. - 1 hr. 44 min.)	99415 X 1 AND 99416 X 1
105 or more (1 hr. 45 min. or more)	99415 X 1 AND 99416 X 2 or more for each additional 30 minutes.

Prolonged Service With or Without Direct Patient Contact on the Date of an Office or Other Outpatient Service

Code 99417 is used to report prolonged total time (ie, combined time with and without direct patient contact) provided by the physician or other qualified health care professional on the date of office or other outpatient services (ie, 99205, 99215). Code 99417 is only used when the office or other outpatient service has been selected using time alone as the basis and only after the minimum time required to report the highest-level service (ie, 99205 or 99215) has been exceeded by 15 minutes. To report a unit of 99417, 15 minutes of additional time must have been attained. Do not report 99417 for any additional time increment of less than 15 minutes.

The listed time ranges for 99205 (ie, 60-74 minutes) and 99215 (ie, 40-54 minutes) represent the complete range of time for which each code may be reported. Therefore, when reporting 99417, the initial time unit of 15 minutes should be added once the minimum time in the primary E/M code has been surpassed by 15 minutes. For example, to report the initial unit of 99417 for a new patient encounter (99205), do not report 99417 until at least 15 minutes of time has been accumulated beyond 60 minutes (ie, 75 minutes) on the date of the encounter. For an established patient encounter (99215), do not report 99417 until at least 15 minutes of time has been accumulated beyond 40 minutes (ie, 55 minutes) on the date of the encounter.

Time spent performing separately reported services other than the E/M service is not counted toward the time to report 99205, 99215 and prolonged services time.

For prolonged services on a date other than the date of a face-to-face encounter, including office or other outpatient services (99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215), see 99358, 99359. For E/M services that require prolonged clinical staff time and may include face-to-face services by the physician or other QHP, see 99415, 99416. Do not report 99417 in conjunction with 99354, 99355, 99358, 99359, 99415, 99416.



Prolonged services of less than 15 minutes total time is not reported on the date of office or other outpatient service when the highest level is reached (ie, 99205, 99215).

#★+●99417 Prolonged office or other outpatient evaluation and management service(s) beyond the minimum required time of the primary procedure which has been selected using total time, requiring total time with or without direct patient contact beyond the usual service, on the date of the primary service, each 15 minutes of total time
(List separately in addition to codes 99205, 99215 for office or other outpatient **Evaluation and Management** services)

(Use 99417 in conjunction with 99205, 99215)

(Do not report 99417 in conjunction with 99354, 99355, 99358, 99359, 99415, 99416)

(Do not report 99417 for any time unit less than 15 minutes)

Total Duration of New Patient Office or Other Outpatient Services (use with 99205)	Code(s)
less than 75 minutes	Not reported separately
75-89 minutes	99205 X 1 and 99417 X 1
90-104 minutes	99205 X 1 and 99417 X 2
105 or more	99205 X 1 and 99417 X 3 or more for each additional 15 minutes.
Total Duration of Established Patient Office or Other Outpatient Services (use with 99215)	Code(s)
less than 55 minutes	Not reported separately
55-69 minutes	99215 X 1 and 99417 X 1
70-84 minutes	99215 X 1 and 99417 X 2
85 or more	99215 X 1 and 99417 X 3 or more for each additional 15 minutes.