



## Appendix Q: Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) Vaccines

This table links the individual severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine product codes (91300-91316) to their associated immunization administration codes (0004A, 0001A, 0002A, 0003A, 0011A, 0012A, 0013A, 0021A, 0022A, 0031A, 0034A, 0041A, 0042A, 0044A, 0051A, 0052A, 0053A, 0054A, 0064A, 0071A, 0072A, 0073A, 0074A, 0081A, 0082A, 0083A, 0091A, 0092A, 0093A, 0094A, 0104A, 0111A, 0112A, 0113A, 0124A, 0134A, 0144A, 0154A, 0164A), patient age, manufacturer name, vaccine name(s), 10 and 11-digit National Drug Code (NDC) Labeler Product ID, and interval between doses. These codes are also located in the Medicine section of the CPT code set.

Additional introductory and instructional information for codes 0001A, 0002A, 0003A, 0004A, 0011A, 0012A, 0013A, 0021A, 0022A, 0031A, 0034A, 0041A, 0042A, 0044A, 0051A, 0052A, 0053A, 0054A, 0064A, 0071A, 0072A, 0073A, 0074A, 0081A, 0082A, 0083A, 0091A, 0092A, 0093A, 0094A, 0104A, 0111A, 0112A, 0113A, 0124A, 0134A, 0144A, 0154A, 0164A and 91300-91316 can be found in the Immunization Administration for Vaccines/Toxoids and Vaccines, Toxoids guidelines in the Medicine section of the CPT code set.

Vaccine Code	Vaccine Code Descriptor	Vaccine Administration Code(s)	Patient Age	Vaccine Manufacturer	Vaccine Name(s)	NDC 10/NDC 11 Labeler Product ID (Vial)	Dosing Interval
91300	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted, for intramuscular use	0001A (1st Dose) 0002A (2nd Dose) 0003A (3rd Dose) 0004A (Booster)	12 years and older	Pfizer, Inc	Pfizer-BioNTech COVID-19 Vaccine / Comirnaty	59267-1000-1 59267-1000-01	1st Dose to 2nd Dose: 21 Days  2nd Dose to 3rd Dose (CDC recommended population[s] [eg, immunocompromised]): 28 or More Days

Vaccine Code	Vaccine Code Descriptor	Vaccine Administration Code(s)	Patient Age	Vaccine Manufacturer	Vaccine Name(s)	NDC 10/NDC 11 Labeler Product ID (Vial)	Dosing Interval
							Booster: Refer to FDA/CDC Guidance
91305	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, for intramuscular use	0051A (1st Dose) 0052A (2nd Dose) 0053A (3rd Dose) 0054A (Booster)	12 years and older	Pfizer, Inc	Pfizer-BioNTech COVID-19 Vaccine/Comirnaty	59267-1025-1 59267-1025-01 00069-2025-1 00069-2025-01	1st Dose to 2nd Dose: 21 Days  2nd Dose to 3rd Dose (CDC recommended population[s] [eg, immunocompromised]): 28 or More Days  Booster: Refer to FDA/CDC Guidance
91312	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, for intramuscular use	0124A (Booster)	12 years and older	Pfizer, Inc	Pfizer-BioNTech COVID-19 Bivalent	59267-0304-1 59267-0304-01 59267-1404-1 59267-1404-01	Booster: Refer to FDA/CDC Guidance

Vaccine Code	Vaccine Code Descriptor	Vaccine Administration Code(s)	Patient Age	Vaccine Manufacturer	Vaccine Name(s)	NDC 10/NDC 11 Labeler Product ID (Vial)	Dosing Interval
91307	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use	0071A (1st Dose) 0072A (2nd Dose) 0073A (3rd Dose) 0074A (Booster)	5 years through 11 years	Pfizer, Inc	Pfizer-BioNTech COVID-19 Vaccine	59267-1055-1 59267-1055-01	1st Dose to 2nd Dose: 21 Days  2nd Dose to 3rd Dose (CDC recommended population[s] [eg, immunocompromised]) 28 or More Days  Booster: Refer to FDA/CDC Guidance
91315	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use	0154A (Booster)	5 years through 11 years	Pfizer, Inc	Pfizer-BioNTech COVID-19 Bivalent	59267-0565-1 59267-0565-01	Booster: Refer to FDA/CDC Guidance

Vaccine Code	Vaccine Code Descriptor	Vaccine Administration Code(s)	Patient Age	Vaccine Manufacturer	Vaccine Name(s)	NDC 10/NDC 11 Labeler Product ID (Vial)	Dosing Interval
91308	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use	0081A (1st Dose) 0082A (2nd Dose) 0083A (3rd Dose)	6 months through 4 years	Pfizer, Inc	Pfizer-BioNTech COVID-19 Vaccine	59267-0078-1 59267-0078-01 59267-0078-4 59267-0078-04	1st Dose to 2nd Dose: 21 Days  2nd Dose to 3rd Dose: Refer to FDA/CDC Guidance
91301	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5 mL dosage, for intramuscular use	0011A (1st Dose) 0012A (2nd Dose) 0013A (3rd Dose)	12 years and older	Moderna, Inc	Moderna COVID-19 Vaccine/spikevax	80777-273-10 80777-0273-10 80777-100-11 80777-0100-1	1st Dose to 2nd Dose: 28 Days  2nd Dose to 3rd Dose (CDC recommended population[s] [eg, immunocompromised]): 28 or More Days
91306	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, for intramuscular use	0064A (Booster)	18 years and older	Moderna, Inc	Moderna COVID-19 Vaccine	80777-273-10 80777-0273-10	Refer to FDA/CDC Guidance

Vaccine Code	Vaccine Code Descriptor	Vaccine Administration Code(s)	Patient Age	Vaccine Manufacturer	Vaccine Name(s)	NDC 10/NDC 11 Labeler Product ID (Vial)	Dosing Interval
91313	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 50 mcg/0.5 mL dosage, for intramuscular use	0134A (Booster)	12 years and older	Moderna, Inc	Moderna COVID-19 Vaccine, Bivalent	80777-282-05 80777-0282-05	Booster: Refer to FDA/CDC Guidance
91314	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 25 mcg/0.25 mL dosage, for intramuscular use	0144A (Booster)	6 years through 11 years	Moderna, Inc	Moderna COVID-19 Vaccine, Bivalent	80777-282-05 80777-0282-05	Booster: Refer to FDA/CDC Guidance
91311	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage, for intramuscular use	0111A (1st Dose) 0112A (2nd Dose) 0113A (3rd Dose)	6 months through 5 years	Moderna, Inc	Moderna COVID-19 Vaccine	80777-279-05 80777-0279-05	1st Dose to 2nd Dose: 1 Month  2nd Dose to 3rd Dose (CDC recommended population[s] [eg, immunocompromised]): 1 Month

Vaccine Code	Vaccine Code Descriptor	Vaccine Administration Code(s)	Patient Age	Vaccine Manufacturer	Vaccine Name(s)	NDC 10/NDC 11 Labeler Product ID (Vial)	Dosing Interval
91316	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 10 mcg/0.2 mL dosage, for intramuscular use	0164A (Booster)	6 months through 5 years	Moderna, Inc	Moderna COVID-19 Vaccine, Bivalent	80777-283-02 80777-0283-02	Booster: Refer to FDA/CDC Guidance
91309	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage, for intramuscular use	0091A (1st Dose) 0092A (2nd Dose) 0093A (3rd Dose)	6 years through 11 years	Moderna, Inc	Moderna COVID-19 Vaccine	80777-275-05 80777-0275-05	1st Dose to 2nd Dose: 1 Month  2nd Dose to 3rd Dose (CDC recommended population[s] [eg, immunocompromised]): 1 Month
		0094A (Booster)	18 years and older	Moderna, Inc	Moderna COVID-19 Vaccine	80777-275-05 80777-0275-05	Booster: Refer to FDA/CDC Guidance

Vaccine Code	Vaccine Code Descriptor	Vaccine Administration Code(s)	Patient Age	Vaccine Manufacturer	Vaccine Name(s)	NDC 10/NDC 11 Labeler Product ID (Vial)	Dosing Interval
91302	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, chimpanzee adenovirus Oxford 1 (ChAdOx1) vector, preservative free, 5x10 <sup>10</sup> viral particles/0.5 mL dosage, for intramuscular use	0021A (1st Dose) 0022A (2nd Dose)	18 years and older	AstraZeneca, Plc	AstraZeneca COVID-19 Vaccine	0310-1222-10 00310-1222-10	28 Days
91303	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x10 <sup>10</sup> viral particles/0.5 mL dosage, for intramuscular use	0031A (Single Dose) 0034A (Booster)	18 years and older	Janssen	Janssen COVID-19 Vaccine	59676-580-05 59676-0580-05	Booster: Refer to FDA/CDC Guidance
91304	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5 mL dosage, for intramuscular use	0041A (1st Dose) 0042A (2nd Dose)	12 years and older	Novavax, Inc	Novavax COVID-19 Vaccine	80631-100-01 80631-1000-01	21 Days
		0044A (Booster)	18 years and older	Novavax, Inc	Novavax COVID-19 Vaccine	80631-100-01 80631-1000-01	Booster: Refer to FDA/CDC Guidance

Vaccine Code	Vaccine Code Descriptor	Vaccine Administration Code(s)	Patient Age	Vaccine Manufacturer	Vaccine Name(s)	NDC 10/NDC 11 Labeler Product ID (Vial)	Dosing Interval
91310	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, monovalent, preservative free, 5 mcg/0.5 mL dosage, adjuvant AS03 emulsion, for intramuscular use	0104A (Booster)	18 years and older	Sanofi Pasteur	Sanofi Pasteur COVID-19 Vaccine, (Adjuvanted For Booster Immunization)	49281-618-20 49281-0618-20	Booster: Refer to FDA/CDC Guidance