

CPT® Category III Codes

Most recent changes to the CPT® Category III Long Descriptor Document

- Revision of 3 Category III codes (0559T, 0560T, 0582T) and the addition of 34 Category III codes (1112T-1145T), guidelines, and parenthetical notes accepted by the CPT Editorial Panel at the September 2026 meeting.

CPT® Category III Codes

The following CPT codes are an excerpt of the CPT Category III code set, a temporary set of codes for emerging technologies, services, procedures, and service paradigms. For more information on the criteria for CPT Category I, II and III codes, see Applying for Codes.

To assist users in reporting the most recently approved Category III codes in a given CPT cycle, the AMA's CPT website publishes updates of the CPT Editorial Panel (Panel) actions of the Category III codes in April, July, and January according to the Category III Code Semi-Annual Early Release Schedule. This was approved by the CPT Editorial Panel as part of the 1998- 2000 CPT-5 projects and subsequent Panel meetings. Although publication of Category III codes through early release to the CPT website allows for expedient dispersal of the code and descriptor, early availability does not imply that these codes are immediately reportable before the indicated implementation date.

Publication of the Category III codes to this website takes place on a semiannual/triannual basis when the codes have been approved by the CPT Editorial Panel. The complete set of Category III codes for emerging technologies, services, procedures, and service paradigms are published annually in the code set for each CPT publication cycle.

As with CPT Category I codes, inclusion of a descriptor and its associated code number does not represent endorsement by the AMA of any particular diagnostic or therapeutic procedure or service. Inclusion or exclusion of a procedure or service does not imply any health insurance coverage or reimbursement policy.

Background Information for Category III Codes

CPT Category III codes are a set of temporary codes that allow data collection for emerging technologies, services, procedures, and service paradigms. These codes are intended to be used for data collection to substantiate widespread usage or to provide documentation for the Food and Drug Administration (FDA) approval process. The CPT Category III codes may not conform to one or more of the following CPT Category I code requirements:

- All devices and drugs necessary for performance of the procedure or service have received FDA clearance or approval when such is required for performance of the procedure or service.
- The procedure or service is performed by many physicians or other qualified health care professionals across the United States.
- The procedure or service is performed with frequency consistent with the intended clinical use (ie, a service for a common condition should have high volume, whereas a service commonly performed for a rare condition may have low volume).
- The procedure or service is consistent with current medical practice.
- The clinical efficacy of the procedure or service is documented in literature that meets the requirements set forth in the CPT code change application.

Category III codes are not developed as a result of Panel review of an incomplete proposal, the need for more information, or

a lack of CPT Advisory Committee support of a code-change application.

CPT Category III codes are not referred to the AMA-Specialty RVS Update Committee (RUC) for valuation because no relative value units (RVUs) are assigned to these codes. Payments for these services or procedures are based on the policies of payers and not on a yearly fee schedule.

Category III Codes for CPT 2027

It is important to note that, because future CPT Editorial Panel or Executive Committee actions may affect these items, codes and descriptor language may differ at the time of publication. In addition, future Panel actions may result in the conversion of a Category III code to a Category I code and/or gaps in code number sequencing. A cross-reference will be placed in the Category III section of the CPT code set to direct users to the newly established CPT Category I code.

The following introductory language for this code section explains the purpose of these codes. Unless otherwise indicated, the symbol ● indicates new procedure codes that will be added to the CPT code set in 2027.

Category III Codes

The following section contains a set of temporary codes for emerging technologies, services, procedures, and service paradigms. Category III codes allow data collection for these services or procedures, unlike the use of unlisted codes, which does not offer the opportunity for the collection of specific data. If a Category III code is available, this code must be reported instead of a Category I unlisted code. This is an activity that is critically important in the evaluation of health care delivery and the formation of public and private policy. The use of Category III codes allows physicians and other qualified health care professionals, insurers, health services researchers, and health policy experts to identify emerging technologies, services, procedures, and service paradigms for clinical efficacy, utilization, and outcomes.

The inclusion of a service or procedure in this section does not constitute a finding of support, or lack thereof, with regard to clinical efficacy, safety, applicability to clinical practice, or payer coverage. The codes in this section may not conform to the usual requirements for CPT Category I codes established by the CPT Editorial Panel. For Category I codes, the Panel requires that the service or procedure be performed by many health care professionals in clinical practice in multiple locations and that FDA approval, as appropriate, has been received. The nature of emerging technologies, services, procedures, and service paradigms is such that these requirements may not be met. For these reasons, temporary codes for emerging technologies, services, procedures, and service paradigms have been placed in a separate section of the CPT code set and the codes are differentiated from Category I CPT codes by the use of the alphanumeric character.

► Services and procedures described in this section make use of alphanumeric characters. These codes have an alpha character as the 5th character in the string (ie, four digits followed by the letter T). The digits are not intended to reflect the placement of the code in the Category I section of CPT nomenclature. Codes in this section may or may not eventually receive a Category I CPT code. In either case, in general, a given Category III code will be archived five years from the initial publication or extension unless a modification of the archival date is specifically noted at the time of a revision or change to a code (eg, addition of parenthetical, instructions, reinstatement). Services and procedures described by Category III codes which have been archived after five years, without conversion, must be reported using the Category I unlisted code unless another specific cross-reference is established at the time of archiving. New codes or revised codes in this section are released ~~semi-annually~~ triannually via the AMA CPT website to expedite dissemination for reporting. Codes approved for deletion are published annually with the full set of temporary codes for emerging technology, services, procedures, and service paradigms in the CPT code set. See the Introduction section of the CPT code set for a complete list of the dates of release and implementation. ◀

It is important to note that further CPT Editorial Panel or Executive Committee actions may affect these codes and/or descriptors. For this reason, code numbers and/or descriptor language in the CPT code set may differ at the time of publication. In addition, further Panel actions may result in gaps in code number sequencing.

The following Category III codes, guidelines, and parenthetical notes were accepted and/or revised at the September 2025 CPT Editorial Panel meeting for the 2027 CPT production cycle. However, due to Category III code's early-release policy, these codes are effective on July 1, 2026, following the six-month implementation period, which begins January 1, 2026.

*Resequenced codes 1030T-1035T will follow code 0562T and code 1043T will follow code 0698T.

Code	Long Code Descriptor	Released to AMA Website	Effective Date	Publication
0559T +0560T	Codes 0559T, 0560T represent production of 3D-printed models of individually prepared and processed components of structures of anatomy. These individual components of structures of anatomy include, but are not limited to, bones, arteries, veins, nerves, ureters, muscles, tendons and ligaments, joints, visceral organs, and brain. Each 3D-printed anatomic model of a structure can be made up of one or more separate components. The 3D anatomic printings can be 3D printed in unique colors and/or materials. Codes 0561T, 0562T represent the production of 3D-printed cutting or drilling guides using individualized imaging data. 3D-printed guides are cutting or drilling tools used during surgery and are 3D printed so that they precisely fit an individual patient's anatomy to guide the surgery. A cutting guide does not have multiple parts, but instead is a unique single tool. It may be necessary to make a 3D-printed model and a 3D-printed cutting or drilling guide on the same patient to assist with surgery. ► When 3D printing makes use of files created more than 30 days prior, originally reported using 1030T, 1031T, 1032T, 1033T, 1034T, 1035T, that have not been altered in the interim, report 3D-printing codes 0559T, 0560T, 0561T, 0562T with modifier 52. ◀ Anatomic model 3D-printed from image data set(s); first individually prepared and processed component of an anatomic structure each additional individually prepared and processed component of an anatomic structure (List separately in addition to code for primary procedure) (Use 0560T in conjunction with 0559T) ► (Do not report 0559T, 0560T in conjunction with 76376, 76377, 1030T, 1031T, 1032T, 1033T, 1034T, 1035T) ◀	Revised Guidelines and Parenthetical Note Released December 30, 2025	Revised Guidelines and Parenthetical Note Effective July 1, 2026	Revised Guidelines and Parenthetical Note Publication CPT® 2027
0561T +0562T	Anatomic guide 3D-printed and designed from image data set(s); first anatomic guide each additional anatomic guide (List separately in addition to code for primary procedure) (Use 0562T in conjunction with 0561T) ► (Do not report 0561T, 0562T in conjunction with 76376, 76377, 1030T, 1031T, 1032T, 1033T, 1034T, 1035T) ◀	Revised Parenthetical Note Released December 30, 2025	Revised Parenthetical Note Effective July 1, 2026	Revised Parenthetical Note Publication CPT® 2027
	► Surface Mesh Representations and Applications: Digital 3D Modeling and Analysis ◀ ► Codes 0559T, 0560T, 0561T, 0562T and 1030T, 1031T, 1032T, 1033T, 1034T, 1035T describe repurposing volumetric medical imaging out of the traditional digital imaging and communication in medicine (DICOM) format and into surface mesh files, which can be further transformed into clinically relevant digital three-dimensional (3D) models, some of which remain digital and others that are subsequently printed. These digital (non-printed) 3D models (technically referred to as "final anatomic representations" [FARs]) can be modified and manipulated to improve their clinical utility (eg, by creating digital simulations in which there is a virtual resection of anatomy or design of a digital graft/implant/guide). They can also be used for computational analyses such as computational fluid dynamics and finite element analyses. Surface mesh files are also the basis of physical, 3D-printed models and guides, which are reported with codes 0559T, 0560T, 0561T, 0562T. These 3D printing codes include the work of creating a surface mesh/digital 3D model; any digital	December 30, 2025	July 1, 2026	CPT® 2027

#●1030T	manipulations; preparing the file(s) for 3D printing; the 3D printing itself; and post-processing of the physical printed parts for patient care. The work associated with creating strictly digital (non-printed) representations of patient-specific anatomy is described by 1030T, 1031T, 1032T, 1033T, 1034T, 1035T. Due to the highly iterative nature of the work of initially creating, subsequent refining, and applying digital 3D models, this family of codes is reported based on the cumulative amount of time spent by the reporting provider during a 30-day period, which starts with the first day of working on the patient's digital 3D model. If the patient's clinical scenario changes during the 30-day period (eg, the patient undergoes a procedure that changes the anatomy/physiology), then the period resets and the base code may be reported again. This iterative process is performed for a specific anticipated procedure, typically with the goal of detailing the approach for that procedure. The process typically involves a team, led by an interpreting/supervising physician or other qualified health care professional (QHP) but including trained clinical staff, such as technologists and engineers. The cumulative time reported should only reflect the time of the interpreting/supervising physician or other QHP related to the creation/refinement of the digital (nonprinted) 3D model, the creation/refinement of the digital simulation (when performed), and computational analyses (when performed). The time reported should not include any clinical staff time nor any interventionalist time spent interacting with the digital 3D model/simulation for the purposes of preprocedural planning. Codes 1030T, 1032T, 1034T should only be reported once per anticipated procedure. Codes 1030T, 1031T, 1032T, 1033T, 1034T, 1035T should not be reported with or in place of codes that include components of digital 3D modeling/reconstruction (ie, 31627, 75580, 76376, 76377, 0944T). Codes 1030T, 1031T are reported for the creation of a patient-specific digital 3D model without subsequent digital simulation and without subsequent computational analyses. Codes 1032T, 1033T are reported for the creation of a patient-specific digital 3D model and its use for a digital simulation. Digital simulations can include multiple iterations of designing digital intraprocedural templates/guides, virtual "trialing" of various implants/designs/surgical approaches, or virtual contingency planning for potential complications. Codes 1034T, 1035T are reported for the creation of a patient-specific digital 3D model, its use for a digital simulation, and performing computational analyses using that model/simulation. Examples of these computational analyses include computational fluid dynamics (eg, to estimate the flow patterns after planned vascular alterations) and finite element analysis (eg, estimation of vessel wall strain). When 3D-printing makes use of files created more than 30 days prior, which were originally reported using 1030T, 1031T, 1032T, 1033T, 1034T, 1035T, that have not been altered in the interim, report 3D-printing codes 0559T, 0560T, 0561T, 0562T with modifier 52. ◀ Creation of digital 3D model from surface mesh files of patient-specific anatomy (eg, final anatomic representation [FAR]), cumulative time for up to 30 days; initial 30 minutes ▶(Report 1030T only once per clinical scenario, per 30-day period. Additional time for the same clinical scenario within 30 days is reported with 1031T) ◀			
#+●1031T	each additional 30 minutes (List separately in addition to code for primary procedure) ▶(Use 1031T in conjunction with 1030T) ◀ ▶(Do not report 1030T, 1031T in conjunction with 31627, 75580, 76376, 76377, 0559T, 0560T, 0561T, 0562T, 0944T, 1032T, 1033T, 1034T, 1035T) ◀	December 30, 2025	July 1, 2026	CPT® 2027
#●1032T	Creation of digital 3D model from surface mesh files of patient-specific anatomy (eg, final anatomic representation [FAR]) and digital simulation, cumulative time for up to 30 days; initial 60 minutes ▶(Report 1032T only once per clinical scenario, per 30-day period. Additional time for the same clinical scenario within 30 days is reported with 1033T) ◀	December 30, 2025	July 1, 2026	CPT® 2027

#+●1033T	each additional 30 minutes (List separately in addition to code for primary procedure) ►(Use 1033T in conjunction with 1032T) ◀ ►(Do not report 1032T, 1033T in conjunction with 31627, 76376, 76377, 0944T, 1030T, 1031T, 1034T, 1035T) ◀	December 30, 2025	July 1, 2026	CPT® 2027
#●1034T	Creation of digital 3D model from surface mesh files of patient-specific anatomy (eg, final anatomic representation [FAR]), digital simulation, and computational analyses (eg, computational fluid dynamics, finite element analysis), cumulative time for up to 30 days; initial 90 minutes ►(Report 1034T only once per clinical scenario, per 30-day period. Additional time for the same clinical scenario within 30 days is reported with 1035T) ◀	December 30, 2025	July 1, 2026	CPT® 2027
#+●1035T	each additional 30 minutes (List separately in addition to code for primary procedure) ►(Use 1035T in conjunction with 1034T) ◀ ►(Do not report 1034T, 1035T in conjunction with 31627, 75580, 76376, 76377, 0944T, 1030T, 1031T, 1032T, 1033T) ◀	December 30, 2025	July 1, 2026	CPT® 2027
#●1043T	►Code 1043T describes a point-of-care magnetic resonance (MR) test for liver assessment. This test does not include imaging, and is a test measuring one or more liver parameters, not requiring further professional interpretation. When proton density fat fraction (PDFF) is determined from a magnetic resonance imaging (MRI) study, report the appropriate MRI code rather than 1043T. ◀ Quantitative magnetic resonance, without imaging, for analysis of liver tissue, including assessment of 1 or more parameters (eg, proton density fat fraction [PDFF], water diffusion, T1-water relaxation time), with automatically generated report ►(Do not report 1043T in conjunction with 74181, 74182, 74183, 0648T, 0649T, 0697T, 0698T) ◀ ►(For magnetic resonance imaging studies of the liver, see 74181, 74182, 74183) ◀ ►(For quantitative magnetic resonance for analysis of tissue composition utilizing data from an MRI of the same anatomy, see 0648T, 0649T, 0697T, 0698T) ◀	December 30, 2025	July 1, 2026	CPT® 2027
	►Codes 0805T, 0806T are used to report transcatheter superior and/or inferior vena cava prosthetic valve implantation (ie, caval valve implantation [CAVI]). Codes 0805T, 0806T include the work, when performed, of vascular access, placing the access sheath, transseptal puncture, advancing the caval valve delivery systems into position, repositioning the device(s) as needed, and deploying the device(s) ◀ Angiography and radiological supervision and interpretation performed to guide CAVI (eg, guiding device placement and documenting completion of the intervention) are included in these codes. ►Diagnostic right and left heart catheterization codes (93451, 93452, 93453, 93456, 93457, 93458, 93459, 93460, 93461, 93593, 93594, 93595, 93596, 93597, 93598) should not be used with 0805T, 0806T to report: 1. Contrast injections, angiography, road-mapping, and/or fluoroscopic guidance for the transcatheter CAVI, 2. LeftRight ventricular angiography to assess tricuspid regurgitation for guidance of the transcatheter CAVI, or 3. Right and left heart catheterization for hemodynamic measurements before, during, and after transcatheter superior and inferior vena cava prosthetic valve implantation for guidance. Diagnostic right and left heart catheterization codes (93451, 93452, 93453, 93456, 93457, 93458, 93459, 93460, 93461, 93593, 93594, 93595, 93596, 93597, 93598) and diagnostic coronary angiography codes (93454, 93455, 93456, 93457, 93458, 93459, 93460, 93461, 93563, 93564) may be reported with 0805T, 0806T, representing separate and distinct services from CAVI, if: 1. No prior study is available and a full diagnostic study is performed, or 2. A prior study is available, but as documented in the medical record:	December 30, 2025	July 1, 2026	CPT® 2027

▲0805T	a. There is inadequate visualization of the anatomy and/or pathology, or b. The patient's condition with respect to the clinical indication has changed since the prior study, or c. There is a clinical change during the procedure that requires new evaluation For same session or same day (separate session) diagnostic right cardiac catheterization services <u>where clinical necessity has been documented</u>, the appropriate diagnostic cardiac catheterization code(s) may be reported by appending modifier 59 indicating separate and distinct procedural service from the transcatheter superior and/or inferior vena cava prosthetic valve implantation procedures. ◀ Percutaneous coronary interventional therapeutic procedures may be reported separately, when performed. When transcatheter ventricular support is required in conjunction with CAVI, the appropriate ventricular assist device (VAD) procedure codes (33990, 33991, 33992, 33993, 33995, 33997) or balloon pump insertion codes (33967, 33970, 33973) may be reported. When cardiopulmonary bypass is performed in conjunction with CAVI, 0805T and 0806T may be reported with the appropriate add-on code for percutaneous peripheral bypass (33367), open peripheral bypass (33368), or central bypass (33369). Transcatheter superior and/or inferior vena cava prosthetic valve implantation (ie, caval valve implantation [CAVI]); percutaneous femoral vein approach			
▲0806T	open femoral vein approach (Do not report 0805T, 0806T in conjunction with 33210, 33211, for temporary pacemaker insertion) (Do not report 0805T, 0806T in conjunction with 93451, 93453, 93456, 93457, 93460, 93461, 93503, 93566, 93593, 93594, 93596, 93597, for diagnostic right heart catheterization procedures intrinsic to the superior and inferior vena cava valve implantations) (Do not report 0805T, 0806T in conjunction with 93662, for imaging guidance with intracardiac echocardiography)	December 30, 2025	July 1, 2026	CPT® 2027
+▲0882T	Intraoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and removal, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) ► (Use 0882T in conjunction with 64702, 64704, 64708, 64712, 64713, 64714, 64716, 64718, 64719, 64721, 64831, 64834, 64835, 64836, 64840, 64856, 64857, 64858, 64861, 64862, 64864, 64865, 64885, 64886, 64890, 64891, 64892, 64893, 64895, 64896, 64897, 64898, 64905, 64910, 64911, 64912) ◀	December 30, 2025	July 1, 2026	CPT® 2027
+▲0883T	each additional nerve (List separately in addition to code for primary procedure) (Use 0883T in conjunction with 0882T)	December 30, 2025	July 1, 2026	CPT® 2027
0944T	3D contour simulation of target liver lesion(s) and margin(s) for image-guided percutaneous microwave ablation (Report 0944T once per liver microwave ablation procedure) ► (Do not report 0944T in conjunction with 76376, 76377, 1030T, 1031T, 1032T, 1033T, 1034T, 1035T) ◀	Revised Parenthetical Note Released December 30, 2025	Revised Parenthetical Note Effective July 1, 2026	Revised Parenthetical Note Publication CPT® 2027
●1026T	Transvaginal laser photobiomodulation therapy of pelvis, provided by a physician or other qualified health care professional	December 30, 2025	July 1, 2026	CPT® 2027

●1027T	► Transvenous Phrenic Neurostimulation Therapy for Diaphragm Activation in Ventilated Patients ◀ ► Codes 1027T, 1028T, 1029T describe procedures that place a neurostimulation catheter in the superior vena cava and provide transvenous neurostimulation of the phrenic nerve(s) to increase diaphragmatic strength and improve weaning success in mechanically ventilated patients. These codes describe insertion, positioning, and therapy that includes mapping (capture of left and right phrenic nerve) and programming of a neurostimulation catheter with an external neurostimulation console that generates output to the electrodes on the neurostimulation catheter. Pressure data from an airway sensor is captured and used for synchronizing stimulation to inspiration during positioning, mapping, and therapy. Settings relative to the stimulation threshold (the minimal stimulation level to elicit diaphragm activation) are adjusted. Transvenous phrenic neurostimulation therapy is delivered in two daily sessions with 60 stimulations per session for a total of 120 stimulations per day. The transvenous neurostimulation catheter and external neurostimulation console are designed to operate in conjunction with mechanical ventilation in any ventilator mode. Report 1027T for the insertion of the catheter, repositioning, mapping and programming, and delivery of transvenous phrenic neurostimulation therapy. Separate therapy sessions are reported with 1028T, 1029T. Report 1028T when repositioning of the catheter (without removal) is necessary due to incomplete mapping or ineffective diaphragm contraction during a stimulation therapy session. For permanent phrenic nerve stimulation system placement and management, see 33276, 33277, 33278, 33279, 33280, 33281, 33287, 33288, 93150, 93151, 93152, 93153. For ventilation management, use 94002, 94003 when performed on the same day as transvenous phrenic stimulation for diaphragm activation in ventilated patients. ◀ Percutaneous insertion or replacement of neurostimulation catheter via left subclavian or left jugular vein into the superior vena cava, with verification of capture of phrenic nerves, mapping and programming, and delivery of transvenous phrenic neurostimulation therapy in ventilated patients, with repositioning when performed, including imaging guidance ► (Do not report 1027T in conjunction with 33276, 33277, 33281, 33287, 33288, 76942) ◀ ► (Do not report 1027T in conjunction with 1028T, when performed in the same session) ◀	December 30, 2025	July 1, 2026	CPT® 2027
●1028T	Mapping and programming of neurostimulation catheter with delivery of transvenous phrenic neurostimulation therapy in ventilated patients, with repositioning and verification of left phrenic nerve capture, per session ► (Report 1028T in conjunction with 1027T, 1029T, when performed on the same day) ◀ ► (Do not report 1028T in conjunction with 33281, 93150, 93151, 93152, 93153) ◀ ► (Do not report 1028T in conjunction with 1027T, 1029T, when performed at the same session) ◀	December 30, 2025	July 1, 2026	CPT® 2027
●1029T	Mapping and programming of neurostimulation catheter with delivery of transvenous phrenic neurostimulation therapy in ventilated patients, without catheter repositioning, per session ► (Report 1029T in conjunction with 1027T, 1028T, when performed on the same day) ◀ ► (Do not report 1029T in conjunction with 93150, 93151, 93152, 93153) ◀ ► (Do not report 1029T in conjunction with 1027T, 1028T, when performed at the same session) ◀	December 30, 2025	July 1, 2026	CPT® 2027
●1036T	Noninvasive hemodynamic assessment with pulmonary pressures and ejection fraction when performed, including passive acquisition of acoustic and electrical signals, augmentative algorithmic analysis, and generation of a clinical report with review, interpretation, and clinical integration by a physician or other qualified health care professional	December 30, 2025	July 1, 2026	CPT® 2027

●1037T	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant pancreatic tissue, including imaging guidance ► (For diagnostic CT, MRI, or ultrasound performed on the same day, 1037T may be separately reported) ◀	December 30, 2025	July 1, 2026	CPT® 2027
●1038T	Autologous muscle cell therapy, injection(s) of muscle progenitor cells into the tongue, including esophagoscopy, when performed ► (Do not report 1038T in conjunction with 43197) ◀	December 30, 2025	July 1, 2026	CPT® 2027
●1039T	Connectomic analysis of previously performed multi-modal brain magnetic resonance imaging (MRI) requiring physician or other qualified health care professional (QHP) analysis of software- and physician-generated structural and functional maps for integration of cortical grey matter correlation based on resting-state functional MRI and mapping of white matter connectivity based on diffusion-weighted MRI relative to brain regions, with physician or other QHP interpretation and report ► (Do not report 1039T in conjunction with 70551, 70552, 70553, 76376, 76377) ◀ ► (For quantitative MRI analysis of the brain with comparison to prior MRI study, see 0865T, 0866T) ◀	December 30, 2025	July 1, 2026	CPT® 2027
●1040T	Bronchoscopy, flexible, with bronchial cryotherapy, 1 lung, including trachea, when performed	December 30, 2025	July 1, 2026	CPT® 2027
●1041T	Augmentative algorithmic analysis of encephalographic waveforms to identify the source and propagation of epileptiform activity, including artifact reduction with analysis of 3D localization of spike sources throughout the examination, 3D animations over time of high-amplitude event locations, high-frequency activity locations, and temporal relationships among locations, with interpretation and report by physician or other qualified health care professional, related to a previously performed electroencephalogram (EEG) ► (Report 1041T once per uploaded EEG recording) ◀	December 30, 2025	July 1, 2026	CPT® 2027
✚●1042T	Implantation of absorbable urologic scaffold for prosthetic-prostatic urethra restoration of reconstructed bladder neck and urethral anastomosis (List separately in addition to code for primary procedure) ► (Use 1042T in conjunction with 55840, 55842, 55845, 55866) ◀ ► (Report 1042T once per procedure) ◀	December 30, 2025 March 10, 2026	July 1, 2026	CPT® 2027
●1044T	Harvest of full-thickness skin for autologous heterogeneous skin-construct graft, including direct closure of donor site; first 5 sq cm or less	December 30, 2025	July 1, 2026	CPT® 2027
✚●1045T	each additional 5 sq cm, or part thereof (List separately in addition to code for primary procedure) ► (Use 1045T in conjunction with 1044T) ◀	December 30, 2025	July 1, 2026	CPT® 2027
●1046T	Autologous heterogeneous skin-construct graft application, trunk, arms, legs; first 50 sq cm or less, or 0.5% of body area of infants and children	December 30, 2025	July 1, 2026	CPT® 2027
✚●1047T	each additional 50 sq cm, or each additional 0.5% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure) ► (Use 1047T in conjunction with 1046T) ◀	December 30, 2025	July 1, 2026	CPT® 2027
●1048T	Autologous heterogeneous skin-construct graft application, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits; first 50 sq cm or less, or 0.5% of body area of infants and children	December 30, 2025	July 1, 2026	CPT® 2027

➤●1049T	each additional 50 sq cm, or each additional 0.5% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure) ► (Use 1049T in conjunction with 1048T) ◄	December 30, 2025	July 1, 2026	CPT® 2027
●1050T	► Subcutaneous Heart Failure Decompensation Monitoring ◄ ► A subcutaneous heart failure decompensation monitor is used to assist the physician or other qualified health care professional (QHP) in the management of heart failure. The device continuously collects physiologic data using multiple sensors that measure, at a minimum, heart rate, impedance, respiration rate, physical activity, and heart sounds. The monitor transmits data each time it is interrogated and each time an alert is issued to a secure website platform, which generates a report that is reviewed and interpreted by the physician or other QHP. The output includes daily measurements of physiologic data collected by the sensors, including historical trends up to the last interrogation, as well as an algorithmically derived heart failure decompensation index calculated by analysis of aggregate data trends from the physiologic sensors. If this composite index crosses a predefined threshold that suggests a patient's heart failure is worsening (decompensating), the system automatically sends alerts to the clinician (in addition to the scheduled interrogations). The physician or other QHP may interrogate the monitor, in-person or remotely, as often as needed. However, the proposed code for interrogation (1052T) may only be reported once per 30 days, regardless of how often the monitor is interrogated or the number of alerts generated. Do not report 1052T if the monitoring period is less than 10 days. A subcutaneous heart failure monitor programming evaluation may be performed in person or remotely. Programming device evaluation includes all components of the interrogation device evaluation. Therefore, 1052T (interrogation) may not be reported in conjunction with 1053T (programming). Devices with similar physiologic sensors for monitoring heart failure are used in certain implantable cardioverter-defibrillators (ICDs) and cardiac resynchronization therapy defibrillators (CRT-Ds) devices. These devices include transvenous leads in addition to sensors, which are different from the subcutaneous heart failure monitor that does not include any leads. The interrogation of the data from devices containing leads, with review, analysis, and interpretation, is reported using 93290 (in person) and 93297 (remote) ◄ Insertion, subcutaneous heart failure decompensation monitor, containing sensors that measure, at a minimum, heart rate, impedance, respiration rate, physical activity, heart sounds ► (Do not report 1050T in conjunction with 1052T, 1053T) ◄ ► (For insertion of a subcutaneous cardiac rhythm monitor, use 33285) ◄	December 30, 2025	July 1, 2026	CPT® 2027
●1051T	Removal of subcutaneous heart failure decompensation monitor ► (Initial insertion or subsequent removal includes programming, analysis, and/or reprogramming of physiologic data elements, when performed) ◄ ► (Do not report 1051T in conjunction with 1052T, 1053T) ◄ ► (For removal of a subcutaneous cardiac rhythm monitor, use 33286) ◄	December 30, 2025	July 1, 2026	CPT® 2027
●1052T	Interrogation device evaluation(s), (in person or remote) up to 30 days, insertable subcutaneous heart failure decompensation monitor, analysis of physiologic parameters, including, at a minimum, heart rate, impedance, respiration rate, physical activity, heart sounds, with generation of a report, review and interpretation by a physician or other qualified health care professional ► (Report 1052T only once per 30 days) ◄ ► (Do not report 1052T in conjunction with 93290, 93297, 1050T, 1051T, 1053T) ◄ ► (For interrogation and evaluation of implantable cardiovascular physiologic monitor system with transvenous leads, see 93290 [in person], 93297 [remote]) ◄	December 30, 2025	July 1, 2026	CPT® 2027
●1053T	Programming device evaluation (in person or remote) of subcutaneous heart failure decompensation monitor, with analysis of physiologic parameters, including, at a minimum, heart rate, impedance, respiration rate, physical activity, heart sounds, with generation of a report and review and interpretation by a physician or other qualified health care professional ► (Report 1053T only once per 30 days) ◄	December 30, 2025	July 1, 2026	CPT® 2027

	►(Do not report 1053T in conjunction with 1050T, 1051T, 1052T)◄			
The following Category III codes, guidelines, and parenthetical notes were accepted and/or revised at the February 2026 CPT Editorial Panel meeting for the 2027 CPT production cycle. However, due to Category III code's early-release policy, these codes are effective on January 1, 2027 following the six-month implementation period, which begins July 1, 2026. These codes will be effective October 1, 2026. *Resequenced codes 1072T-1077T will follow code 0896T and code 1080T will follow code 0308T. **Note: The add-on code symbol associated with code 0896T has been stricken.				
▲0894T	Liver allograft, normothermic machine perfusionCannulation of the liver allograft in preparation for connection to the normothermic perfusion device and decannulation of the liver allograft following normothermic perfusion; cannulation ►(For cannulation of liver allograft in preparation for connection to hypothermic oxygenated perfusion device, use 1074T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
▲0895T	Connection to perfusion device of liver allograft to the normothermic machine perfusion device, hemostasis control; initial 4 hours of monitoring time, including hourly physiological and laboratory assessments (eg, perfusate temperature, perfusate pH, hemodynamic parameters, bile production, bile pH, bile glucose, biliary bicarbonate, lactate levels, macroscopic assessment) ►(For connection of liver allograft to hypothermic oxygenated perfusion device and initial monitoring, use 1075T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
+▲0896T	monitoring and management, first 2 hourseach additional hour, including physiological and laboratory assessments (eg, perfusate temperature, perfusate pH, hemodynamic parameters, bile production, bile pH, bile glucose, biliary bicarbonate, lactate levels, macroscopic assessment) (List separately in addition to code for primary procedure) (Use 0896T in conjunction with 0895T) ►(For monitoring of liver allograft connected to hypothermic oxygenated perfusion device, use 1076T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
#+●1072T	each additional hour of monitoring and management (List separately in addition to code for primary procedure) ►(Use 1072T in conjunction with 0896T)◄ ►(For additional hourly monitoring of liver allograft connected to hypothermic oxygenated perfusion device, use 1077T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
#●1073T	decannulation ►(For decannulation of liver allograft from hypothermic oxygenated perfusion device, use 1078T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
#●1074T	Liver allograft, hypothermic oxygenated perfusion; cannulation ►(For cannulation of liver allograft in preparation for connection to normothermic machine perfusion device, use 0894T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
#●1075T	connection to perfusion device ►(For connection to normothermic machine perfusion device, use 0895T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
#●1076T	monitoring and management, first 2 hours ►(For monitoring of liver allograft connected to normothermic machine perfusion device, use 0896T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027

#+●1077T	each additional hour of monitoring and management (List separately in addition to code for primary procedure) ►(Use 1077T in conjunction with 1076T)◄ ►(For additional hourly monitoring of liver allograft connected to normothermic machine perfusion device, use 1072T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
#●1078T	decannulation ►(For decannulation of liver allograft from normothermic machine perfusion device, use 1073T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1054T	Focused non-shock wave ultrasonic propulsion of residual stone fragment(s) post-lithotripsy, unilateral, including ultrasound guidance, fragment(s) less than or equal to 5 mm ►(Do not report 1054T in conjunction with 76700, 76705, 76770, 76775, 76856, 76857, 76998, when performed together on the same side)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
+●1055T	Intraoperative radiofrequency ablation of lumpectomy cavity, unilateral, including applicator placement and removal (List separately in addition to code for primary procedure) ►(Use 1055T in conjunction with 19301, 19302)◄ ►(For bilateral procedure, report 1055T twice. Do not report modifier 50 in conjunction with 1055T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1056T	Cochlear infusion of pharmacologic agent (ie, gene therapy vector), including mastoidectomy, labyrinthotomy, and repair of fenestrations ►(Report medication separately)◄ ►(Do not report 1056T in conjunction with 15769, 21235, 69501, 69502, 69505, 69511, 69530, 69601, 69602, 69603, 69666, 69667, 69670, 69700, 69801, 69910, 69930, when performed in the same ear)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1057T	►Codes 1057T, 1058T, 1059T, 1060T, 1061T describe procedures related to bilateral neuromodulation systems. These systems consist of two pulse generators and two leads per generator (a total of four electrode arrays), tunneled to the supraorbital and occipital nerves. Electronic analysis and programming (1060T, 1061T) at the time of implantation or revision is not separately reported.◄ Insertion or replacement of subcutaneous neurostimulator pulse generators, with tunneling of 4 electrode arrays, bilateral supraorbital and occipital nerves, including all interrogation, programming, and imaging guidance, when performed ►(For unilateral procedure, report 1057T with modifier 52)◄ ►(Do not report 1057T in conjunction with 95970, 95971, 95972, 1058T, 1059T, 1060T, 1061T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1058T	Revision of implanted subcutaneous unilateral supraorbital and occipital neurostimulator system, including all interrogation, programming, and imaging guidance, when performed ►(For bilateral procedure, report 1058T with modifier 50)◄ ►(Do not report 1058T in conjunction with 95970, 95971, 95972, 1057T, 1059T, 1060T, 1061T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1059T	Removal of implanted subcutaneous unilateral supraorbital and occipital neurostimulator system ►(For bilateral procedure, report 1059T with modifier 50)◄ ►(Do not report 1059T in conjunction with 1057T, 1058T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027

●1060T	Electronic analysis of implanted subcutaneous supraorbital-occipital neurostimulator pulse generator (eg, frequency, amplitude, pulse width, leads, electrode configuration); with complex programming by physician or other qualified health care professional	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1061T	with simple programming by physician or other qualified health care professional	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1062T	Artificial insemination, transcervical intratubal, unilateral or bilateral, including imaging guidance ►(Do not report 1062T in conjunction with 76942)◄ ►(For artificial insemination, intracervical [eg, sperm into cervical canal], use 58321)◄ ►(For artificial insemination, intrauterine [eg, sperm into uterus through cervical canal], use 58322)◄ ►(For sperm washing for artificial insemination, use 58323)◄ ►(For transvaginal or pelvic [nonobstetric] ultrasound, see 76830, 76856, 76857)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1063T	Oncology (bladder), augmentative algorithmic analysis of histomorphologic features in digitized slides from formalin-fixed paraffin-embedded (FFPE) bladder cancer tissue (high-grade, non-muscle invasive), with clinicopathologic variables entered by the qualified health care professional; algorithm-derived parameters reported as prognostic of recurrence and progression, including hematoxylin and eosin staining of tissue sections, and digitization of glass microscope slides, when performed	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1064T	algorithm-derived parameters reported as predictive of response to Bacillus Calmette-Guérin (BCG) therapy, including hematoxylin and eosin staining of tissue sections, and digitization of glass microscope slides, when performed	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1065T	Cystourethroscopy, with CO ₂ cryotherapy spray, in a gaseous bladder environment with pressure monitoring, for treatment of; minor bladder lesion(s) (total lesion[s] diameters less than 0.5 cm)	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1066T	small bladder lesion(s) (total lesion[s] diameters greater than or equal to 0.5 cm and less than 2.0 cm)	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1067T	medium bladder lesion(s) (total lesion[s] diameters greater than or equal to 2.0 cm and less than 5.0 cm)	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1068T	large bladder lesion(s) (total lesion[s] diameters greater than or equal to 5.0 cm) ►(For treatment of bladder lesion[s] in a nongaseous environment with fulguration, see 52224, 52234, 52235, 52240)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
	► Mechanical Extremity (ie, Hands and Feet) Cryocompression ◄ ►Machine-based extremity cryocompression is used to address chemotherapy-induced peripheral neuropathy (eg, with use of taxanes, platinum-based agents). To report mechanical extremity cryocompression, the device must be a medical device as defined by the Food and Drug Administration (FDA), ordered by a physician or other qualified health care professional (QHP), and performed by trained clinical staff under the supervision of a physician or other QHP. These devices are used in an office or facility setting and are not intended for home use.	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027

●1069T	Codes 1069T, 1070T, 1071T are not reported if the extremity cryocompression device is ordered by a physician or other QHP but self-administered by the patient or caregiver during chemotherapy administration. Code 1069T is reported once per chemotherapy treatment period and requires a dedicated visit that includes the initial fitting, supply of boots and gloves, patient education on skin care, the potential therapy side effects, and treatment outcomes. This may be performed independently by clinical staff after extremity cryocompression has been ordered by a physician or other QHP. A change in chemotherapy agents alone does not require new glove or boot supplies and does not make it a new chemotherapy treatment period. Replacement gloves or boots may be necessary in rare instances when patient-specific clinical factors (such as edema or clinically meaningful weight loss or weight gain) affect proper fit. Code 1069T is reported when new gloves and boots must be fitted and replaced. Mechanical extremity cryocompression is reported using 1070T once per chemotherapy session. Initiation of the services described in 1070T begins 30 minutes before each chemotherapy administration when extremity cryocompression is performed and concludes when the chemotherapy administration session ends. Code 1071T may be reported for the continuation of extremity cryocompression provided after a chemotherapy administration is completed and varies depending on the duration of the chemotherapy regimen. Code 1071T is reported once for each 30 minutes of extremity cryocompression provided upon discontinuation of the chemotherapy infusion. Do not report 1071T for extremity cryocompression of less than 16 minutes. Services described in 1070T, 1071T may be performed by clinical staff under the direct supervision of a physician or other QHP. Periodic patient monitoring and management of extremity cryocompression during chemotherapy is included in the chemotherapy administration service and is not separately reported. Before and after chemotherapy, the patient is monitored to confirm device-related function and acclimation, including device attachment, coolant temperature, air leakage, cold tolerability, skin irregularities, and device compression. If mechanical scalp cooling and extremity cryocompression are performed on the same patient during the same encounter, report 97008, 97009 for mechanical scalp cooling and 1070T, 1071T for extremity cryocompression. Definitions: Chemotherapy treatment period: The chemotherapy treatment prescribed may be administered over multiple chemotherapy sessions over a period of time on separate dates of service. Chemotherapy session: An individual chemotherapy session or treatment day. ◀ Mechanical extremity (ie, hands and feet) cryocompression; individual glove and boot supplies with initial measurement, fitting, and therapy education ▶(Report 1069T once per chemotherapy treatment period)◀ ▶(Do not report 1069T for each chemotherapy session)◀			
●1070T	individual glove and boot placement, initiation of cooling pre-chemotherapy and continuing through chemotherapy administration ▶(Report 1070T once per chemotherapy session)◀	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
+●1071T	post-chemotherapy treatment continuation, each 30 minutes (List separately in addition to code for primary procedure) ▶(Use 1071T in conjunction with 1070T)◀ ▶(Do not report 1071T for extremity cryocompression of less than 16 minutes)◀ ▶(For selective head or total body hypothermia in the critically ill neonate, use 99184)◀	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1079T	3D quantitative transmission water bath volumetric ultrasound tomography, breast, with augmentative algorithmic derivation of breast tissue composition (ie,	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027

	fibroglandular volume), bilateral, with physician or other qualified health care professional interpretation and report ►(1079T is used to report a bilateral procedure. For unilateral procedure, use modifier 52)◄ ►(Do not report 1079T in conjunction with 76376, 76377, 0689T, 0690T, 0875T)◄			
#●1080T	Insertion, intracapsular magnifier, with attachment to previously placed intraocular lens	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1081T	Microvascular anastomosis between a lymph node and a vein, including robot assistance, when performed; initial anastomosis	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
+●1082T	each additional anastomosis (List separately in addition to code for primary procedure) ►(Use 1082T in conjunction with 1081T)◄ ►(Do not report 1081T, 1082T in conjunction with 38308, 38790, 38900, 69990, 75801, 75803, 75807)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1083T	Stereotactic placement of infusion catheter(s), brain, for delivery of therapeutic agent(s), including computerized stereotactic planning and burr hole(s) ►(Do not report 1083T in conjunction with 20660, 61107, 61781, 61782, 61783)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1084T	Implantation of scaffolding allograft to reinforce the suprachoroidal space	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1085T	Assistive algorithmic analysis for identification of new lesions and determination of inter-lesion heterogeneity of change in metabolic activity and volume for advanced metastatic cancer, data sets from 2 or more previously acquired positron emission tomography (PET) and/or PET computed tomography (CT) (PET/CT) studies ►(Do not report 1085T in conjunction with 78811, 78812, 78813, 78814, 78815, 78816)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
The following Category III codes and parenthetical notes were accepted at the May 2026 CPT Editorial Panel meeting for the 2027 CPT production cycle. However, due to Category III code's early-release policy, these codes are effective on January 1, 2027, following the six-month implementation period, which begins July 1, 2026. These codes will be effective October 1, 2026.				
+●1086T	Intraprocedural estimate of coronary fractional flow derived by augmentative algorithmic analysis of data from real-time coronary angiography, with creation of functional map of coronary circulation, when performed, with review and interpretation (List separately in addition to code for primary procedure) ►(Use 1086T in conjunction with 92920, 92924, 92928, 92930, 92933, 92937, 92941, 92943, 92945, 93454, 93455, 93456, 93457, 93458, 93459, 93460, 93461)◄ ►(Do not report 1086T more than once per session)◄ ►(Do not report 1086T in conjunction with 76376, 76377, 93571, 93572, 1087T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1087T	Estimate of coronary fractional flow derived by augmentative algorithmic analysis of data from previously acquired coronary angiogram, with creation of functional map of coronary circulation, when performed, with automated result ►(Use 1087T only once for each unique, previously acquired coronary angiogram)◄ ►(Do not report 1087T in conjunction with 76376, 76377, 93571, 93572, 1086T)◄ ►(For intraprocedural estimate of coronary fractional flow and creation of functional map, when performed, derived by augmentative algorithmic analysis of data from real-time coronary angiography, use 1086T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027

●1088T	Percutaneous application of high-frequency neuromodulation signals using microneedle electrode array for the treatment of nociceptive or neuropathic pain, including electrode placement and patient training, per day ►(Do not report 1088T in conjunction with 64553, 64555, 97032, 97813, 97814, 0278T)◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027
●1089T	Intraoperative quantitative micro-elastography tissue characterization, including real-time imaging and physician assessment, per breast ►(Do not report 1089T in conjunction with 76098, 76998, 0354T, 0694T)◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027
+●1090T	Attachment and insertion of intraocular lens prosthesis–mounted drug-eluting implant (List separately in addition to code for primary procedure) ►(Use 1090T in conjunction with 66982, 66983, 66984, 66985, 66986, 66987, 66988, 66989, 66991)◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027
●1091T	Placement of permanent common carotid artery filter, percutaneous, bilateral, including ultrasound guidance, when performed ►(1091T is used to report a bilateral procedure. For unilateral procedure, use modifier 52)◄ ►(Do not report 1091T in conjunction with 76942, 93880, 93882)◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027
●1092T	Implantation of acellular scaffold (eg, hyaluronan), knee, single implant; into chondral defect, open ►(Do not report 1092T in conjunction with 27330, 0737T, 1093T)◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027
●1093T	into a chondral or osteochondral defect, arthroscopic ►(Do not report 1093T in conjunction with 29877, 0737T, 1092T)◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027
+●1094T	each additional acellular scaffold implantation (List separately in addition to code for primary procedure) ►(Use 1094T in conjunction with 1092T, 1093T)◄ ►(Use 1094T only once per bone [eg, tibia, femur, patella])◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027
●1095T	Harvesting and processing of autologous bone marrow aspirate concentrate (BMAC), with application onto scaffold or injection into anatomical recipient site (eg, subchondral bone, joint space, chondral lesion), including imaging guidance, when performed, for therapeutic musculoskeletal treatment, excluding spinal procedures ►(Do not report 1095T in conjunction with 20939, 38220, 38222, 38230, 38232)◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027
●1096T	Injection(s) of thermoregulated multiphase suspension to demyelinate nerves innervating the knee joint, including imaging guidance, when performed ►(Do not report 1096T in conjunction with 64454, 64624, 76942, 77002)◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027
●1097T	Oncology (pancreas), augmentative algorithmic analysis of histomorphologic features in digitized slides from formalin-fixed paraffin-embedded pancreatic cancer tissue, algorithm-derived parameters reported as prediction of response to fluorouracil backbone versus gemcitabine backbone chemotherapy, including hematoxylin and eosin staining of tissue sections and digitization of glass microscope slides, when performed ►(Do not report 1097T in conjunction with 88305, 88307, 88309, 88363 for hematoxylin and eosin staining, when performed solely for augmentative algorithmic analysis of histomorphologic features of pancreas cancer tissue)◄	July 1, 2026	January 1, 2027 <u>October 1, 2026</u>	CPT® 2027

●1098T	Placement of subretinal prosthesis, including vitrectomy ►(Do not report 1098T in conjunction with 67036, 67039, 67040, 67041, 67042, 67043, 0100T)◄ ►(For placement of retinal prosthesis, use 0100T)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1099T	Ablation of incompetent vein(s), extremity, transcutaneous, high intensity–focused ultrasound (HIFU), inclusive of all imaging guidance and monitoring ►(Do not report 1099T in conjunction with 29520, 29530, 29540, 29550, 29580, 29581, 29584, for the same extremity)◄ ►(Do not report 1099T in conjunction with 36000, 36002, 36005, 36410, 36425, 36475, 36476, 36478, 36479, 36482, 36483, 37241, 37242, 37243, 37244, 75894, 76000, 76882, 76937, 76942, 76998, 77022, 93970, 93971, in the same surgical field)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1100T	Transcutaneous spinal neuromodulation programming, including history and physical examination, safety screening, selection and external placement of a multichannel spinal electrode pad, baseline spinal motor mapping, creation of individualized stimulation parameter sets for therapeutic activities, and patient and/or caregiver instruction, each 30 minutes ►(Do not report 1100T in conjunction with 97161, 97162, 97163, 97164, when the physical therapy evaluation is performed as part of transcutaneous spinal neuromodulation programming)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1101T	Transcutaneous spinal neuromodulation application in combination with therapeutic activities, direct (one-on-one) patient contact using dynamic activities to improve functional performance, including individualized external placement of a multichannel spinal electrode pad, optimization of stimulation parameters across multiple channels, and delivery of transcutaneous spinal neuromodulation during functional task performance, each 15 minutes	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
+●1102T	Intraoperative molecular assessment for lung tumor tissue, in-vivo (including assessment, when performed following lung resection), using computer-aided fluorescence imaging (List separately in addition to code for primary procedure) ►(Use 1102T in conjunction with 32096, 32097, 32480, 32482, 32484, 32486, 32505, 32507, 32650, 32663, 32666, 32669, 32670)◄ ►(Report 1102T once per operative session)◄ ►(Do not report 1102T in conjunction with 88172, 88173, 88177)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
+●1103T	Intraoperative molecular assessment for ovarian, tubal, or peritoneal tumor tissue, in-vivo (including assessment, when performed following ovarian, tubal, or peritoneal resection), using computer-aided fluorescence imaging (List separately in addition to code for primary procedure) ►(Use 1103T in conjunction with 38573, 58575, 58943, 58950, 58951, 58952, 58953, 58954, 58956, 58958)◄ ►(Report 1103T once per operative session)◄ ►(Do not report 1103T in conjunction with 88172, 88173, 88177)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1104T	Noninvasive cardiopulmonary assessment, including quantitative parameters, respectively predictive of significant epicardial coronary artery disease, pulmonary hypertension, and/or elevated pulmonary capillary wedge pressure, derived by augmentative algorithmic analysis of orthogonal voltage gradient and photoplethysmography signals, with automated report ►(Use 1104T only once for each unique signal acquisition)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027

●1105T	Personalized neurostimulation pulse rate derived by augmentative algorithmic analysis of data from electroencephalogram (EEG) and electrocardiogram (ECG), including acquisition of EEG and single-lead ECG, with automated report ►(Do not report 1105T in conjunction with 93040, 93041, 93042, 95816)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1106T	Oncology (breast), augmentative algorithmic analysis of histomorphologic features in digitized hematoxylin and eosin stained slides from formalin-fixed paraffin-embedded (FFPE) breast cancer tissue, algorithm-derived parameters reported as 5-year and 10-year risks of distant metastasis, including digitization of glass microscope slides and hematoxylin and eosin staining of tissue sections, when performed ►(Do not report 1106T in conjunction with 88305, 88307, 88309, 88363 for hematoxylin and eosin staining, when performed solely for augmentative algorithmic analysis of histomorphologic features of breast cancer tissue)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1107T	Oncology (prostate), augmentative algorithmic analysis of histomorphologic features in digitized hematoxylin and eosin stained slide(s) from formalin-fixed paraffin-embedded (FFPE) prostate cancer tissue, algorithm-derived parameters reported as 10-year risk of distant metastasis and prostate cancer specific mortality, including hematoxylin and eosin staining of tissue sections, and digitization of glass microscope slides, when performed ►(Do not report 1107T in conjunction with 88305, 88307, 88309, 88363 for hematoxylin and eosin staining, when performed solely for augmentative algorithmic analysis of histomorphologic features of prostate cancer tissue)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1108T	Stereotactic intracerebral implantation of therapeutic agent, unilateral, including cranial access and intraoperative imaging guidance, when performed; 1 or more injections along a single trajectory	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1109T	1 or more injections along multiple trajectories ►(Report 1108T, 1109T with modifier 50 for bilateral hemispheres)◄ ►(Do not report 1108T, 1109T in conjunction with 20660, 61250, 61253 for intracranial access)◄ ►(For stereotactic insertion of intracranial brachytherapy radiation sources, use 61770)◄ ►(For administration of intracerebral therapeutics performed without intraoperative imaging, report 1108T, 1109T as appropriate)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1110T	Stereotactic intracerebral delivery of therapeutic agent, by controlled infusion, unilateral, including cranial access and intraoperative imaging guidance, when performed; single trajectory	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027
●1111T	multiple trajectories ►(Report 1110T, 1111T with modifier 50 for bilateral hemispheres)◄ ►(Do not report 1110T, 1111T in conjunction with 20660, 61250, 61253 for intracranial access)◄ ►(For stereotactic insertion of intracranial brachytherapy radiation sources, use 61770)◄ ►(For administration of intracerebral therapeutics performed without intraoperative imaging, report 1110T, 1111T as appropriate)◄	July 1, 2026	January 1, 2027 October 1, 2026	CPT® 2027

The following Category III codes, guidelines, and parenthetical notes were accepted at the September 2026 CPT Editorial Panel meeting for the 2028 CPT production cycle. These codes will be effective January 1, 2027.

*Resequenced code 1112T will follow code 0582T.

▲0559T	►Codes 0561T, 0562T represent the production of 3D-printed cutting or drilling guides using individualized imaging data. <u>These</u> 3D-printed guides are cutting or drilling tools used during <u>surgery a procedure</u> and are 3D printed so that they precisely fit an individual patient's anatomy to guide the <u>surgery-procedure</u>. A cutting guide does not have multiple parts, but instead is a unique single tool. It may be necessary to make a 3D-printed model and a 3D-printed cutting or drilling guide on the same patient to assist with <u>surgery-the procedure</u>. ◀ When 3D printing makes use of files created more than 30 days prior, which were originally reported using 1030T, 1031T, 1032T, 1033T, 1034T, 1035T, that have not been altered in the interim, report 3D-printing codes 0559T, 0560T, 0561T, 0562T with modifier 52. <u>Patient-specific Anatomic model or structure 3D-printed from image or anatomical data set(s); first individually prepared and processed component of an anatomic structure</u>	October 2, 2026	January 1, 2027	CPT® 2028
+▲0560T	each additional individually prepared and processed component <u>of an anatomic structure</u> (List separately in addition to code for primary procedure) (Use 0560T in conjunction with 0559T) (Do not report 0559T, 0560T in conjunction with 76376, 76377, 1030T, 1031T, 1032T, 1033T, 1034T, 1035T)	October 2, 2026	January 1, 2027	CPT® 2028
▲0582T	Transurethral ablation of malignant prostate tissue by high-energy water vapor thermotherapy, including intraoperative imaging and needle guidance; <u>initial lesion</u> (Do not report 0582T in conjunction with 52000, 72195, 72196, 72197, 76376, 76377, 76872, 76940, 76942, 77021, 77022) (For transurethral destruction of prostate tissue by radiofrequency-generated water vapor thermotherapy for benign prostatic hypertrophy [BPH], use 53854)	October 2, 2026	January 1, 2027	CPT® 2028
#+●1112T	each additional lesion (List separately in addition to code for primary procedure) ►(Use 1112T in conjunction with 0582T)◀ ►(Report 1112T for additional lesions only when at least 2 mm of benign tissue is present between 2 cancerous areas)◀ ►(Use 1112T for each additional lesion that requires the physician or other qualified health care professional to perform all procedural steps necessary to achieve destruction of each specific tumor)◀	October 2, 2026	January 1, 2027	CPT® 2028
●1113T	Slipped rib(s) stabilization with internal fixation, unilateral, 1-4 ribs ►(Do not report 1113T in conjunction with 29200, 64420, 64421, 64461)◀	October 2, 2026	January 1, 2027	CPT® 2028
●1114T	Transcranial photobiomodulation therapy, delivery and management, per session	October 2, 2026	January 1, 2027	CPT® 2028
●1115T	Transconjunctival application of cooling probes to long ciliary nerves to control ocular pain, unilateral ►(For bilateral procedure, report 1115T with modifier 50)◀	October 2, 2026	January 1, 2027	CPT® 2028
+●1116T	Percutaneous transluminal endovascular microincision(s), peripheral dialysis segment (List separately in addition to code for primary procedure) ►(Use 1116T in conjunction with 36902, 36903, 36905, 36906)◀	October 2, 2026	January 1, 2027	CPT® 2028
+●1117T	Intraoperative electrical stimulation of motor (or mixed) peripheral or cranial nerve(s), surgeon performed, for nerve identification, localization, and functional	October 2, 2026	January 1, 2027	CPT® 2028

	assessment, per operative session (List separately in addition to code for primary procedure) ►(Use 1117T in conjunction with surgical procedures where motor or motor-sensory nerves may be compromised)◄ ►(For continuous intraoperative neurophysiology monitoring reported by a separate neurophysiology professional, see 95940, 95941)◄			
●1118T	Registration of a previously generated, patient-specific computed tomography angiography (CTA)-derived 2D/3D model of the cardiac conduction system to intraprocedural imaging (eg, fluoroscopy, ultrasound), including continuous monitoring and adjustment of registration throughout the procedure ►(Use 1118T in conjunction with 33202-33220, 33224, 33225, 33226, 33249, 33250, 33251, 33254, 33255, 33256, 33261, 33262, 33263, 33264, 33265, 33266, 33267, 33269, 33270, 33271, 33273, 33340, 33361, 33362, 33363, 33364, 33365, 33366, 33390, 33391, 33404-33418, 33420-33477, 33496, 33600-33622, 92986, 92987, 92990, 92997, 93600-93656, 0345T, 0483T, 0484T, 0543T, 0544T, 0545T, 0571T, 0572T, 0573T, 0574T, 0614T)◄ ►(Report 1118T only once per procedure session)◄ ►(Do not report 1118T in conjunction with 76376, 76377)◄	October 2, 2026	January 1, 2027	CPT® 2028
●1119T	Oncology (prostate), augmentative algorithmic analysis of histomorphologic features in digitized slides from formalin-fixed paraffin-embedded (FFPE) prostate cancer tissue, algorithm-derived parameters reported as prognostic of progression, including hematoxylin and eosin staining of tissue sections, and digitization of glass microscope slides, when performed ►(Do not report 1119T in conjunction with 88305, 88307, 88309, 88363 to report for hematoxylin and eosin staining when performed solely for augmentative algorithmic analysis of histomorphologic features of prostate cancer tissue)◄	October 2, 2026	January 1, 2027	CPT® 2028
+●1120T	Transcatheter modification (ie, cut or excise) of aortic valve leaflets during transcatheter valve replacement (List separately in addition to code for primary procedure) ►(Use 1120T in conjunction with 33361, 33362, 33363, 33364, 33365, 33366)◄	October 2, 2026	January 1, 2027	CPT® 2028
●1121T	Duodenal muco-submucosal regeneration, transoral, with small intestinal enteroscopy, including fluoroscopic guidance when performed; with nonthermal pulsed field energy	October 2, 2026	January 1, 2027	CPT® 2028
●1122T	with submucosal lift and thermal ablation ►(Do not report 1121T, 1122T in conjunction with 43197, 43200, 43235)◄	October 2, 2026	January 1, 2027	CPT® 2028
●1123T	►Brain-Computer Interface◄ ►Codes for brain-computer interface (1123T, 1124T, 1125T, 1126T, 1127T) are used to report services performed to record and translate brain activity to control external digital interfaces (eg, computer) and are not intended to report deep brain neurostimulation, monitoring, or treatment of seizures.◄ Twist drill, burr hole, craniotomy, or craniectomy, including imaging guidance, for implantation of brain-computer interface cortical electrode array with concomitant insertion of brain-computer interface unit; first array and unit	October 2, 2026	January 1, 2027	CPT® 2028
+●1124T	each additional array and unit (List separately in addition to code for primary procedure) ►(Use 1124T in conjunction with 1123T)◄ ►(For subdural implantation of strip electrodes through 1 or more burr holes for long-term seizure monitoring, use 61531)◄	October 2, 2026	January 1, 2027	CPT® 2028

	►(For craniotomy with elevation of bone flap for subdural implantation of an electrode for long-term seizure monitoring, use 61533)◄			
●1125T	Revision of brain-computer interface, cortical electrode array, or unit	October 2, 2026	January 1, 2027	CPT® 2028
●1126T	Removal of brain-computer interface, cortical electrode array, or unit, including cranioplasty, when performed	October 2, 2026	January 1, 2027	CPT® 2028
●1127T	Replacement of brain-computer interface, cortical electrode array, or unit, including cranioplasty, when performed	October 2, 2026	January 1, 2027	CPT® 2028
●1128T	Intraoperative fluorescence confocal microscopy of excised surgical specimen for evaluation of margin(s), each specimen; tissue preparation, image site selection(s), and image acquisition	October 2, 2026	January 1, 2027	CPT® 2028
●1129T	image(s) interpretation	October 2, 2026	January 1, 2027	CPT® 2028
●1130T	Intraoperative fluorescence confocal microscopy of tissue specimen to determine adequacy for pathology and/or laboratory evaluation, each specimen; tissue preparation, image site selection(s), and image acquisition(s)	October 2, 2026	January 1, 2027	CPT® 2028
●1131T	image(s) interpretation ►(For definition of specimen, see the Surgical Pathology guidelines)◄ ►(For multiple specimens that are assessed for specimen adequacy, 1130T, 1131T may be reported once for each specimen when multiple images are acquired and evaluated for each of those specimens)◄ ►(For multiple specimens that are assessed for specimen adequacy, 1130T, 1131T may be reported only once when multiple specimens are consolidated into one image)◄	October 2, 2026	January 1, 2027	CPT® 2028
●1132T	Surgical left ventricular restoration procedure via plication using epicardial ventricular anchoring system, including imaging guidance ►(Do not report 1132T in conjunction with 33542, 33548, 0643T)◄	October 2, 2026	January 1, 2027	CPT® 2028
●1133T	Endovascular cerebrospinal fluid shunt creation, dural/subarachnoid cisternal transcatheter placement of shunting device via the inferior petrosal sinus, including venous access, ultrasound guidance for vascular access, and all associated radiological supervision and interpretation, including all catheter placement(s) and intraoperative roadmapping and image guidance necessary to complete the shunt placement, when performed ►(Do not report 1133T in conjunction with 36010, 36012, 75860, 76000, 76937, 76998)◄	October 2, 2026	January 1, 2027	CPT® 2028
	► External Hemispheric Ultrasound-Mediated Porphyrin Metabolite Activation for Glioma Cell Destruction ◄ ►Sonodynamic therapy is an emerging treatment option for glioblastoma that represents the oral administration of a sonosensitive drug, such as 5-Aminolevulinic acid (5-ALA) which induces glioma cell accumulation of protoporphyrin IX, an energy-excitable porphyrin metabolite. Upon external application of hemispheric ultrasound, the accumulated protoporphyrin IX is activated generating cytotoxic reactive oxygen species that result in tumor cell destruction. In contrast to direct intraoperative ultrasound application to a localized target, 1134T involves the application of a helmet by which ultrasound is delivered externally to the intended hemisphere. The procedure is performed in a facility	October 2, 2026	January 1, 2027	CPT® 2028

●1134T	setting, and localizing imaging modalities, such as magnetic resonance imaging or computed tomography, are not used for the procedure. ◀ External, non-focused, hemispheric, unilateral ultrasound-mediated porphyrin metabolite activation for glioma cell destruction, including supervision of sonosensitive agent self-administration, treatment preparation (including head shaving as needed, ultrasonic coupling gel application, coupling membrane installation), and treatment monitoring ▶(Report supply of self-administered sonosensitive drug separately)◀			
●1135T	Microwave cold argon plasma wound therapy, including debridement, when performed; first 10 sq cm or less wound surface area	October 2, 2026	January 1, 2027	CPT® 2028
+●1136T	each additional 10 sq cm wound surface area (List separately in addition to code for primary procedure) ▶(Use 1136T in conjunction with 1135T)◀	October 2, 2026	January 1, 2027	CPT® 2028
●1137T	Breast malignancy risk score, 5-year prediction, derived by augmentative algorithmic analysis of a screening-mammogram dataset acquired in separate session, with automated result	October 2, 2026	January 1, 2027	CPT® 2028
+●1138T	Breast malignancy risk score, 5-year prediction, derived by augmentative algorithmic analysis of a screening-mammogram dataset acquired in same session, with automated result (List separately in addition to code for primary procedure) ▶(Use 1138T in conjunction with 77067)◀	October 2, 2026	January 1, 2027	CPT® 2028
+●1139T	Noninvasive identification of ST elevation myocardial infarction (STEMI), STEMI equivalents, and acute or subacute myocardial ischemia, detected by assistive algorithmic analysis of electrocardiogram previously performed for suspicion of acute coronary syndrome (List separately in addition to code for primary procedure) ▶(Use 1139T in conjunction with 93000, 93005, 93010)◀	October 2, 2026	January 1, 2027	CPT® 2028
●1140T	Manual ab externo trephination of sclera (sclerostomy) and trabecular meshwork (trabeculostomy), including injection of antifibrotic agents, when performed ▶(Do not report 1140T in conjunction with 65800, 65815, 65850, 66020, 66030, 66170, 66172, 92020, 0621T, 1012T)◀ ▶(For trabeculotomy ab externo, use 65850)◀ ▶(For trabeculectomy ab externo in absence of previous surgery, use 66170)◀ ▶(For trabeculectomy ab externo with scarring from previous ocular surgery or trauma, including injection of antifibrotic agents, use 66172)◀ ▶(For trabeculostomy ab interno by laser, use 0621T)◀ ▶(For motorized sclerostomy or trabeculostomy, use 1012T)◀	October 2, 2026	January 1, 2027	CPT® 2028
●1141T	Application of wearable, continuous, digital sub-bandage pressure monitoring system, including sensor placement at multiple anatomical sites, device calibration, and real-time pressure-data acquisition to guide compression-dressing application at point of application ▶(Use 1141T in conjunction with 29580, 29581)◀	October 2, 2026	January 1, 2027	CPT® 2028
●1142T	Immunotherapy administration, intraprostatic, nonhormonal anti-neoplastic, including all imaging guidance ▶(Report 1142T only once per treatment episode)◀ ▶(Report 1142T in conjunction with code[s] for the immunotherapeutic agent)◀	October 2, 2026	January 1, 2027	CPT® 2028

	►(Do not report 1142T in conjunction with 76872, 76942)◄ ►(For subcutaneous or intramuscular chemotherapy administration, use 96401)◄ ►(For intralesional chemotherapy administration, see 96405, 96406)◄ ►(For intradermal cancer immunotherapy injection, see 0708T, 0709T)◄			
●1143T	Non-endoscopic esophageal cell collection for evaluation of esophageal disease (eg, Barrett's esophagus), using a swallowable device (eg, capsule balloon catheter or capsule sponge), including capsule-device administration, device deployment, and cell-sample retrieval ►(Report 1143T only once per date of service)◄ ►(Do not report 1143T in conjunction with 43197, 43198, 43235, 43236, 43237, 43238, 43259, when performed on the same date of service)◄	October 2, 2026	January 1, 2027	CPT® 2028
●1144T	Bronchoscopy, rigid or flexible, including fluoroscopic guidance when performed, with therapeutic drug delivery by a drug-coated balloon catheter, including mechanical dilation (eg, rigid dilator, nondrug-coated balloon) for stricture or stenosis; first stricture or stenosis	October 2, 2026	January 1, 2027	CPT® 2028
✚●1145T	each additional stricture or stenosis (List separately in addition to code for primary procedure) ►(Use 1145T in conjunction with 1144T)◄ ►(Do not report 1144T, 1145T in conjunction with 31622, 31630)◄ ►(For bronchoscopy with dilation without therapeutic drug delivery, use 31630)◄	October 2, 2026	January 1, 2027	CPT® 2028