

The proposed agenda for the September 2024 CPT Editorial Panel meeting shows the code application names, code(s) affected, and a description of the request. The Code Numbers and Request Descriptions detailed in this document are extracted from Code Applications submitted for discussion at this meeting. **Until such time as the CPT Editorial Panel acts on these requests, the information that appears in this Proposed Agenda is provided for informational purposes only, giving interested individuals the information to help determine whether or not to attend the meeting and provide comment on a given topic(s).** 

Codes that contain an 'X' (e.g., 102X4, 2342X, 130XT) below are placeholder codes that are intended, through the first three digits, to give readers an idea of the proposed placement in the code set of the potential code changes. These codes are not used for claims reporting and will be removed and not retained when the final CPT Datafiles are distributed early September of each year. To report the services for "X" codes listed on this form, please refer to the actual codes as they appear in the CPT Datafiles publication distributed early September of the corresponding year.

#### **NOTICE – INTERESTED PARTY PROCESS**

Upon review of this agenda, if the non-Advisor reviewer believes that they may want to provide written comments on an application, the reviewer must seek Interested Party status by submitting a request form. The form requires identification of the potential Interested Party, a brief summary of the basis for the request (e.g., associated vendor/ industry representative), and signature of the confidentiality agreement and disclosure of interest forms.

Only requests submitted via the CPT Smart App's Interested Party Portal will be considered.

Any recognized Interested Party who provides written comments must do so no later than the deadlines below and in the Interested Party Portal. Verbal comments can be provided in person at the Panel meeting.

Written comments must be submitted via the CPT Smart App's Interested Party Portal.

Issues	Tabs	Deadline to Request Materials	Comments Deadline (Noon, CST)
All Non-Pathology Issues	4-41, 47-85	August 29, 2024	September 5, 2024
Path/Lab	42-46	July 18, 2024	July 25, 2024

During the time between now and the Panel meeting, the agenda will more than likely be modified to reflect changes (additions, deletions, or updates). Please check back frequently for the most up to date information. Outcomes on these actions will be found in the CPT Editorial Panel Summary of Actions for the September 2024 meeting which will be published on or before October 18, 2024, to the <u>AMA website</u>.



Tab #	Name	Code #	Request-Description
4	Interprofessional Consultations - Revise 99452		WITHDRAWN
5	Transitional Care Services Guideline Revision		WITHDRAWN
6	Cat III-AI Assisted Ureter Movement Assessment		WITHDRAWN
7	Cat III 0275T to Cat I - Percutaneous Interlaminar Lumbar Decompression	● 62XX0 ● 62XX1 D0275T	Establish codes 62XX0, 62XX1 for reporting percutaneous interlaminar lumbar decompression; and delete code 0275T.
		● 3XXX1 ● 3XXX2 D0338T D0339T	Establish codes 3XXX1, 3XXX2 to report transcatheter sympathetic denervation; and delete codes 0338T, 0339T
9	Sympathetic Denervation Renal Arteries	● 64X16 ● 64X17	Establish codes 64X16, 64X17 to report ultrasound and radiofrequency renal denervation
10	Cat III 0600T to Cat I - Irreversible Electroporation of Tumors	● 4000X D0600T	Establish code 4000X for reporting percutaneous multiprobe irreversible electroporation ablation; and delete code 0600T
11	Cat III 0619T to Cat I - Cystourethroscopy	● 52XX2 <b>D</b> 0619T	Establish code 52XX2 to report cystourethroscopy; and delete code 0619T
12	Cat III 0720T to Cat I - Percutaneous Electrical Nerve Field Stimulation	● 64X11 D0720T	Establish code 64X11 to report percutaneous electrical nerve field stimulation of cranial nerves; and delete code 0720T
13	Cat III 0266T-0273T to Cat I - Baroreflex Activation Therapy	<ul><li>64XX5 D0266T</li><li>64XX6 D0267T</li><li>64XX7 D0268T</li></ul>	Establish codes 64XX5-64X10 for reporting baroreflex activation therapy (BAT) modulation system procedures; establish codes 93XX4, 93XX5 for reporting interrogation device evaluation



Tab #	Name	Code #	Request-Description
		● 64XX8 <b>D</b> 0269T	programming services; and delete carotid sinus baroreflex
		● 64XX9 <b>D</b> 0270T	activation therapy services codes 0266T-0273T
		● 64X10 <b>D</b> 0271T	
		● 93XX4 <b>D</b> 0271T	
		● 93XX5 <b>D</b> 0271T	
14	Cat III to Cat I - Remote Complex Uroflowmetry		WITHDRAWN
	Cat III 0569T, 0570T to Cat I - Transcatheter Tricuspid Valve Repair Services		WITHDRAWN
16	Cat III 0816T-0819T to Cat I - Posterior	● 64X12 <b>D</b> 0816T	Establish codes 64X12-64X15 to report open implantation or
	Tibial Nerve Stimulation Services	● 64X13 <b>D</b> 0817T	removal of subfascial and subcutaneous tibial neurostimulator
		● 64X14 <b>D</b> 0818T	services; and delete codes 0816T-0819T
		● 64X15 <b>D</b> 0819T	
	Central Venous Catheter Insertion Services		WITHDRAWN
	Digital Rectal Exam for Prostate Cancer Screening		Establish code 45XX1 to report digital rectal examinations that screen for prostate cancer
19	Endoscopic Sleeve Gastroplasty (ESG)	• 4XX04	Establish code 4XX04 to report gastric restrictive procedures through an endosurgical approach
20	Endoscopic Submucosal Dissection (ESD), Lower GI	• 4XX03	Establish code 4XX03 to report endoscopic submucosal dissection (ESD) of the lower GI tract
21	Endoscopic Transoral Outlet Reduction (TORe)		Establish code 4XX05 to report gastric restrictive procedures such as transoral outlet reduction (TORe)



Tab #	Name	Code #	Request-Description
22	Endoscopic Submucosal Dissection (ESD), Upper GI	• 4XX01	Establish code 4XX01 to report endoscopic submucosal dissection (ESD) of the upper GI tract
23	Fibroid Ablation - 58580 Parenthetical Revision		Revise parenthetical note following code 58580
24	Fluorescence Wound Imaging	● 10XX0 ● 10XX1 ● 10XX2 ● 10XX3	Establish codes 10XX0, 10XX1, 10XX2, 10XX3 to report noncontact real-time fluorescence wound imaging
25	Hip and Pelvis Arthrodesis Guideline Revisions		Revise guidelines for codes 27278, 27279 to clarify intended use for both codes
26	Implantable Tibial Nerve Integrated Neurostimulator Services	● 64X18 <b>D</b> 0816T ● 64X19 <b>D</b> 0818T	Establish codes 64X18, 64X19 to report open insertion or replacement and revision or removal of an integrated neurostimulator system for bladder dysfunction; and delete codes 0816T, 0818T
27	Laminotomy-Repair of Disk Defect w Annular Closure Device (ACD)	• 6XX13	Establish code 6XX13 to report laminotomy (hemilaminectomy) with decompression using an annular closure
28	Laparoscopy Editorial Changes		Request for laparoscopy editorial changes by deleting the term "peritoneoscopy" from the CPT code set
29	Laser Coagulation of Prostate - Delete 52647	<b>D</b> 52647	Delete code 52647 for reporting laser coagulation of prostate
30	Lower Extremity Vascular Procedures	● 37XX1 ● 37X19 ● 37X37 ● 37X02 ● 37X20 ● 37X38 ● 37X03 ● 37X21 ● 37X39	Establish codes 37XX1-37X09 for reporting vascular procedures in the iliac vascular territory; establish codes 37X10-37X26 for reporting vascular procedures in the femoral and popliteal vascular territory; establish codes 37X27-37X42 for reporting vascular

<sup>▲</sup> Revision



Tab #	Name	Code #	Request-Description
		● 37X04 ● 37X22 ● 37X40	procedures in the tibial and peroneal vascular territory; establish
		● 37X05 ● 37X23 ● 37X41	codes 37X43-37X46 for reporting vascular procedures in the
		● 37X06 ● 37X24 ● 37X42	inframalleolar vascular territory; delete 16 lower extremity
		● 37X07 ● 37X25 ● 37X43	revascularization codes (37220-37235)
		● 37X08 ● 37X26 ● 37X44	
		● 37X09 ● 37X27 ● 37X45	
		● 37X10 ● 37X28 ● 37X46	
		● 37X11 ● 37X29 <b>D</b> 37220	
		● 37X12 ● 37X30 <b>D</b> 37221	
		● 37X13 ● 37X31 <b>D</b> 37222	
		● 37X14 ● 37X32 <b>D</b> 37223	
		● 37X15 ● 37X33 <b>D</b> 37224	
		● 37X16 ● 37X34 <b>D</b> 37225	
		● 37X17 ● 37X35	
		● 37X18 ● 37X36	
31	Middle Ear Prosthetic Implants	● 69X00	Establish codes 69X00, 69X01, 69X02, 69X03 for implantation,
		● 69X01	revision, or battery replacement of a fully implanted active middle
		● 69X02	ear hearing prosthetic
		● 69X03	
32	Cutaneous Extraction - Revise 10040	▲10040	Revise code 10040 for reporting cutaneous extraction
33	Percutaneous Release of Transverse	● 647XX	Establish code 647XX to report decompression of the median nerve
	Carpal Ligament		at the carpal tunnel percutaneously
34	Sacroiliac Joint Arthrodesis - Revise	<b>▲</b> 27279	Revise code 27279 to provide additional instruction for intent of
	27279		reporting
	L1213		



Name		Code #	Request-Description
Sub-Scalp Continuous EEG Monitoring	● XX90T		Establish codes XX90T-XX93T for reporting sub-scalp continuous
	● XX91T		bilateral electroencephalography (EEG) monitoring system
	● XX92T		
	● XX93T		
Thoracic Branch Endograft Services	● 33XX2	<b>D</b> 33884	Establish codes 33XX2, 35XX1 to report for thoracic branch
	● 35XX1	<b>D</b> 33889	endograft services; revise codes 33880, 33881, 33883, 33886; and
			delete codes 33884, 33889, 33891, 75956, 75957, 75958, 75959
	▲33886		
		<b>D</b> /5959	
Sacrolliac Joint Fusion - Revise 27279 Guideline			Revise guidelines for code 27279 to clarify intended use
Cat III 0523T to Cat I - AI Assisted			WITHDRAWN
Coronary Fractional Flow Reserve (FFR)			
Cat III 0623T-0626T to Cat I - Coronary	● 75XX6		Establish code 75XX6 for reporting quantification and
Atherosclerotic Plaque Assessment	<b>D</b> 0623T		characterization of coronary atherosclerotic plaque to assess
·	<b>D</b> 0624T		severity of coronary disease; and delete codes 0623T-0626T
	<b>D</b> 0625T		
Radiation Oncology Treatment Delivery	<b>▲</b> 77402	<b>D</b> 77014	Revise codes 77402, 77407, 77412 to consolidate services radiation
	<b>▲</b> 77407	<b>D</b> 77385	treatment delivery; and delete codes 77014, 77385, 77386
	<b>▲</b> 77412	<b>D</b> 77386	
Superficial Radiation Therapy	● 77X05	<b>+</b> ● 77X09	Establish codes 77X05, 77X06, 77X07, 77X08 and add on code
	● 77X06	<b>D</b> 77401	77X09 to report surface radiation therapy; and delete code 77401
	● 77X07		
	● 77X08		
	Sub-Scalp Continuous EEG Monitoring  Thoracic Branch Endograft Services  Sacroiliac Joint Fusion - Revise 27279  Guideline  Cat III 0523T to Cat I - AI Assisted  Coronary Fractional Flow Reserve (FFR)  Cat III 0623T-0626T to Cat I - Coronary  Atherosclerotic Plaque Assessment  Radiation Oncology Treatment Delivery	Sub-Scalp Continuous EEG Monitoring  XX90T  XX91T  XX92T  XX93T  Thoracic Branch Endograft Services  33XX2  35XX1  33880  33881  33883  33886  Sacroiliac Joint Fusion - Revise 27279  Guideline  Cat III 0523T to Cat I - AI Assisted  Coronary Fractional Flow Reserve (FFR)  Cat III 0623T-0626T to Cat I - Coronary  Atherosclerotic Plaque Assessment  D0623T  D0624T  D0625T  D0626T  Radiation Oncology Treatment Delivery  77402  77407  77412  Superficial Radiation Therapy  77X05  77X06  77X06	Sub-Scalp Continuous EEG Monitoring  ■ XX90T  ■ XX91T  ■ XX92T  ■ XX93T  Thoracic Branch Endograft Services  ■ 33XX2  ■ 33XX1  ■ 338X1  ■ 33880  ■ 33881  ■ 33881  ■ 75956  ■ 33888  ■ 75957  ■ 33886  ■ 75958  ■ 75959  Gacroiliac Joint Fusion - Revise 27279  Guideline  Cat III 0523T to Cat I - AI Assisted  Coronary Fractional Flow Reserve (FFR)  Cat III 0623T-0626T to Cat I - Coronary  Atherosclerotic Plaque Assessment  D0623T  D0624T  D0625T  D0626T  Radiation Oncology Treatment Delivery  ■ 77402  ■ 777402  ■ 777402  ■ 777402  ■ 777402  ■ 777402  ■ 777402  ■ 777402  ■ 777403  ■ 777403  ■ 777404  ■ 777406  ■ 777X06  ■ 777X07



Tab #	Name	Code #	Request-Description
42	Cat III - Surgical Pathology-Shortwave	<b>+</b> ● XX08T	Establish add-on code XX08T to report shortwave infrared
	Infrared Examination		examination of a surgical pathology specimen
43	Dekeratinization Procedure		WITHDRAWN
44	Osteopontin-c		WITHDRAWN
45	GSP-Carrier Genetic Testing		WITHDRAWN
46	PLA Guidelines - Conversion from PLA to Cat I		Revise the Proprietary Laboratory Analysis (PLA) Guidelines for the conversion of PLA codes to Category I codes and revise existing PLA criteria the Proprietary Laboratory Analysis (PLA) Guidelines for the conversion of PLA codes to Category I codes and removing the "\$\frac{1}{2}" from the code set
47	Adaptive Behavior Services Revisions	<ul> <li>● 97XX1</li> <li>▲ 97153</li> <li>● 97XX2</li> <li>▲ 97154</li> <li>● 97XX3</li> <li>▲ 97155</li> <li>● 97XX4</li> <li>▲ 97156</li> <li>● 97XX5</li> <li>▲ 97157</li> <li>● 97XX6</li> <li>▲ 97158</li> <li>● 97XX7</li> <li>▶ 97XX8</li> <li>▶ 97XX8</li> <li>▶ 97XX9</li> </ul>	Establish codes 97XX1, 97XX2, 97XX3 to report assessment services; revise codes 97153-97158; establish code 97XX4 for adaptive behavior care management; add codes 97XX5-97XX9 to report adaptive behavior treatment; and delete codes 0362T, 0373T
48	Autonomic Function Testing		WITHDRAWN



Tab#	Name	Code #	Request-Description
49	Biofeedback Training - Revise 90901	+ ● 90X01 ▲ 90901	Establish add-on code 90X01 for biofeedback training; and revise code 90901
	Cat III 0615T to Cat I - Eye Movement Analysis		WITHDRAWN
	Cat III XX23T, XX40T to Cat I- Percutaneous Coronary Intervention- Therapeutic Drug Delivery	● 92XX1 ● 92XX2	Establish codes 92XX1, 92XX2 to report percutaneous coronary intervention therapeutic drug-delivery; and delete codes XX23T, XX40T
52	Cat III to Cat I - Percutaneous Coronary Intervention Services	● 92XX3 <b>+</b> ● 92XX4	Establish codes 92XX3, 92XX4 to report percutaneous coronary intervention therapeutic drug-delivery; and delete codes XX23T, XX40T
	Cat III 0662T, 0663T to Cat I - Scalp Cooling Services	● 9XX01 D0662T ● 9XX02 D0663T + ● 9XX03	Establish codes 9XX01, 9XX02, 9XX03 to report scalp cooling services; and delete codes 0662T, 0663T
54	Chikungunya Vaccine, Recombinant	● 9X15X	Establish code 9X15X to report recombinant Chikungunya vaccine product
	Combination COVID-19 Vaccine Administration	<b>▲</b> 90480 <b>+</b> ● 9X16X	Revise code 90480 to note first or only component; and establish code 9X16X to report each additional non-COVID vaccine component administration
	Combination Influenza and COVID-19 Vaccine		WITHDRAWN
57	Hyperbaric Oxygen Practice Expense		WITHDRAWN
58	mRNA COVID-19 Vaccine		WITHDRAWN



Tab#	Name	Code #	Request-Description
59	mRNA-LNP Influenza Vaccine		WITHDRAWN
60	Unattended Sleep Testing	● 95XX1	Establish codes 95XX1, 95XX2, 95XX3 to report unattended sleep testing; and delete codes 95800, 95801, 95806
	Cat III - AI Assisted Analysis for Cardiac Dysfunction	● X288T	Establish code X288T to report assistive algorithmic analysis of acoustic recording for detection of cardiac dysfunction
	Cat III - AI Quantitative Assessment of Radiographic Imaging		WITHDRAWN
63	Cat III - AI Services for Foot Deformities		WITHDRAWN
64	Cat III - Anoscopy	• XX81T	Establish code XX81T to report anoscopy with directed submucosal injection of bulking agent into anal canal
	Cat III - Augmentative Risk Analysis for PCI		WITHDRAWN
	Cat III - Benign Prostate Ablation with HIFU	● XX82T	Establish code XX82T to report ablation of benign prostate tissue, transrectal high intensity focused ultrasound (HIFU)
67	Cat III - Non-surgical Jaw Expansion	● X9X0T ● X9X1T ● X9X2T	Establish codes X9X0T-X9X2T to report impression and custom preparation of jaw expansion oral prosthesis for treatment of obstructive sleep apnea
68	Cat III - Assistive Imaging Analysis and Communication		WITHDRAWN



Tab #	Name	Code #	Request-Description
69	Cat III - Colorectal Bypass Sheath	● XX88T	Establish code XX88T to report Colorectal Bypass Sheath Placement
	Placement		
70	Cat III - Congenital Cardiac 3D Modelling		WITHDRAWN
71	Cat III - Epicranial Neurostimulator	● X036T	Establish codes X036T-X038T to report insertion, replacement, and
	Services	● X037T	removal services for epicranial neurostimulation
		● X038T	
72	Cat III - Hypothermic Perfusion - Revise	▲X261T	Revise codes X261T, X262T, X263T to remove the phrase
	0894T, 0895T	▲X262T	"normothermic" from the code descriptors; and revise code X262T
		▲X263T	
		▲X262T	
73	Cat III - Implantation of Capsular Bag		WITHDRAWN
	Prosthesis		
74	Cat III - Laser Ablation of Breast Tumor	● XX94T	Establish code XX94T to report laser ablation of breast tumor
75	Cat III - Lower Extremity Biomechanical		WITHDRAWN
	Device Services		
76	Cat III - Multi-Spectral Imaging for Burn	● X309T	Establish codes X309T, X310T, X311T to report noninvasive multi-
	Wounds	● X310T	spectral imaging (MSI) measurements and assessment of wound
		● X311T	healing prediction derived from augmentative software analysis
77	Cat III - Precuneus Neurostimulation	● XX95T	Establish codes XX95T, XX96T to report precuneus neurostimulation
		● XX96T	



Tab#	Name	Code #	Request-Description
78	Cat III - Remote Cardiac Contractility	● XX85T	Establish codes XX85T, XX86T to report technical and professional
	Modulation Services	● XX86T	remote services for cardiac contractility modulation
79	Cat III - Removal of Burn Wound Eschar	● X312T	Establish codes X312T, X313, XX314T to report enzymatic removal
		● X313T	of burn eschar from deep partial-thickness and/or full thickness
		● X314T	burns
80	Cat III - Upper GI Blood Detection	● XX87T	Establish code XX87T to report detection for upper gastrointestinal tract blood by sensor capsule
81	Cat III - Cryolysis Therapy for Sleep	● XX97T	Establish codes XX97T, XX98T, XX99T to report cryolyis therapy for
	Apnea	● XX98T	sleep apnea
		● XX99T	
82	Cat III - Hemodynamic Inferior Vena Cava	● X297T	Establish codes X297T-X299T to report hemodynamic inferior vena
	Monitoring	● X298T	cava monitoring services
		● X299T	
83	Cat III - Neurovascular Optical Coherence		Establish codes X295T, X296T for reporting intravascular imaging of
	Tomography	● X296T	neurovascular and cerebral structures using optical coherence tomography
84	Modifier 25 and 57 Revisions		Request to revise Modifier 25 and Modifier 57
85	Remote Monitoring	● 99XX4 ▲99454	Revise the Digitally Stored Data Services/Remote Physiologic
		● 99XX5 ▲99457	Monitoring guidelines; add a remote physiologic monitoring device
		● 98XX4 ▲99458	supply code (99XX4) for 2 to 15 calendar days; revise code 99454;
		● 98XX5 ▲98975	revise the Remote Physiologic Monitoring Treatment Management services guidelines; add a new code (99XX5) for remote physiologic
		● 98XX6 ▲ 98976	monitoring treatment management services to include 10 minutes
		● 98XX7 ▲ 98977	of service; revise codes 99457, 99458; revise the Remote
		▲98978	Therapeutic Monitoring Services guidelines; revise codes 98975,

<sup>▲</sup> Revision



Code #	Request-Description
▲98981	98976, 98977, 98978; add remote treatment monitoring device supply codes (98XX4, 98XX5, 98XX6) to report respiratory, musculoskeletal and cognitive behavioral therapy for 2-15 calendar days; revise the Remote Therapeutic Monitoring Treatment Management services guidelines; add a new Remote therapeutic monitoring treatment management services code (98XX7) to
	<b>▲</b> 98980 <b>▲</b> 98981