



Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

The proposed agenda for the September 2026 CPT® Editorial Panel meeting shows code change application names, code(s) affected, and a description of the request. The Code Requests listed in this proposed agenda are from Code Change Applications submitted for Editorial Panel consideration at this meeting. **Until such time as the CPT Editorial Panel acts on these requests, the information that appears in this Proposed Agenda is provided for informational purposes only, giving interested individuals the information to help determine whether to attend the meeting and provide comment on a given topic(s).**

Updates to this Proposed Agenda will be issued on the following dates:

- July 10, 2026
- August 14, 2026
- September 4, 2026
- September 11, 2026

Codes that contain an ‘X’ (e.g., 102X4, 2342X, 130XT) below are placeholder codes that are intended, through the first three digits, to give readers an idea of the proposed placement in the code set of the potential code changes. **These codes are not used for claims reporting and will be removed and not retained when the final CPT Datafiles are distributed in February of each year. To report the services for “X” codes listed on this form, please refer to the actual codes as they appear in the CPT Datafiles publication distributed early February of the corresponding year.**

INTERESTED PARTY PROCESS

Upon review of this agenda, if the reviewer believes that they may want to provide written comments on an application, the reviewer must seek Interested Party status by submitting a request form. The form requires identification of the potential Interested Party, a brief summary of the basis for the request (e.g., associated vendor/ industry representative), and signature of the confidentiality agreement and disclosure of interest forms. For more information, [please visit our website](#).

The deadline to submit comments for the upcoming September 2026 meeting is August 10, 2026, at 5pm PT. Only requests submitted via the CPT Smart App’s [Interested Party Portal](#) will be considered.

Any recognized Interested Party who provides written comments must do so no later than the deadlines below and in the Interested Party Portal. Should you miss the comment deadline, verbal comments can be provided in person at the Panel meeting.

Written comments must be submitted via the CPT Smart App’s [Interested Party Portal](#) by the deadlines below.



Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Issues | Tabs | Comments Deadline | Deadline to Request Materials |
|--------------------------|--------------------|-------------------------|-------------------------------|
| All Non-Pathology Issues | 4-37, 42-67, 69-94 | 5pm PT, August 10, 2026 | September 18, 2026 |
| Path/Lab | 38-41, 68 | 5pm PT, July 13, 2026 | September 18, 2026 |

During the time between now and the Panel meeting, the agenda will more than likely be modified to reflect changes (additions, deletions, or updates). Please check back frequently for the most up to date information. Outcomes on these actions will be found in the CPT Editorial Panel Summary of Actions for the September 2026 meeting which will be published on or before October 2, 2026, to the [AMA website](#).

| Tab | Name | Code # | Request-Description | |
|-----|---|--|---|---|
| 4 | Critical Care Services | <ul style="list-style-type: none"> ● 99X03 + ● 99X04 D99291 D99292 | (1) Establish Category I code 99X03 and 99X04 to report critical care services for the first 45 minutes (99X03) and each additional 15 minutes or more beyond the first 45 minutes (99X04); (2) delete Category I codes 99291 (first 30-74 minutes) and 99291 (each additional 30 minutes); and (3) revise the critical care guidelines to accurately reflect current practice in providing critical care services. | |
| 5 | Alcohol-Substance Abuse Assessment | <ul style="list-style-type: none"> ● 9940X ▲ 99408 ▲ 99409 | Establish Category I code 9940X to report EtOH assessment and intervention and revise Category I codes 99408 and 99409 to replace “misuse” with “use disorder”. | |
| 6 | Surgical Package Definition Revision-Pre-op Clearance | ----- | Revise CPT Surgical Package Definition to clarify preoperative clearance that occurs outside the global period. | |
| 7 | Destruction Premalignant Lesions | <ul style="list-style-type: none"> + ● 17X01 ● 17X02 ● 17X03 ● 17X04 | <ul style="list-style-type: none"> ▲ 17000 + ▲ 17003 + ▲ 17004 | (1) Establish Category I codes 17X01, 17X02, 17X03, and 17X04 to report destruction of simple or complex premalignant lesions including updates to reflect appropriate surgical packages (or global periods) for these procedures; (2) revise Category I codes 17000, 17003, and 17004; and (3) add an instructional table and a guideline. |



Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description | |
|-----|--|---|---|---|
| 8 | Fractional Ablative Laser Services-Hypertrophic Burn | <ul style="list-style-type: none"> ● 17XX0 ▲ 17XX1 ● 17XX2 ▲ 17XX3 ● 17XX4 | <ul style="list-style-type: none"> ▲ 17XX5 ● 17XX6 ▲ 17XX7 D0479T D0480T | Establish Category I codes 17XX0, 17XX1, 17XX2, 17XX3, 17XX4, 17XX5, 17XX6, 17XX7, corresponding parenthetical notes and guidelines to describe and report fractional ablative laser treatment of hypertrophic scars, differentiated by anatomic location and total scar surface area treated and delete Category III codes 0479T, 0480T. |
| 9 | Cryoablation-Breast Tumor | <ul style="list-style-type: none"> ● 191XX D0581T | Establish Category I code 191XX to report percutaneous, cryosurgical ablation, of malignant breast tumor tissue and delete Category III code 0581T. | |
| 10 | Hepatic Artery Infusion Pump Services | <ul style="list-style-type: none"> ● 377X0 ▲ 36260 ▲ 36261 ▲ 36262 | Establish Category I code 377X0 for laparoscopic implantation of intra-arterial infusion pump and revise Category I codes 36260-36262 to clarify intra-arterial infusion pump procedures. | |
| 11 | Percutaneous US Fragmentation and Aspiration-Elbow | <ul style="list-style-type: none"> ● 242XX | Establish Category I code 242XX to report percutaneous US fragmentation and removal of abnormal tissue from the elbow. | |
| 12 | Subtalar Sinus Tarsi Stabilization | <ul style="list-style-type: none"> ● 28XX0 D0335T D0510T D511T | Establish Category I code 28XX0 to report subtalar sinus tarsi stabilization with corresponding parenthetical notes and delete Category III codes 0335T, 0510T, 0511T. | |
| 13 | Posterior Vertebral Column Arthroplasty | <ul style="list-style-type: none"> ● 22XX1 ● 22XX2 D0202T | Establish Category I codes 22XX1 and 22XX2 to report posterior vertebral column arthroplasty and delete Category III code 0202T. | |
| 14 | Disc Arthroplasty Code 22860 Parenthetical Note Revision | <ul style="list-style-type: none"> ▲ 22860 | Revise parenthetical note following Category I add-on code 22860 to clarify that each additional level should be reported using the unlisted procedure (22899). | |



Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description | |
|-----|--|--|--|--|
| 15 | SI Joint Injection | <ul style="list-style-type: none"> ●27XX2 ●27XX3 | Establish Category I codes 27XX2 and 27XX3 to report injections into the sacroiliac joint, with or without imaging guidance. | |
| 16 | Endoscopic Ablation-Posterior Nasal Nerve-Rev 31242 | ▲31242 | Revise Category I code 31242 by deleting "radiofrequency" from the code descriptor, adding (radiofrequency, laser) as a treatment option. | |
| 17 | Substernal Implantable Cardioverter-Defib Procedures | <ul style="list-style-type: none"> ●332X1 ●332X2 ●332X3 ●332X4 ▲93260 ▲93261 ▲93644 D0571T D0572T | <ul style="list-style-type: none"> D0573T D0574T D0575T D0576T D0577T D0578T D0579T D0580T D0614T | (1) Establish new heading along with Category I codes 332X1, 332X2, 332X3, and 332X4 to report insertion/replacement of an implantable cardioverter-defibrillator with substernal electrode; (2) delete Category III codes 0571T-0580T, 0614T; and (3) revise Category I codes 93260, 93261, 93644 and all related guidelines and parenthetical notes. |
| 18 | Transcatheter Mitral Valve Replacement (TMVR) | <ul style="list-style-type: none"> ●33XX0 D0483T ▲0484T | (1) Establish Category I code 33XX0 to report percutaneous transcatheter mitral valve replacement (TMVR); (2) delete Category III code 0483T; and (3) revise code 0484T, guidelines, and parenthetical notes to reflect these changes. | |
| 19 | Renal Nerve Denervation | <ul style="list-style-type: none"> ●37X47 ●37X02 D0338T D0339T | Establish a new subheading, guidelines, and Category I codes 37X47 and 37X02 to report transcatheter renal sympathetic denervation; (2) delete Category III codes 0338T, 0339T; and (3) revise parenthetical notes throughout the code set. | |
| 20 | Deep Venous Arterialization (DVA) | <ul style="list-style-type: none"> ●37X49 D0620T | Establish Category I code 37X49 with corresponding parenthetical notes to report endovascular venous arterialization along with a new subsection with guidelines and delete Category III code 0620T and all corresponding parenthetical notes. | |

Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description | |
|-----|--|--|---|--|
| 21 | Central Venous Catheter Insertion Services | <ul style="list-style-type: none"> ● 36XX0 ✚ ● 36X10 ● 36X11 ✚ ● 36X12 ✚ ● 36X13 ✚ ● 36X14 ✚ ● 36X15 ✚ ● 36X16 | <ul style="list-style-type: none"> ✚ ● 36X17 D36563 D36557 ▲ 36558 ▲ 36560 ▲ 36561 ▲ 36565 ▲ 36566 | Establish Category I codes 36XX0, 36X10, 36X11, 36X12, 36X13, 36X14, 36X15, 36X16, and 36X17 to report central venous access procedures; (2) delete Category I codes 36563 and 36557; and (3) revise Category I codes 36558, 36560, 36561, 36565 and 36566. |
| 22 | Tibial Intravascular Lithotripsy (IVL) | ● 37X51 | Establish Category I code 37X51 to report intravascular lithotripsy(ies) in the tibial or peroneal arteries. | |
| 23 | Venous Ablation Guideline Revision | ----- | Revise the introductory guidelines for Venous Ablation to specify that abrasion is not the only method of mechanical disruption that may be used when reporting Category I codes 36473 and 36474. | |
| 24 | Stab Phlebectomy-Varicose Veins | <ul style="list-style-type: none"> ● 37X50 ▲ 37765 | Establish Category I code 37X50 with corresponding parenthetical notes to report stab phlebectomy and guidelines within the ligation subsection of the Cardiovascular System section. Revise Category I code 37765 from a parent code to a child code and associated parenthetical notes. | |
| 25 | Appendectomy | <ul style="list-style-type: none"> ● 44XX4 ● 44XX5 ● 44XX6 ● 44XX7 ● 44XX8 ● 44XX9 | <ul style="list-style-type: none"> ● 44X10 ● 44X11 ● 44X12 ▲ 44950 ▲ 44960 ▲ 44970 D44955 | Establish Category I codes 44XX4, 44XX5, 44XX6, 44XX7, 44XX8, 44XX9, 44X10, 44X11, and 44X12 to distinguish complicated versus uncomplicated appendectomy procedures; (2) revise Category I codes 44950, 44960, and 44970; and (3) delete Category I code 44955. |



Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description |
|-----|--|--|---|
| 26 | Machine Perfusion Services-Liver Allograft | <ul style="list-style-type: none"> ●47XX1 D0894T ●47XX2 D0895T ●47XX3 D0896T ✚●47XX4 D1072T ●47XX5 D1073T | Establish Category I codes 47XX1, 47XX2, 47XX3, 47XX4, 47XX5 to report normothermic liver perfusion services and delete Category III codes 0894T, 0895T, 0896T, 1072T, and 1073T. |
| 27 | Histotripsy-Liver Tumor | <ul style="list-style-type: none"> ●47XX0 D0686T | Establish Category I codes 47XX0, 47XX6, and 47XX7 for reporting histotripsy of the liver, one or more tumors, and delete Category III code 0686T. |
| 28 | Transperineal Laser Ablation (TPLA)-BPH | <ul style="list-style-type: none"> ●55X02 ●55X03 D0714T D0867T | Establish Category I codes 55X02 and 55X03 to report transperineal laser ablation of benign hyperplasia of the prostate and delete Category III codes 0714T and 0867T. |
| 29 | Water Vapor Thermoablation-Prostate Tissue | <ul style="list-style-type: none"> ●55X01 D0582T | Establish Category I code 55X01 along with guidelines and parenthetical notes to report transurethral ablation of malignant prostate tissue and delete Category III code 0582T. |
| 30 | Cranial Neurostimulator Subsection Revisions | ▲64555 | 1) Delete the subsection Neurostimulators (Intracranial) and relocate all its contents as appropriate to a newly created section for intracranial and extracranial neurostimulators; 2) establish three new subsections and accompanying guidelines for "Neurostimulators (Intracranial and Extracranial)" with subsections for "Neurostimulators (Intracranial Nerve)", "Pulse Generator or Receiver (Intracranial and Extracranial Neurostimulator)", and "Neurostimulators (Extracranial Nerve)"; 3) relocate extracranial nerve neurostimulator codes, including related guidelines from the "Neurostimulators (Peripheral Nerve)" subsection to the new subsection; 4) revise 64555 as it moves from a child to parent code with the relocation of code 64553; and 5) revise the "Neurostimulators, Analysis- Programming" section guidelines. |

Updated July 10, 2026

● New
 ▲ Revision
 ✚ Add on
 D Deletion



Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description | |
|-----|--|--|--|--|
| 31 | Cranial Nerve Neurostim Svcs-Hypoglossal Nerve | <ul style="list-style-type: none"> ●64XXX ●64XX0 ●64XX1 | 1) Establish three new Category I codes (64XXX, 64XX0, 64XX1) to the Neurostimulators (Peripheral Nerve) subsection in addition to new parentheticals; 2) add new parentheticals to refer to the new code for the implantation of a single lead hypoglossal nerve neurostimulator electrode array and pulse generator. | |
| 32 | Cryoneurolysis-Peripheral Nerve | ●646XX | Establish Category I code 646XX to report the destruction of a peripheral nerve by percutaneous cryoneurolysis. | |
| 33 | Open Posterior Tibial Neurostimulator Services | <ul style="list-style-type: none"> ●64X21 ●64X22 ●64X23 ●64X24 | D0816T D0817T D0818T D0819T | (1) Revise guidelines under the Neurostimulators (Peripheral Nerve) subheading; (2) establish Category I codes 64X21, 64X22, 64X23, 64X24 and corresponding parenthetical notes reporting Open Posterior Tibial Neurostimulator systems; (3) delete Category III codes 0816T, 0817T, 0818T, 0819T and corresponding parenthetical notes; and (4) add, revise and delete parenthetical notes throughout the code set. |
| 34 | Integrated Tibial Neurostimulator Services | <ul style="list-style-type: none"> ●64X25 ●64X26 | D0816T D0817T D0818T D0819T | Establish Category I codes 64X25, 64X26 and corresponding parenthetical notes reporting integrated tibial neurostimulator services and delete Category III codes 0816T, 0817T, 0818T, 0819T. |
| 35 | Hysterosalpingo-foam Sonography | ●76XX1 | Establish Category I code 76XX1 to report hysterosalpingo-foam sonography for assessing fallopian tube patency. | |
| 36 | AI-Multiparametric Quantification-Liver Tissue Composition | <ul style="list-style-type: none"> ●76XX2 D0648T D0649T ▲0697T ▲0698T | Establish Category I code 76XX2 to report noninvasive multiparametric liver tissue quantification using quantitative MRI software analysis and delete Category III codes 0648T and 0649T and revise Category III codes 0697T, 0698T as parent codes. | |
| 37 | Radiation Oncology Treatment Delivery Guidelines | ----- | Revise Radiation Treatment Delivery guidelines to provide clarification and examples regarding intended use of radiation treatment delivery codes. | |

Updated July 10, 2026

- New
- ▲ Revision
- ⊕ Add on
- D Deletion



Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description | |
|-----|---|---|--|--|
| 38 | Bone Marrow Biopsy-Revise 88305 88307 | ----- | <i>WITHDRAWN</i> | |
| 39 | MAAA-Oncology-Breast-Delete 81520 | D81520 | Delete MAAA code 81520 for reporting breast cancer recurrence risk score. | |
| 40 | Blood Bank Physician Services | <ul style="list-style-type: none"> ● 86XX2 ● 86XX3 ● 86XX4 | D86077 ▲ 86078 ▲ 86079 | Establish Category I codes 86XX2, 86XX3, 86XX4 to report blood bank physician services; (2) delete Category I code 86077; and (3) revise Category I codes 86078 and 86079. |
| 41 | Infectious Agent Detection- Adenovirus | <ul style="list-style-type: none"> ● 87XX3 ● 87XX4 | Establish codes 87XX3 and 87XX4 to report qualitative and quantitative nucleic acid detection of adenovirus. | |
| 42 | Sensorineural Acuity Test-Del 92575 | D92575 | Delete Category I code 92575 due to low utilization. | |
| 43 | Intraoperative Monitoring | <ul style="list-style-type: none"> ● 95X10 ● 95X11 +▲ 95940 +▲ 95941 | Establish Category I codes 95X10, 95X11 and corresponding parenthetical notes for reporting intraoperative neurophysiologic monitoring, revise Category I add-on codes 95940, 95941 and corresponding parenthetical notes, and revise the guidelines in the intraoperative neurophysiology subsection. | |
| 44 | Medical Nutrition Therapy (MNT) | <ul style="list-style-type: none"> ● 97X01 ● 97X02 ▲ 97802 ▲ 97803 ▲ 97804 | Establish Category I codes 97X01 and 97X02 to report subsequent episodes of medical nutrition therapy and revise Category I codes 97802, 97803, 97804 to include initial episode. | |
| 45 | Continuous Glucose Monitoring | <ul style="list-style-type: none"> ● 95X12 ▲ 95249 ▲ 95250 | Establish Category I code 95X12 to report advances in diabetes technology using continuous glucose monitoring and revise Category I codes 95249-95251 along with guidelines. | |

Updated July 10, 2026

- New
- ▲ Revision
- + Add on
- D Deletion



Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description |
|-----|--|--|--|
| | | ▲95251 | |
| 46 | AI-Noninvasive Arrhythmia Analysis Services | ●93XX7 D0897T | Establish Category I code 93XX7 to report noninvasive augmentative arrhythmia analysis derived from quantitative computational cardiac arrhythmia simulations and delete Category III code 0897T. |
| 47 | Extended Psychotherapy Services- Rev 90834 90837 | ----- | <i>TERMINATED</i> |
| 48 | AI-Left Ventricular End-Diastolic Pressure Measurement | ●93XX6 | Establish Category I code 93XX6 for noninvasive measurement of left ventricular end-diastolic pressure for detection of heart failure. |
| 49 | AI-Electrical Impedance Spectroscopy Analysis-Skin Lesions | ●96XX0 +●96XX1 D0658T | Establish Category I codes 96XX0, 96XX1 and corresponding parenthetical notes to report electrical impedance spectroscopy and delete Category III code 0658T. |
| 50 | Supervised Self-administration-Intranasal Esketamine | ●908X1 ●908X2 ●908X3 | Establish Category I codes 908X1, 908X2 and 908X3 for supervision and observation of esketamine self-administration by patient. |
| 51 | Provocation Testing-Revise 93024 | ▲93024 | Revise Category I code 93024 to include other diagnostic methodologies. |
| 52 | Optical Coherence Tomography, Middle Ear | ●926X3 D0485T ●926X4 D0486T | Establish Category I codes 926X3 (unilaterally) and 926X4 (bilaterally) to report optical coherence tomography of middle ear and delete Category III codes 0485T and 0486T. |
| 53 | Repetitive Transcranial Magnetic Stimulation | ●9XX10 ●9XX19 ●9XX11 ●9XX20 ●9XX12 D90867 ●9XX13 D90868 | Establish Category I codes 9XX10, 9XX11, 9XX12, 9XX13, 9XX14, 9XX15, 9XX16, 9XX17, 9XX18, 9XX19, and 9XX20 and corresponding parenthetical notes to report therapeutic repetitive transcranial magnetic stimulation and delete Category I codes 90867, 90868, 90869, and Category III code 0890T, 0891T, 0892T |

Updated July 10, 2026

- New
- ▲ Revision
- + Add on
- D Deletion

Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description | |
|-----|---|--|--|--|
| | | <ul style="list-style-type: none"> ●9XX14 ●9XX15 ●9XX16 ●9XX17 ●9XX18 | D90869 D0890T D0891T D0892T | and all related parenthetical notes and add guidelines in the Psychiatric Diagnostic Procedures section. |
| 54 | AI Algorithmic Acoustic and ECG Analysis | ●937XX D0962T | Establish Category I code 937XX for augmentative algorithmic analysis of acoustic and ECG recording for detection of cardiac dysfunction and delete 0962T. | |
| 55 | Medical Testimony | ●990XX ▲99075 | Establish Category I code 990XX to report medical-legal document review and preparation for testimony and revise Category I code 99075. | |
| 56 | Cat III-Slipped Rib Stabilization | ●X669T | Establish Category III code X699T to report open treatment of a slipped rib. | |
| 57 | Cat III-Transcranial Photobiomodulation-Psychiatric | ●X697T | Establish Category III code X697T to report transcranial photobiomodulation therapy. | |
| 58 | Cat III-AI Spine and Orthopedic Surgical Simulation | ●X724T ●X725T | Establish Category III codes X724T and X725T to report augmentative algorithmic spine and orthopedic surgical simulation. | |
| 59 | Cat III-AI ECG Risk-based Assessment | +●X700T ●X701T | Establish Category III codes X700T and X701T to report an assistive algorithmic electrocardiogram risk-based assessment to determine the presence and severity of coronary artery disease. | |
| 60 | Cat III-3D Volumetric Measurement for Lymphedema Assessment | ●X677T | Establish Category III code X677T to report quantitative 3D volumetric and circumferential assessment for lymphedema surveillance and monitoring. | |
| 61 | Cat III-Histotripsy-Prostate Tissue | ●X673T | Establish Category III code X673T to report histotripsy for destruction of prostate tissue. | |

Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description |
|-----|---|-------------------|---|
| 62 | Cat III-Cold Therapy of Ocular Surface | ●X698T | Establish Category III code X698T to report cold therapy of the ocular surface. |
| 63 | Cat III-Percutaneous Endovascular Non-balloon Micro-incision | ●X714T | Establish Category III code X714T to report endovascular microincision in the peripheral dialysis segment. |
| 64 | Cat III-Non-invasive Intracranial Pressure Sensor Interrogation | ●X702T | Establish Category III code X702T to report implantation, interrogation, interpretation, and management of data generated by a permanent implantable intracranial pressure monitoring device. |
| 65 | Cat III-Intraoperative Motor Nerve ID and Functional Assessment | ●X684T | Establish Category III code X684T and corresponding parenthetical note to report intraoperative motor nerve identification and functional assessment. |
| 66 | Cat III-Occlusion w Catheter Seclusion-Incompetent Vein | ●X703T +●X704T | Establish Category III codes X703T and X704T to report endovenous occlusion of incompetent vein(s) via catheter balloon-augmented segmental intraluminal sclerosant seclusion. |
| 67 | Cat III-Cardiac Conduction-guided Intervention (CGI) | ●X678T | Establish Category III code X678T for registration of a previously generated model of cardiac conduction system. |
| 68 | Cat III-AI Analysis-Digitized Slides-Prostate Ca Tissue | ●X672T | Establish Category III code X672T to report augmentative algorithmic analysis of histomorphologic features in digitized slides to predict oncologic progression of prostate cancer. |
| 69 | Cat III-Transcatheter Aortic Valve Leaflet Modification | ●X715T | Establish Category III code X715T to report transcatheter modification of aortic valve leaflets. |
| 70 | Cat III-Transcutaneous Magnetic Stimulation | D0766T ▲0767T | Delete Category III code 0766T and revise Category III code 0767T and corresponding parenthetical notes to report transcutaneous magnetic stimulation. |

Proposed Panel Agenda September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description |
|-----|--|----------------------------|--|
| 71 | Cat III-EGD-Pulsed Energy Duodenal Mucosal-Submucosal Regeneration | ●X716T | Establish Category III code X716T to report esophagogastroduodenoscopy delivery of nonthermal pulsed energy to the duodenum. |
| 72 | Cat III-EGD-Hydrothermal Ablation-Duodenal Mucosal Remodeling | ●X717T | Establish Category III code X717T to report esophagogastroduodenoscopy ablation of anatomical length of post papillary duodenum. |
| 73 | Cat III-Anatomical Model 3D Printing-Rev 0559T-0560T | ▲0559T +▲0560T | Revise Category III codes 0559T and 0560T to include printing 3D molds from the patient's anatomy. |
| 74 | Cat III-AI-CTA Derived by Algorithmic Analysis | ●X679T +●X680T | Establish Category III codes X679T and X680T for quantitative CTA characterization derived by augmentative algorithmic analysis. |
| 75 | Cat III-Brain-Computer Interface (BCI) Unit Procedures | ●X705T +●X706T | Establish Category III codes X705T, X706T, X707T, X708T, and X709T to report brain-computer interface services. |
| | | ●X707T ●X708T ●X709T | |
| 76 | Cat III-Massively Parallel Confocal Microscopy | ●X685T +●X686T | Establish Category III codes X685T, X686T, X687T and X688T with corresponding parenthetical notes to report massively parallel fluorescence confocal microscopy for imaging of excised tissue. |
| | | ●X687T +●X688T | |
| 77 | Cat III-Restoration-Remodeling-Left Ventricle | ●X681T | Establish Category III code X681T for surgical ventricular restoration of left ventricle. |
| 78 | Cat III-Transvenous Endovascular CSF Shunt | ●X710T | Establish Category III code X710T to report endovascular, transdural device placement procedures for the treatment of normal pressure hydrocephalus. |
| 79 | Cat III-Non-focused Hemispheric Porphyrin Metabolite Activation | ●X711T | Establish Category III code X711T to report the delivery of non-focused hemispheric ultrasound mediate porphyrin metabolite activation for treatment of glioblastoma. |

Proposed Panel Agenda September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description |
|-----|--|-------------------|---|
| 80 | Cat III-Lithotripsy w Intrarenal Pressure (IRP) Treatment | ●X718T | Establish Category III code X718T to report cystourethroscopy with lithotripsy with intrarenal pressure monitoring. |
| 81 | Cat III-Microwave Cold Argon Plasma Therapy | ●X674T +●X675T | Establish Category III codes X674T and X675T to report microwave cold argon plasma wound therapy. |
| 82 | Cat III-AI Breast Malignancy Risk Score-Screening Mammogram Data | ●X628T +●X629T | Establish Category III codes X628T and X629T to report augmentative breast cancer risk prediction. |
| 83 | Cat III-Fluorescence Wound Imaging | ●X689T +●X690T | Establish Category III codes X689T and X690T and parenthetical note to report real-time wound imaging. |
| 84 | Cat III-AI ID of ST Elevation MI (STEMI), STEMI Equivalents | ●X682T | Establish Category III code X682T for noninvasive identification of ST elevation myocardial infarction (STEMI), STEMI equivalents, and acute or subacute myocardial ischemia. |
| 85 | Cat III-Minimally Invasive Manual Sclerostomy | ●X719T | Establish Category III code X719T to report manual sclerostomy and trabeculostomy. |
| 86 | Cat III-Digital Sub-bandage Pressure Monitoring System Svcs | ●X676T | Establish Category III code X676T to report the application and use of a wearable digital system for continuous, real-time sub-bandage pressure monitoring. |
| 87 | Cat III-Intraprostatic Cancer Immunotherapy Administration | ●X691T | Establish Category III code X691T and parenthetical notes to report cancer immunotherapy administration. |
| 88 | Cat III-Nonendoscopic Capsule-based Esophageal Cell Collection | ●X692T | Establish Category III code X692T and corresponding parenthetical notes to report non-endoscopic esophageal cell collection. |
| 89 | Cat III-Visible-light Spectroscopy-Oxygenation Measurement | ●X720T +●X721T | Establish Category III codes X720T and X721T to report visible-light spectroscopy. |
| 90 | Cat III-Surgical Rehearsal w Fully Operable 3D Model | ●X683T | Establish Category III code X683T for patient-specific surgical rehearsal using 3D model. |



Proposed Panel Agenda

September 2026 CPT® Editorial Panel Meeting

| Tab | Name | Code # | Request-Description |
|-----|--|--|---|
| 91 | Cat III-AI-US Algorithmic Assessment-Middle Ear Effusion | <ul style="list-style-type: none"> ●X722T ●X723T | Establish Category III codes X722T and X723T to report ultrasound otoscopic augmentative assessment of middle ear effusion. |
| 92 | Cat III-Accelerated Repetitive Transcranial Magnetic Stimulation | <ul style="list-style-type: none"> ●X693T ●X694T ●X695T ●X696T | Establish Category III codes X693T, X694T, X695T, X696T and corresponding parenthetical notes to report Accelerated Transcranial Magnetic Stimulation. |
| 93 | Cat III-Bronchoscopy w Drug-coated Balloon Delivery | <ul style="list-style-type: none"> ●X712T ●X713T | Establish Category III codes X712T and X713T to report bronchoscopic treatment of tracheal and bronchial strictures via balloon dilation and delivery of drug using a drug-coated balloon catheter. |
| 94 | Path-Lab CCA Form Revisions | ----- | Revise the Pathology/Laboratory code change application to accommodate AI related issues and to align other questions on the form with current needs of the CPT Editorial Panel. |